Data Spliting Into Train And Test

TEAM ID - **PNT2022TMID21731**

```
import numpy as np import
pandas as pd import seaborn as
sns import matplotlib.pyplot as
plt
ds=pd.read_csv(r"/content/Crude-Oil-Prices-Daily.csv")
ds.head()
 Date Closing Value
0 1/2/1986 25.56
1 1/3/1986 26.00
2 1/6/1986 26.53
3 1/7/1986 25.85 4 1/8/1986 25.87
import pandas as pd
from sklearn.linear_model import LinearRegression
from sklearn.model_selection import train_test_split
X = ds.iloc[:, :-1]
y = ds.iloc[:, -1]
X_train, X_test, y_train, y_test = train_test_split(X, y,
test_size=0.05, random_state=0) print(X_train)
 Date
1940 8/11/1993
```

2270 12/1/1994

2500 10/30/1995

572 4/7/1988

7144 4/29/2014

... ...

4373 4/17/2003

7891 3/30/2017

4859 3/31/2005

3264 11/10/1998

2732 10/1/1996

[7811 rows x 1 columns]

print(X_test)

Date

5993 10/2/2009

7764 9/30/2016

7937 6/5/2017

7986 8/11/2017

2402 6/12/1995

... ...

6706 8/1/2012

5489 10/3/2007

7663 5/15/2016

396 7/30/1987

8206 6/15/2018

[412 rows x 1 columns]

print(y_train)

1940 17.87

2270 17.77

2500 17.67

572 17.05

7144 101.56

... 4373

30.10

7891 50.35

4859 55.31

3264 13.54

2732 24.35

Name: Closing Value, Length: 7811, dtype: float64

print(y_test)

5993 69.80

7764 48.24

7937 47.40

7986 48.82

2402 18.87

... 6706

88.99

5489 79.97

7663 46.80

396 21.47

8206 65.01

Name: Closing Value, Length: 412, dtype: float64