


# Project Development – Delivery plan sprint-3

## IoT Based Safety Gadget for Child Safety Monitoring & Notification


TEAM ID:PNT2022TMID15120

### Creating Node-Red service and connecting with IBM cloud

#### Creating Node-Red service:



#### Codes in each Node:



Node-RED interface showing the "Edit function node" dialog for a function node in the "Child Tracker" flow. The function node is named "function" and is currently enabled. The code in the "On Message" tab is as follows:

```
1 var name = msg.payload.name
2 var lat = msg.payload.lat
3 var lon = msg.payload.lon
4 global.set('latitude',lat)
5 global.set('longitude',lon)
6 global.set('name',name)
7 return msg;
```

The "Properties" tab shows the node name as "Name". The "Setup" tab is also visible. The "Dashboard" tab is active, showing the "Child Tracker" flow and a "Map" node.

Node-RED interface showing the "Edit debug node" dialog for a debug node in the "Child Tracker" flow. The debug node is named "msg: payload" and is currently enabled. The "Output" tab shows the node name as "msg: payload". The "To" tab shows the node is connected to the "debug window". The "Name" tab shows the node name as "Name".

Node-RED interface showing the "Edit function node" dialog for a function node in the "Child Tracker" flow. The function node is named "function" and is currently enabled. The code in the "On Message" tab is as follows:

```
1- msg.payload = {
2   "name": global.get('name'),
3   "lat": global.get('latitude'),
4   "lon": global.get('longitude')
5- }
6 return msg;
```

The "Properties" tab shows the node name as "Name". The "Setup" tab is also visible. The "Dashboard" tab is active, showing the "Child Tracker" flow and a "Map" node.

Node-RED interface showing a flow named "Flow 1" and the "Edit worldmap node" configuration panel.

**Flow 1:** The flow starts with an `IBM IoT` node connected to a `function` node. This is followed by another `function` node, then a `worldmap` node (connected to a `msg.payload` node). The flow then branches into a `geofence` node and an `rbe` node. The `geofence` node connects to a `function` node, which then connects to a `http request` node. The `rbe` node connects to a `switch` node. The `switch` node has three outputs: one to a `function` node, one to a `show dialog` node, and one to a `Child` node. The `function` node under the switch connects to a `msg.payload` node.

**Edit worldmap node Properties:**

- Group: [Child Tracker] Map
- Size: auto
- Start: Latitude 17.4226372, Longitude 78.5456505, Zoom 16
- Map list: 7 selected
- Base map: ESRI Satellite
- Overlays: 5 selected
- Cluster when zoom level is less than: 0 (0, off - 19)
- Max age: Remove markers after 600 seconds
- User menu: Show, Layer menu: Hide
- Lock map: False, Lock zoom: False
- Auto-pan: Disable, Right click: Disable
- Enabled: ☐

Node-RED interface showing the same flow and the "Edit geofence node" configuration panel.

**Edit geofence node Properties:**

- Floor: ground, Ceiling: Infinity
- Action: add "inarea" property
- Enable output of zones to WorldMap node: ☐
- Enabled: ☐

Node-RED interface showing the "Child Tracker" flow and the "Edit function node" configuration panel.

**Child Tracker Flow:** The flow starts with an `IBM IoT` node connected to a `function` node. This is followed by another `function` node, then a `geofence` node, and finally a `function` node.

**Edit function node Properties:**

- Name: Name
- Setup: ☐ On Start: ☐ On Message: ☐ On Stop: ☐
- Code:

```
1 msg.payload=msg.location.inarea
2 return msg;
```
- Enabled: ☐

**Dashboard:** The dashboard shows a layout with a site named "Child Tracker" and a map tab.

<https://node-red-opzk-2022-11-04-eu-gb.mybluemix.net/red/#editor-tab-properties>

Node-RED interface showing the "Edit filter node" dialog for a node named "rbe". The dialog is open, displaying the "Properties" tab. The "Mode" is set to "block unless value changes". The "Property" is set to "msg.payload". The "Name" is set to "rbe". The "Apply mode separately for each" checkbox is checked. The "Enabled" checkbox is also checked.

Background flow diagram (Child Tracker) includes nodes: inject, debug, complete, catch, status, link in, link call, link out, comment, function, switch, msg.payload, workflowmap, geofence, and rbe.

URL: <https://node-red-opszk-2022-11-04-eu-gb.mybluemix.net/red/#editor-tab-properties>

Node-RED interface showing the "Edit switch node" dialog for a node named "rbe". The dialog is open, displaying the "Properties" tab. The "Name" is set to "Name". The "Property" is set to "msg.payload". The "Is false" condition is selected with a count of 1. The "Is true" condition is selected with a count of 2. The "checking all rules" checkbox is checked. The "recreate message sequences" checkbox is unchecked. The "Enabled" checkbox is also checked.

Background flow diagram (Child Tracker) includes nodes: inject, debug, complete, catch, status, link in, link call, link out, comment, function, switch, msg.payload, workflowmap, geofence, and rbe.

URL: <https://node-red-opszk-2022-11-04-eu-gb.mybluemix.net/red/#editor-tab-properties>

Node-RED interface showing the "Edit function node" dialog for a node named "rbe". The dialog is open, displaying the "Properties" tab. The "Name" is set to "Name". The "On Message" tab is selected. The code in the editor is as follows:

```
1 var d = new Date();
2 var utc = d.getTime() + (d.getTimezoneOffset() * 60000);
3 var offset = 5.5; // This is the offset for UTC+3, in your case (UTC+1)
4 newDate = new Date(utc + (3600000 * offset));
5
6 msg.payload = {
7   "message": "Exit",
8   "time": newDate.toLocaleString(),
9   "name": global.get('name'),
10  "lat": global.get('latitude'),
11  "lon": global.get('longitude')
12 };
13
14 return msg;
```

The "Enabled" checkbox is checked.

Background flow diagram (Child Tracker) includes nodes: inject, debug, complete, catch, status, link in, link call, link out, comment, function, switch, msg.payload, workflowmap, geofence, and rbe.

URL: <https://node-red-opszk-2022-11-04-eu-gb.mybluemix.net/red/#editor-tab-properties>



Node-RED interface showing the "Edit function node" dialog. The flow "Child Tracker" is visible in the background. The function node code is as follows:

```
1 var d = new Date();
2 var utc = d.getTime() + (d.getTimezoneOffset() * 60000);
3
4 var offset = 5.5; // This is the offset for UTC+3, in your case (UTC+1)
5
6 newDate = new Date(utc + (3600000* offset));
7
8
9 msg.payload={
10   "message": "Entry",
11   "Time": newDate.toLocaleString(),
12   "name": global.get('name'),
13   "lat": global.get('latitude'),
14   "lon": global.get('longitude')
15 };
16
17 return msg;
```

The right sidebar shows the "dashboard" tab with "Child Tracker" and "Map" visible.

Node-RED interface showing the "Edit http request node" dialog. The flow "Child Tracker" is visible in the background. The http request node configuration is as follows:

- Method: GET
- URL: <https://www.fast2sms.com/dev/bulkV2?authorization=>
- Payload: Ignore
- Enable secure (SSL/TLS) connection: ☐
- Use authentication: ☐
- Enable connection keep-alive: ☐
- Use proxy: ☐
- Only send non-2xx responses to Catch node: ☐
- Return: a UTF-8 string
- Name: Name


The right sidebar shows the "dashboard" tab with "Child Tracker" and "Map" visible.

Node-RED interface showing the "Edit notification node" dialog. The flow "Child Tracker" is visible in the background. The notification node configuration is as follows:

- Layout: OK / Cancel Dialog
- Send to all browser sessions: ☒
- Default action label: OK
- Secondary action label: (optional label for Cancel button)
- Accept raw HTML/JavaScript input in msg.payload to format popup: ☐
- Class: [msg.className]
- Topic: [msg.topic]
- Name: Show Dialoge

Note: checking Accept raw HTML/JavaScript can allow injection of

The right sidebar shows the "dashboard" tab with "Child Tracker" and "Map" visible.



## Connecting with IBM Cloud: Using IBM IOT node through the API key

The screenshot shows the 'Browse API Keys' page in the IBM Watson IoT Platform. The page displays a table with 2 results. The first result is a key 'a-4o1qxb-d5wguvebrf' with a role of 'Standard Application'. The second result is a key 'a-4o1qxb-ecmygwzdc' with a role of 'Standard Application'. The page also includes a search bar and a 'Generate API Key' button.

Key	Description	Role	Expires
a-4o1qxb-d5wguvebrf	-	Standard Application	-
a-4o1qxb-ecmygwzdc	API Key for the device simulator	Standard Application	-

The screenshot shows the 'Browse API Keys' page in the IBM Watson IoT Platform with detailed information for the selected key 'a-4o1qxb-d5wguvebrf'. The page displays the 'API Key Information' tab, which includes details such as Key, Description, Date Added, Last Update, Last Edited By, and Expires.

Key	Description	Date Added	Last Update	Last Edited By	Expires
a-4o1qxb-d5wguvebrf	-	Nov 10, 2022 2:20 PM	Nov 10, 2022 2:20 PM	310819106007@smartinternz.com	Never

## Transferring values from Python Code:

```
C:\Users\Anu\AppData\Local\Programs\Python\Python37\child.py (37.0)
File Edit Format Run Options Window Help
import json
import logging, smtplib, ssl, time
myConfig = {
    "identity":{
        "orgId": "401qxb",
        "typeId": "TestDeviceType",
        "deviceId": "12345"
    },
    "auth": {
        "token": "pnbxVzNzSxMRvKhayki"
    }
}
client= wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()

while True:
    name = "Smartbridge"
    #in area location

    #latitude = 17.4225176
    #longitude = 78.5456842

    #out area location

    latitude= 17.4219272
    longitude= 78.5488793
    myData={"name": name, 'lat':latitude, 'lon': longitude}
    client.publishEvent(eventId="status", msgFormat="json", data=myData, qos=0, onPublish=None)
    print("Data published to IBM IoT platform:", myData)
    time.sleep(5)

client.disconnect()
```

## Node-Red:

