```
import tensorflow as tf
from keras.preprocessing.image import ImageDataGenerator
#Augmenting the input training images
train datagen = ImageDataGenerator(
        rescale=1./255,
        shear range=0.2,
        zoom range=0.2,
        horizontal flip=True)
training set = train datagen.flow from directory(
        'training',
        target size=(64, 64),
        batch size=32,
        class mode='categorical')
Found 4103 images belonging to 5 classes.
test datagen = ImageDataGenerator(
        rescale=1./255)
test_data = test_datagen.flow from directory(
        'Testing',
        target size=(64, 64),
        batch size=32,
        class mode='categorical')
Found 214 images belonging to 5 classes.
#Building the model
cnn = tf.keras.models.Sequential()
#Adding convolution layer
cnn.add(tf.keras.layers.Conv2D(filters=64,kernel size=3,activation
="relu",input shape =[64,64,3]))
cnn.add(tf.keras.layers.MaxPool2D(pool size = 2,strides=2))
cnn.add(tf.keras.layers.Conv2D(filters=64,kernel_size=3,activation
="relu"))
cnn.add(tf.keras.layers.MaxPool2D(pool size = 2,strides=2))
cnn.add(tf.keras.layers.Dropout(0.5))
```

```
# Flattening the layers
cnn.add(tf.keras.layers.Flatten())
# Adding dense layers(Hidden Layers)
cnn.add(tf.keras.layers.Dense(units=128 ,activation ="relu"))
cnn.add(tf.keras.layers.Dense(units=5,activation="softmax"))
#compilation of the neural network model
cnn.compile(optimizer="rmsprop",loss="categorical crossentropy" ,metri
cs =["accuracy"])
#Fitting the neural network model and training it
cnn.fit(x = training_set , validation_data =test_data , epochs = 30 )
Epoch 1/30
1.3400 - accuracy: 0.4350 - val_loss: 1.0596 - val_accuracy: 0.6168
Epoch 2/30
1.0957 - accuracy: 0.5659 - val loss: 1.1546 - val accuracy: 0.6168
Epoch 3/30
0.9823 - accuracy: 0.6176 - val_loss: 1.0383 - val accuracy: 0.5841
Epoch 4/30
0.9194 - accuracy: 0.6432 - val loss: 0.8612 - val accuracy: 0.6776
Epoch 5/30
0.8707 - accuracy: 0.6727 - val loss: 1.1994 - val accuracy: 0.5514
Epoch 6/30
0.8155 - accuracy: 0.6856 - val loss: 0.9825 - val accuracy: 0.6916
Epoch 7/30
0.7836 - accuracy: 0.7002 - val loss: 0.9143 - val accuracy: 0.6636
Epoch 8/30
0.7603 - accuracy: 0.7090 - val loss: 0.8084 - val accuracy: 0.7243
Epoch 9/30
0.7361 - accuracy: 0.7187 - val_loss: 0.8042 - val_accuracy: 0.7150
Epoch 10/30
0.6901 - accuracy: 0.7387 - val loss: 0.9286 - val accuracy: 0.6589
Epoch 11/30
0.6722 - accuracy: 0.7453 - val loss: 1.0362 - val accuracy: 0.6822
```

```
Epoch 12/30
0.6659 - accuracy: 0.7534 - val_loss: 0.7733 - val_accuracy: 0.7056
Epoch 13/30
0.6291 - accuracy: 0.7655 - val loss: 0.8955 - val accuracy: 0.6916
Epoch 14/30
0.6128 - accuracy: 0.7702 - val loss: 0.9361 - val accuracy: 0.6542
Epoch 15/30
0.5988 - accuracy: 0.7780 - val loss: 0.8789 - val accuracy: 0.6916
Epoch 16/30
0.5822 - accuracy: 0.7775 - val loss: 0.9812 - val accuracy: 0.6729
Epoch 17/30
0.5802 - accuracy: 0.7870 - val_loss: 0.8973 - val_accuracy: 0.7056
Epoch 18/30
0.5724 - accuracy: 0.7875 - val loss: 0.8542 - val accuracy: 0.7056
Epoch 19/30
0.5624 - accuracy: 0.7955 - val loss: 0.7468 - val accuracy: 0.7430
Epoch 20/30
0.5542 - accuracy: 0.7919 - val_loss: 0.8988 - val_accuracy: 0.7150
Epoch 21/30
0.5241 - accuracy: 0.8040 - val_loss: 1.0677 - val_accuracy: 0.6963
Epoch 22/30
0.5146 - accuracy: 0.8172 - val loss: 0.8774 - val accuracy: 0.7243
Epoch 23/30
0.5153 - accuracy: 0.8172 - val loss: 0.8348 - val accuracy: 0.6963
Epoch 24/30
0.5067 - accuracy: 0.8153 - val loss: 0.9380 - val accuracy: 0.6916
Epoch 25/30
0.4726 - accuracy: 0.8284 - val loss: 0.9572 - val accuracy: 0.7056
Epoch 26/30
0.4762 - accuracy: 0.8360 - val loss: 0.8506 - val accuracy: 0.7056
Epoch 27/30
0.4734 - accuracy: 0.8216 - val loss: 1.2935 - val accuracy: 0.6168
Epoch 28/30
```

```
0.4611 - accuracy: 0.8272 - val loss: 0.8751 - val accuracy: 0.6869
Epoch 29/30
0.4375 - accuracy: 0.8372 - val loss: 0.9651 - val accuracy: 0.6729
Epoch 30/30
0.4292 - accuracy: 0.8501 - val loss: 1.0778 - val accuracy: 0.6963
<keras.callbacks.History at 0x2bf28ab59b0>
cnn.fit(x = training set , validation data = test data , epochs = 30)
Epoch 1/30
0.4250 - accuracy: 0.8496 - val loss: 0.9867 - val accuracy: 0.6729
Epoch 2/30
0.4170 - accuracy: 0.8469 - val loss: 1.0115 - val accuracy: 0.7056
Epoch 3/30
0.4203 - accuracy: 0.8550 - val loss: 0.8851 - val accuracy: 0.7150
Epoch 4/30
0.4077 - accuracy: 0.8513 - val loss: 1.1110 - val accuracy: 0.6916
Epoch 5/30
0.3930 - accuracy: 0.8603 - val loss: 1.2546 - val accuracy: 0.7103
Epoch 6/30
0.4018 - accuracy: 0.8630 - val loss: 0.9946 - val accuracy: 0.6916
Epoch 7/30
0.3879 - accuracy: 0.8640 - val loss: 1.0004 - val accuracy: 0.7243
Epoch 8/30
0.3729 - accuracy: 0.8655 - val loss: 1.0725 - val accuracy: 0.6916
Epoch 9/30
0.3805 - accuracy: 0.8582 - val loss: 1.0544 - val accuracy: 0.6916
Epoch 10/30
0.3742 - accuracy: 0.8652 - val loss: 0.9719 - val accuracy: 0.6963
Epoch 11/30
0.3737 - accuracy: 0.8686 - val_loss: 0.9270 - val_accuracy: 0.7336
Epoch 12/30
0.3898 - accuracy: 0.8647 - val loss: 0.9987 - val accuracy: 0.7196
Epoch 13/30
0.3701 - accuracy: 0.8718 - val loss: 0.8642 - val accuracy: 0.7196
```

```
Epoch 14/30
0.3546 - accuracy: 0.8786 - val_loss: 1.1820 - val_accuracy: 0.6822
Epoch 15/30
0.3510 - accuracy: 0.8762 - val loss: 1.0773 - val accuracy: 0.7150
Epoch 16/30
0.3433 - accuracy: 0.8852 - val loss: 1.3577 - val accuracy: 0.7009
Epoch 17/30
0.3400 - accuracy: 0.8796 - val loss: 1.0770 - val accuracy: 0.7150
Epoch 18/30
0.3444 - accuracy: 0.8755 - val loss: 0.9273 - val accuracy: 0.7243
Epoch 19/30
0.3386 - accuracy: 0.8835 - val_loss: 1.1471 - val_accuracy: 0.6776
Epoch 20/30
0.3300 - accuracy: 0.8869 - val loss: 1.1275 - val accuracy: 0.7103
Epoch 21/30
0.3330 - accuracy: 0.8864 - val loss: 1.2780 - val accuracy: 0.6963
Epoch 22/30
0.3249 - accuracy: 0.8867 - val_loss: 1.0580 - val accuracy: 0.7056
Epoch 23/30
0.3225 - accuracy: 0.8903 - val_loss: 1.2799 - val_accuracy: 0.7383
Epoch 24/30
0.3164 - accuracy: 0.8884 - val loss: 1.3724 - val accuracy: 0.7056
Epoch 25/30
0.3218 - accuracy: 0.8945 - val loss: 1.2431 - val accuracy: 0.7009
Epoch 26/30
0.3212 - accuracy: 0.8945 - val loss: 0.9750 - val accuracy: 0.7056
Epoch 27/30
0.3087 - accuracy: 0.9020 - val loss: 1.4106 - val accuracy: 0.7056
Epoch 28/30
0.3077 - accuracy: 0.8935 - val loss: 0.9878 - val accuracy: 0.7243
Epoch 29/30
0.3071 - accuracy: 0.8976 - val loss: 1.1608 - val accuracy: 0.6963
Epoch 30/30
```

```
0.3014 - accuracy: 0.8913 - val loss: 1.4083 - val accuracy: 0.7336
<keras.callbacks.History at 0x2bf223fcfd0>
#preprocess the test image
import numpy as np
image =
tf.keras.preprocessing.image.load img("prediction/tu.jpg",target size=
input arr = tf.keras.preprocessing.image.img to array(image)
input arr = np.expand dims(input arr,axis=0)
result = cnn.predict(input arr)
1/1 [=======] - 0s 79ms/step
training set.class indices
{'Daisy': 0, 'Dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}
print(result)
[[0. 0. 0. 0. 1.]]
#Mapping the result to the values
if result[0][0] == 1:
   print("daisy")
elif result[0][1] == 1:
   print("dandelion")
elif result[0][2] == 1:
   print("rose")
elif result[0][3] ==1:
   print("suflower")
elif result[0][4] == 1:
   print("tulip")
tulip
```