

Develop a python script

Team ID	PNT2022TMID20522
Project Name	Smart waste management system for metropolitan cities

Step 1: Open python idle

Step2: Type the program

Step 3: Then click on file and save the document

Step 4: Then click on Run then Run Module

Step 5: output will be appeared in the idle window

Python script

```
import requests
import json
import ibmiotf.application
import ibmiotf.device
import time
import random
import sys
```

```
# watson device details
```

```
organization = "4yi0vc"
devicType = "BIN1"
deviceId = "BIN1ID"
authMethod= "token"
authToken= "123456789"
```

```
#generate random values for randomo variables (temperature&humidity)
```

```

def myCommandCallback(cmd):
    global a
    print("command recieved:%s" %cmd.data['command'])
    control=cmd.data['command']
    print(control)

try:
    deviceOptions={"org": organization, "type": devicType,"id": deviceId,"auth-method":authMethod,"auth-
token":authToken}
    deviceCli = ibmiotf.device.Client(deviceOptions)
except Exception as e:
    print("caught exception connecting device %s" %str(e))
    sys.exit()

#connect and send a datapoint "temp" with value integer value into the cloud as a type of event for every 10 seconds
deviceCli.connect()

while True:

    distance= random.randint(10,70)
    loadcell= random.randint(5,15)
    data= {'dist':distance,'load':loadcell}

    if loadcell < 13 and loadcell > 15:
        load = "90 %"

    elif loadcell < 8 and loadcell > 12:
        load = "60 %"

    elif loadcell < 4 and loadcell > 7:
        load = "40 %"
    else:

```

```

load = "0 %"

if distance < 15:
    dist = 'Risk warning:' 'Dumpster poundage getting high, Time to collect :) 90 %'

elif distance < 40 and distance >16:
    dist = 'Risk warning:' 'dumpster is above 60%'

elif distance < 60 and distance > 41:
    dist = 'Risk warning:' '40 %'
else:
    dist = 'Risk warning:' '17 %'


if load == "90 %" or distance == "90 %":
    warn = 'alert :' ' Dumpster poundage getting high, Time to collect :)'

elif load == "60 %" or distance == "60 %":

    warn = 'alert :' 'dumpster is above 60%'
else :
    warn = 'alert :' 'No need to collect right now '
def myOnPublishCallback(lat=10.678991,long=78.177731):
    print("Gandigramam, Karur")
    print("published distance = %s " %distance,"loadcell:%s " %loadcell,"lon = %s " %long,"lat = %s" %lat)
    print(load)
    print(dist)
    print(warn)

time.sleep(10)

success=deviceCli.publishEvent ("IoTSensor","json",warn,qos=0,on_publish= myOnPublishCallback)

```

```
success=deviceCli.publishEvent ("IoTSensor","json",data,qos=0,on_publish= myOnPublishCallback)
```

```
if not success:  
    print("not connected to ibmiot")  
time.sleep(30)
```

```
deviceCli.commandCallback=myCommandCallback  
#disconnect the device  
deviceCli.disconnect
```

Screenshots Python script:

The image shows a Windows desktop with three Python 3.7.4 Shell windows open. The first window on the left contains code for setting up Watson IoT client details and generating random values for temperature and load cell. The second window in the middle contains code for sending data to the cloud via HTTP POST requests. The third window on the right shows the output of the code, including risk warnings and data points. The code in the first window defines a myCommandCallback function and a while loop that sends data to the cloud. The code in the second window defines a myCommandCallback function and a while loop that sends data to the cloud. The output window shows the execution results, including risk warnings and data points.

