


Project Development Phase

Team ID	PNT2022TMID06999
Project Name	Smart Fashion Recommender Application

INTEGRATING CHATBOT WITH HTML PAGE (SOURCE CODE):

```
<script> window.watsonAssistantChatOptions = { integrationID: "614a4315-ff80-4187-8fe4-2fd9b506b723", // The ID of this integration. region: "au-syd", // The region your integration is hosted in. serviceInstanceID: "9670dcf8-789f-4609-8d7a-6e25c412a9ec", // The ID of your service instance. onLoad: function(instance) { instance.render(); } }; setTimeout(function(){ const t=document.createElement('script'); t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js"; document.head.appendChild(t); }); </script>
```

INTEGRATING CHATBOT WITH HTML PAGE:



DOCKER PUSH:

```
#####
#                               #
#   WARNING!!!!                #
#   This is a sandbox environment. Using personal credentials   #
#   is HIGHLY! discouraged. Any consequences of doing so are    #
#   completely the user's responsibilities.                       #
#   The PWD team.                                                #
#####
[node1] (local) root@192.168.0.28 ~
$ docker pull uifd/ui-for-docker
Using default tag: latest
latest: Pulling from uifd/ui-for-docker
841194d080c8: Pull complete
Digest: sha256:fe371ff5a69549269b24073a5ab1244dd4c0b834cbadf244870572150b1cb749
Status: Downloaded newer image for uifd/ui-for-docker:latest
docker.io/uifd/ui-for-docker:latest
[node1] (local) root@192.168.0.28 ~
$ docker run uifd/ui-for-docker
2022/11/08 09:13:47 Unix socket /var/run/docker.sock does not exist
[node1] (local) root@192.168.0.28 ~
$ docker run -d -p 9000:9000 --privileged -v /var/run/docker.sock:/var/run/docker.sock uifd/ui-for-docker
b8bddb08bb99652d924c9bcca447ad1bcdf4de7c625d20ca5dbc5e4c70cd2a00
[node1] (local) root@192.168.0.28 ~
$
```

CONTAINERIZING THE APPLICATION:

Containers

Images

Volumes

Dev Environments BETA

Extensions BETA

+ Add Extensions

Containers [Give feedback](#)

A container packages up code and its dependencies so the application runs quickly and reliably from one computing environment to another. [Learn more](#)

☐ Only show running containers

	NAME	IMAGE	STATUS	PORT(S)	STARTED	ACTIONS
<input type="checkbox"/>	<div>kind_saha</div> <div>90dd6397eafd</div>	app:latest	Running	5000:5000	7 seconds ago	<div><div></div><div></div><div></div></div>