Assignment -3
IBM CLOUD

Assignment Date	30 September 2022
Student Name	SUBASH D
Student Roll Number	621319205046
Maximum Marks	2 Marks

Question-1:

Create a Bucket in IBM object storage.

Solution:

Question-2:

Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

Solution:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Bucket</title>
</head>
<body>
    <img src="https://s3.au-syd.cloud-object-storage.appdomain.cloud/mybucket24/chat%20bot.jpg">
```

```
    <img src="https://s3.au-syd.cloud-object-
storage.appdomain.cloud/mybucket24/chat%20bot%202.jpg">
    <img src="https://s3.au-syd.cloud-object-
storage.appdomain.cloud/mybucket24/chat%20bot%203.png">
    <img src="https://s3.au-syd.cloud-object-
storage.appdomain.cloud/mybucket24/chat%20bot%204.png">
    <img src="https://s3.au-syd.cloud-object-
storage.appdomain.cloud/mybucket24/chat%20bot%205.png">
</body>
</html>
```


Question-3:

Upload a css page to the object storage and use the same page in your HTML code.write html code to displaying all the 5 images.

Solution:

```
<html>
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
        <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/fontawesome/4.7.0/css/font-
awesome.min.css">
        <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bootstrap.min.css
">
        <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/particlesjs/2.2.3/particles.min.j
s">
        <link rel="stylesheet" href="https://s3.au-syd.cloud-
objectstorage.appdomain.cloud/mybucket24/style.cssxxxxxxxxxxxxxxxxxxx
x">
</head>
```

```html
    <body>
        <div class="signup">
            <form action="\result" method="post">
            <h2>LOGIN</h2>

            <div class="form-group">
                <div class="input-group">
                    <span class="input-group-addon"><i class="fa
faenvelope"></i></span>
                    <input type="email" name="email"  class="
formcontrol"placeholder="Email" required>
                </div>
            </div>

            <div class="form-group">
                <div class="input-group">
                    <span class="input-group-addon"><i class="fa
falock"></i></span>
                    <input type="password" name="password"  class="
formcontrol"placeholder="password" required>
                </div>
            </div>

            <div class="form-group">
                <button type="submit" class="btn btn-primary btn-lg
btnblock">Login</button>
            </div>

        </form>
```

```
            </div>

        </body>
</html>
```


Question-4:

Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

Solution:

https://webchat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F% 2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-f8e994d6-a0d7-422f-a9f3852a308d5f26%3A%3A9313e8ba-e53d-470d-8fb1-7db9327ba407&integrationID=4eb80521-2d5d-4e2b-ac4b-5124347d8655&region=au-syd&serviceInstanceID=f8e994d6-a0d7-422f-a9f3852a308d5f26

Question-5:

Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Solution:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body>    <script>        window.watsonAssistantChatOptions = {
integrationID: "d5aae4c6-7146-488c-8235-4a7abe46526d", // The ID of this
integration.         region: "au-syd", // The region your integration is hosted
in.
     serviceInstanceID: "f8e994d6-a0d7-422f-a9f3-852a308d5f26", // The ID of
your service instance.
     onLoad: function(instance) { instance.render(); }
    };        setTimeout(function(){        const
t=document.createElement('script');

t.src="https://webchat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
document.head.appendChild(t);
    });
  </script>




</body>
</html>
```