



# CREATE AND CONFIGURE IBM CLOUD SERVICES



## Create NODE-RED Service

Date: 13-11-22


Team ID: PNT2022TMID277860

Project Name : IOT - SIGNS WITH SMART CONNECTIVITY FOR BETTER ROAD SAFETY






Node-RED interface showing a flow named "testing\_flow". The flow contains two nodes: "my\_inject\_node" and "Output\_node". The "common" node palette is visible on the left, and the "config" panel is on the right.



```
graph LR; my_inject_node[my_inject_node] --> Output_node[Output_node];
```

Windows taskbar and browser tabs. The browser shows the URL: `node-red-uzhqs-2022-10-08.au-syd.mybluemix.net/red/#flow/4a7855400c60c63e`. The taskbar shows the time as 2:33 AM on 10/16/2022.

Node-RED interface showing the "Edit debug node" dialog box. The dialog is for the "Output\_node" and shows the "Properties" tab. The "Output" is set to "msg.payload", "To" is checked for "debug window", and the "Name" is "Output\_node".



**Edit debug node**

Delete Cancel Done

**Properties**

Output:

To: ☒ debug window ☐ system console ☐ node status (32 characters)

Name:

☐ Enabled

Windows taskbar and browser tabs. The browser shows the URL: `node-red-uzhqs-2022-10-08.au-syd.mybluemix.net/red/#flow/4a7855400c60c63e`. The taskbar shows the time as 2:37 AM on 10/16/2022.