# **TEAM ID: PNT2022TMID20139**

# **SMART SOLUTIONS FOR RAILWAYS**

**TEAM MEMBERS** 

S.Manjula

**T.Praveen** 

K.K Raja Dha rani

**B.Pevinesh** 

#### 1. INTRODUCTION

## a. Project Overview

The goal of smart solutions for railways is to lessen user workload and paper consumption. We have all the features listed below in this project. The general public has access to a website where they may view the available seats and purchase tickets. The individual who reserved the train will receive a QR code, which must be presented to the ticket collector while boarding the train. The ticket collectors can identify the personal information by scanning the QR code. The train has a GPS module to be tracked. When the ticket collector scans the QR Code, all of the client booking information will be stored in the database with a special ID and be retrievable.

## b. Purpose

- A Web page is designed for the public where they can book tickets by seeing the available seats.
- After booking the train, the person will get a QR code which has to be shown to the Ticket Collector while boarding the train.
- The ticket collectors can scan the QR code to identify the personal details.
- A GPS module is present in the train to track it. The live status of the journey is updated in the Web app continuously
- All the booking details of the customers will be stored in the database with a unique ID and they can be retrieved back when the Ticket Collector scans the QR Code.

#### 2. LITERATURE SURVEY

## a. Existing problem

Recent CAG report on railways pointed out that the service provided by railways lacks quality in the present competitive market.

## What are the issues with service quality?

- Food Reports submitted by CAG on the quality of food served to passengers by the Indian railways was not satisfying.
- The CAG also found the blankets supplied to passengers in AC compartments were dirty.
- There are rising complaints over unclean toilets and sanitation accessories provided to the passengers.
- **Charges** Railways were levying a surcharge for journey on "superfast" trains when these often ran late.
- **Redressal mechanism** The complaints raised by passengers on different issues are not addressed properly by the authorities.

## What are the challenges to Indian railways?

- Competitors An internal study on railways shows there is declining passenger rate due to bus and air services.
- The share of intercity passengers are also in a threat due to poor service and cheap private bus services.
- Business class passengers who used to travel in elite coaches were now turning to air travel, due to poor services and introduction of schemes like UDAN.
- Role of industries Industrial slow down as contributed to the drop in the railway freight business.
- At a time of industrial slowdown, shipment of bulk commodities will be sluggish.
- The total tonnage carried also actually went down, compared to the 2016.
- Renewable energy The Railways is particularly vulnerable because around

- half of the freight traffic comes from carrying coal.
- India has stopped conceiving new coal-fired power projects to addresses global warming concerns over burning of fossil fuels.

## What measures are proposed?

- Freight New operational setups in logistics like private players will improve the business.
- Smaller cargoes need to be targeted and door to door delivery with the cooperation of logistics companies will help.
- Dedicated freight corridors will simultaneously address both the needs of freight and passenger traffic.
- Tariffs The passenger services should be made affordable by raising Industrial freight rates.
- There is a need for a regulator to recommend fare rises and pricingdecisions.
- Food To immediately address the issue of poor quality food, food can be
   made optional so passengers can bring their own food and get a discount.
- Amenities On blankets, a pilot has been launched to raise minimum temperatures under air conditioning and stop supplying blankets.
- There are also reports that the National Institute of Fashion Technology will
  design light blankets which can be cleaned easily but the immediate reaction
  is to downgrade the product.

## b. References

Railway networks across the world are getting busier and busier; trains travel at higher speeds and carry more passengers or heavier <u>axle loads</u> than ever before. Accordingly, the railway industry calls for new information technologies (ITs) to


meet its development. Railway systems have already relied on ITs almost as much as they rely on physical assets, and this dependence is growing as these systems face burgeoning demands in terms of robustness, reliability, and capacity. This chapter will discuss the framework and related technologies for a smart railway based on the <a href="Internet of Things">Internet of Things</a> (IoT) and big data. On one hand, we present the architecture of a smart railway, which is divided into four layers, i.e., perception and action layer, transfer layer, data engine layer, and application layer, and discuss the advanced and mostly concerned technologies in each layer. On the other hand, we introduce the intelligent rail inspection system, which can be regarded as a case or application of the smart railway. The smart railway shows the potential of improving traditional railway systems with the development of the IoT and big data.

#### 3. IDEATION & PROPOSED SOLUTION

## a. Empathy Map Canvas



# b. Ideation & Brainstorming



# c. Proposed Solution

S.No.	Parameter	Descrip on
1.	Problem Statement (Problem to be solved)	In Railways ,when we book a cket for a journey , we have to go with Tickets and ID proof .
1.	Idea / Solu on descrip on	So to avoide those problems , we are conver ng the Tickets and ID proof into a QR code form using CLOUD .

1.	Novelty / Uniqueness	We are using a single QR code which contains the all details of a pasenger.
1.	Social Impact / Customer Sa sfac on	People will feel comfortable , cause they dont need to carry a ID proof, documents and Tickets.
1.	Business Model (Revenue Model)	When a passenger scan a QR code we can charge then a sutern amount depence on the Ticket cost.
1.	Scalability of the Solu on	For me being we are genera ng QR code for Tickets and Documents , we can modified into  Track the train loca on and so on.


TOP 1st - TOPIC NAME: Only train booked passengers have access to the automa c door.

**DESCRIPTION:** People without ckets are currently a common sight in many trains, which is why we have come up with the novel idea that those who purchase ckets will be given a QR CODE, which they must open and present to a scanner outside in order for the door to open if the cket is legi mate.

**TOP 2nd - TOPIC NAME: Automa c Fare Collec on using Smart Ticke ng DESCRIPTION :** The use of sensor beacons, edge compu ng, Al, and cloud-based technology allows operators to do away with long queues at the cket booths. The technology is created to recognise a specific smartphone app as passengers enter the sta on or train and automa cally charge the appropriate fare using sensors on sta on pla orms or trains. In addi on to streamlining the process for both passengers and operators, this can also make back-end revenue administra on and billing easier while also gathering u lisa on data for long-term planning.

**TOP 3rd - TOPIC NAME: Aware as you approach your des na on DESCRIPTION:**While en route to a des na on, no fica ons can be sent to the passengers' mobile devices. An alert can be u lised in the event that the traveller misses the no fica on.

## d. Problem Solution fit



## 4. REQUIREMENT ANALYSIS

# a. Functional requirement

Following are the func onal requirements of the proposed solu on.

FR	Functional Requirement	Sub Requirement (Story / Sub-Task)
No.	(Epic)	
FR-1	User Registration	Registration through Gmail
		Registration through Mobile number
FR-2	User Confirmation	Confirmation via Email
		Confirmation via OTP
		Confirmation via call

	1	T
FR-3	Journey details	Provides From and To information and date of travel.
FR-4	Select Trains	Select the appropriate trains among the list and also based on the seat availability.
FR-5	Book and add passenger	Fill the essential details such as name, contact details age, sex.
FR-6	Proceed to pay	Select an appropriate payment options among UPI, Internet banking, credit card, debit card.
FR-7	Ticket confirmation and Invoices	Ticket confirmation status is send to their registered email id.
FR-8	GPS	Tracking the live location and the status will be updated to the passengers.
FR-9	GSM	To get a wakeup call alarm prior before the destination is reached.
FR-10	Database management	Entire Journey details will be stored in the server.
FR-11	E-catering	Foods are available for the registered passengers in an effective manner.

# b. Non-Functional requirements

Following are the non-functional requirements of the proposed solution.


FR	Non-Functional	Description
No.	Requirement	
NFR-1	Usability	Availability of e-tickets with QR generation instead of physical one.
NFR-2	Security	It protects the details of a passenger against eavesdropping and denial of service attacks.

NFR-3	Reliability	It enables the user to securely use the
		app which provides maximum trust to the user.


#### 5. PROJECT DESIGN

## a. Data Flow Diagrams

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.



## b. Solution & Technical Architecture



c. User Stories

Use the below template to list all the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Passenger	Registration	USN-1	As a passenger, I want to create a login credentials so I can securely access myself service online account.	Input data fields to enter:  1.Username/email  2.Password  3.Re-enter password  4.Security question  5.Security answer	High	Sprint-1
		USN-2	As a user, I will receive confirmation email once I have registered for creating an account.	I can receive confirmation email & click confirm.	High	Sprint-1
		USN-3	As a user, I can also create an account using Google.	I can register & access my account by using Google Login details.	High	Sprint-2
		USN-4	As a user, I can also create an account using Facebook.	I can register & access my account by using Facebook login details.	Medium	Sprint-3

	Login	USN-5	As a user, I can login to the account by entering my email and password.  As a user, I can login to the account through Facebook if I previously registered with it.	be accessed by me.	High	Sprint-1
			As a user, I can reset my password if I have forgotten my password.			
	My Account	USN-6	As a user, I can view my personal account.  As a user, I can edit my Profile	I can use my personal account for booking process.	High	Sprint-1
Customer Care		CCE-1	As a customer care	Pays attention to	High	
Executive		CCL-1	executive ,I can take complaints ,answer calls from the customers regarding all the queries.	customer satisfaction	111511	
Administrator		ADMIN-1	As an administrator I receive an email notification when a new user is registered.	The admin has the control over the new user by receiving a notification.	High	
		ADMIN-2	As an administrator I am able to add a new person to the database and backup can also be done.		Medium	
		ADMIN-3	As an administrator I am able to view content that to be viewed.	The details of the user should be given to the administrator impeccably when they request it.	Medium	

# 6. PROJECT PLANNING & SCHEDULING


# a. Sprint Planning & Estimation

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Registration	USN-1	As a user, I can register for the applica on by entering my email, password, and confirming my password.	1	High	S.Manjula
Sprint-1		USN-2	As a user, I will receive a confirma on email once I have registered for the applica on	3	High	T.Praveen
Sprint-1		USN-3	As a user, I can register for the applica on using my mobile number and confirm through OTP received	3	Low	K.K. Dharani
Sprint-1		USN-4	As a user, I can register for the applica on through Gmail.	1	Medium	B.Pevinesh
Sprint-2	Login	USN-5	As a user, I can log into the applica on by entering mobile number, email & password.	2	High	S.Manjula
Sprint-2	Dashboard	USN-6	As a user, I can navigate through the dashboard to get the details of seat availability and booking a er logging in and entering the desired loca on and date.	3	Medium	T.Praveen
Sprint-3		USN-7	As a user, I can fill in my details and upload my  ID proof and book cket by online transac on	3	High	K.K Dharani
Sprint-3		USN-8	As a user, I will make the payment and will get the QR code for the cket booked.	3	High	Everyone

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-4	GPS	USR-9	As a user, I can check the weather details of the current loca on and will also be able to	2	Medium	Manjula S
			track the train loca on.			


Sprint-4		USR-10	As a user, I will be able to view earlier travel details.	1	Low	T.Praveen
Sprint Functional User Requirement Story (Epic) Numb			User Story / Task		Priority	Team Members
Sprint-4	GPS	USR-9	As a user , I can check the weather details of the current loca on and will also be able to track the train loca on.	2	Medium	Manjula S
Sprint-4		USR-10	As a user, I will be able to view earlier travel details.	1	Low	B.Pevinesh
Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-4	GPS	USR-9	As a user , I can check the weather details of the current loca on and will also be able to track the train loca on.	2	Medium	Manjula S
Sprint-4		USR-10	As a user, I will be able to view earlier travel details.	1	Low	K.K Dharani

b. Sprint Delivery Schedule




c. Reports from JIRA


## **SPRINT 1**




#### **SPRINT 2**



### **SPRINT 3**



#### **SPRINT 4**



7. CODING & SOLUTIONING (Explain the features added in the project along with code)

# 8. **TESTING**

# a. Test Cases

## **SPRINT 1**

				Team ID Project Name Maximum Marks	D3-Nov-22 PNT2022TMID20098 smart solutions for railways 4 marks		Y				.,		
est case ID	Feature Type	Componen	Test Scenario	Pre-Requisite	Steps To Execute	Test Data	Expected Result	Actual Result	Status	Commnets	TC for Automation(Y/N)	BUG ID	Executed By
1	Functional	Registratio n	Registration through the form by Filling in my details		1.Click on register 2.Fill the registration form 3.click Register		Registration form to be filled is to be displayed	Working as expected	Pass				Karthikeyan S
2	ÜI	Generating OTP	Generating the otp for further process		1.Generating of OTP number		user can register through phone numbers, Gmail, Facebook or other social sites and to get oto number	Working as expected	pass				Natraj
3	Functional	OTP verification	Verify user otp using mail		1.Enter gmail id and enter password	password: Testing123	OTP verifed is to be displayed	Working as expected	pass				Karthikeyan S
4	Functional	Login page	Verify user is able to log into application with inValid credentials		Enter into log in page     Cilick on My Account dropdown button     Enter inValid username/email in Email text box     4.Enter valid password in password text box     S.Cilick on login button		Application should show 'Incorrect email or password 'validation message.	Working as expected	pass				Natraj
5	Functional	Display Train details	The user can view about the available train details		1.As a user, I can enter the start and destination to get the list of trains available connecting the above	Username: abc@gmail.com password: Testing1236786867868768 76	A user can view about the available trains to enter start and destination details		fail				Natraj

## **SPRINT 2**

				Team IO Project Name Maximum Marks	PNT2022TMID20098 smart solutions for railways 4 marks								
Test case ID	Feature Type	Componen	Test Scenario	Pre-Requisite	Steps To Execute	Test Data	Expected Result	Actual Result	Status	Commnets	TC for Automation(Y/N)	BUG ID	Executed By
1	Functional	Booking	user can provide the basic details such as a name, age, gender etc		Enter method of reservation     Enter name, age, gender     S.Enter how marry tickets wants to be booked     A.Also enter the number member's details like name, age, gender		Tickets booked to be displayed	Working as expected	Pass				Karthikeyan
2	UI	Booking seats	User can choose the class, seat/berth. If a preferred seat/berth isn't available I can be allocated based on the		1, known to which the seats are available		known to which the seats are available	Working as expected	pass				Natraj
3	Functional	Payment	user, I can choose to pay through credit Card/debit card/UPI.		1.user can choose payment method 2.pay using tht method		payment for the booked tickets to be done using payment method through either the following methods credit Card/debit	Working as expected	pass				Karthikeyan
4	Functional	Redirection	user can be redirected to the selected		After payment the usre will be redirected to the previous page		After payment the usre will be redirected to the previous page	Working as expected	pass				priya


# **SPRINT 3**


				Date Team ID Project Name	11-Nov-22 PNT2022TMID20098 smart solutions for railways								
Test case ID	Feature Type	Componen	Test Scenario	Pre-Requisite	Steps To Execute	Test Data	Expected Result	Actual Result	Status	Commnets	TC for Automation(Y/N)	BUG ID	Executed By
1	Functional	Ticket	a user can download the generated e ticket for my journey along with the QR code which is used for authentication during my journey.		Enter method of reservation     Enter name,age,gender     S.Enter how many tickets wants to     be booked     4.Also enter the number member's     details like name,age,gender		Tickets booked to be displayed	Working as expected	Pass				Karthikeyan S
2	UI	Ticket status	a usercan see the status of my ticket Whether it's confirmed/waiting/RAC		1 known to the status of the tivkets booked		known to the status of the tivkets booked	Working as expected	pass				Natraj N
3	Functional	Remainder notificatio n	a user, I get remainders about my journey A day before my actual journey	9	1.user can get reminder nofication		user can get reminder nofication	Working as expected	pass				Karthikeyan S
4	Functional	GPS tracking	user can track the train using GPS and can get information such as ETA, Current stop and		1.tracking train for getting information		tracking process through GPS	Working as expected	pass				Natraj N

## **SPRINT 4**

				Date Team ID	03-Nov-22 PNT2022TMID20098								
				Project Name	smart solutions for railways								
				Maximum Marks	4 marks								
Fest case ID	Feature Type	Componen	Test Scenario	Pre-Requisite	Steps To Execute	Test Data	Expected Result	Actual Result	Status	Commnets	TC for Automation(Y/N)	BUG ID	Executed By
1	Functional	Ticket cancellatio	user can cancel my tickets there's any Change of plan		1.tickets to be cancelled		Tickets booked to be cancelled	Working as expected	Pass				Karthikeyan
2	UI	Raise queries	user can raise queries through the query box or via mail.		1,raise the queries		raise the queries	Working as expected	pass				Natraj N
3	Functional	Answer the queries	user will answer the questions/doubts Raised by the customers.		1.answer the queries		answer the queries	Working as expected	pass				Karthikeyan
4	Functional	Feed details	a user will feed information about the trains delays and add extra seats if a new compartment is added.		1.information feeding on trains		information feeding on trains	Working as expected	pass				Natraj N


b. User Acceptance Testing





## 9. **RESULTS**


a. Performance Metrics











# 10.ADVANTAGES & DISADVANTAGES ADVANTAGES

- Whenever the user log in, the unique ID is generated which helps to track the further process.
- At the end of the ticket generation, the user is provided with unique QR code. Through which the Validity of the ticket can be verified.

#### **DISADVANTAGES**

 We have developed this application which runs on the cloud. Many users can access this tool but the cloudant DB has limited with read / write requests per minute. So, we need to upgrade the cloud storage before making available for large users.

#### 11.CONCLUSION

Thus, the project is developed using IBM cloud is tested, verified and executed successfully.

#### 12.FUTURE SCOPE

In future, we planned to implement this project in large scale which will be helpful and used by all the people.

#### 13.**APPENDIX**

#### Source Code

```
[{"id":"5b0784b57034f8b5","type":"tab","label":"Register","disabled":false,"info":"","env":[]},{"id":"be1384fe0a55a741","type":"tab","label":"Log in page","disabled":false,"info":"","env":[]},{"id":"06fda069895ac1cd","type":"tab","label":"Seat Selection","disabled":false,"info":"","env":[]},{"id":"0560c6e1aee694cd","type":"tab","label":"Co nnecting to cloudant db","disabled":false,"info":"","env":[]},{"id":"b756f8b8c2152197","type":"tab","label":"Ticket Verification","disabled":false,"info":"","env":[]},{"id":"17ca3c472225de5f","type":"tab","label":"Current location of train","disabled":false,"info":"","env":[]},{"id":"81797b4edf755c43","type":"tab","label":"Feature
```

```
1","disabled":false,"info":"","env":[]},{"id":"aed5dac2f6530d40","type":"tab","label":"Feature
2","disabled":false,"info":"","env":[]},{"id":"e1db7d4ac8ef0596","type":"tab","label":"Feature
3","disabled":false,"info":"","env":[]},{"id":"187d1bdff4e76b53","type":"cloudant","host":"https:
//apikey-v2-
ec05q73ulbq5d864ome30mpx1mj9uk9qfxc0mmbq219:4df6813b619b78b5a9ffe605494
1ef4d@4516df27-d99d-490e-972d-883ebcb6aae8-
bluemix.cloudantnosqldb.appdomain.cloud","name":"ibm"},{"id":"2d8c8b328747d8bb","typ
e":"ibmiot","name":"","keepalive":"60","serverName":"","cleansession":true,"appId":"","shared":
false},{"id":"0e0ae86f3ab12563","type":"ui_tab","name":"Home","icon":"dashboard","disable
d":false,"hidden":false},{"id":"b57e70a1ae10026e","type":"ui_base","theme":{"name":"them e-
light","lightTheme":{"default":"#0094CE","baseColor":"#0094CE","baseFont":"-
applesystem, Blink Mac System Font, Segoe UI, Roboto, Oxygen-
Sans, Ubuntu, Cantarell, Helvetica
Neue, sansserif", "edited": false \}, "dark Theme": \{ "default": "#097479", "base Color": "#097479", "b
aseFont":
"-apple-system,BlinkMacSystemFont,Segoe
                                                                        UI, Roboto, Oxygen-
Sans, Ubuntu, Cantarell, Helvetica
Neue, sansserif", "edited": false \}, "custom Theme": \{ "name": "Untitled Theme
1","default":"#4B7930","baseColor":"#4B7930","baseFont":"-apple-
system,BlinkMacSystemFont,Segoe UI,Roboto,Oxygen-Sans,Ubuntu,Cantarell,Helvetica
Neue.sans-
serif"},"themeState":{"basecolor":{"default":"#0094CE","value":"#0094CE","edited":false},"pa
ge-
titlebarbackgroundColor":{"value":"#0094CE","edited":false},"pagebackgroundColor":{"value
":"#fafafa","edited":false},"page-
sidebarbackgroundColor":{"value":"#ffffff","edited":false},"grouptextColor":{"value":"#1bbfff
","edited":false},"groupborderColor":{"value":"#ffffff","edited":false},"groupbackgroundColor"
:{"value":"#ffffff","edited":false},"widgettextColor":{"value":"#111111","edited":false},"widget
backgroundColor":{"value":"#0094ce","edited":false},"widgetborderColor":{"value":"#ffffff","e
dited":false},"base-font":{"value":"-apple-
system,BlinkMacSystemFont,Segoe UI,Roboto,Oxygen-Sans,Ubuntu,Cantarell,Helvetica
Neue, sans-
serif"}}, "angularTheme": {"primary": "indigo", "accents": "blue", "warn": "red", "background": "grey"
,"palette":"light"}},"site":{"name":"Node-RED
Dashboard", "hideToolbar": "false", "allowSwipe": "false", "lockMenu": "false", "allowTempThem
e":"true","dateFormat":"DD/MM/YYYY","sizes":{"sx":48,"sy":48,"gx":6,"gy":6,"cx":6,"cy":6,"px":0
"py":0}}},{"id":"550279fb19c11df7","type":"ui_group","name":"Default","tab":"0e0ae86f3ab12
```

```
17", "type": "cloudant", "host": "https://apikey-v2-
cxbnlq3xzjofe7lgy1olwxuf292iq82c4du5he1pkmd:8df1b75623ae3ae5a658b2bd1eadf42
d@f9861ba4-0bf0-4df5-ab35-8f6bf3ed18d3-
bluemix.cloudantnosqldb.appdomain.cloud","name":"testibm"},{"id":"8b64b5f5b47388f9","
type":"ui_group","name":"test","tab":"d88fb269aeec11fc","order":1,"disp":true,"width":"6","coll
apse":false,"className":""},{"id":"d88fb269aeec11fc","type":"ui_tab","name":"Home","icon":"
dashboard", "disabled": false, "hidden": false}, {"id": "71f0790e47b5effc", "type": "mgttbroker", "na
me":"","broker":"localhost","port":"1883","clientid":"","autoConnect":true,"usetls":fa
Ise,"protocolVersion":"4","keepalive":"60","cleansession":true,"birthTopic":"","birthQos":"0","bi
rthPayload":"","birthMsg":{},"closeTopic":"","closeQos":"0","closePayload":"","closeMsg":{},"w
i
IITopic":"","willQos":"0","willPayload":"","willMsg":{},"sessionExpiry":""},{"id":"2609ae5f4f217a
bd","type":"rc-
credentials", "clientid": "Yc8iNJYVQzCtTflG2l0jow", "clientsecret": "8QgsyRtMR020yVsvqqVo
hAUNP5ackQTLCTFpVYGZIAbA", "username": "+19294682231", "password": "sara#123", "ext
ension":"101","name":""},{"id":"9afefb5c4e2d4f5c","type":"ibmiot","name":"ibm","keepalive":"
60", "serverName": "", "cleansession": true, "appld": "", "shared": false\}, {"id": "c7986f58ce74a9e5", appld": "", "cleansession": true, "appld": "", "shared": false, {"id": "c7986f58ce74a9e5", appld": "", "shared": false, {"id": "c7986f58ce74a9e5", appld ": "shared": false, {"id": "c7986f58ce74a9e5", apple {"id": "c7986f5
"type":"http
in","z":"5b0784b57034f8b5","name":"register","url":"/register","method":"get","upload":false,"
swaggerDoc":"","x":110,"y":120,"wires":[["8ef382baa4840767"]]},{"id":"2e945da495c93774",
"type":"template","z":"5b0784b57034f8b5","name":"","field":"payload","fieldType":"msg","for
mat":"handlebars","syntax":"mustache","template":"<!DOCTYPE
                                                                                                                                html>\n<html
lang=\"en\">\n <head>\n
                                                    <meta charset=\"UTF-8\" />\n
                                                                                                                 <meta http-equiv=\"X-
UACompatible\"
                                content=\"IE=edge\"
                                                                                                       <meta
                                                                                                                       name=\"viewport\"
                                                                        />\n
content=\"width=device-width, initial-scale=1.0\" />\n
<style>{{{payload.css}}}</style>\n
                                                                     <title>Registration Form</title>\n
                                                                                                                                     </head>\n
                          <div class=\"container\">\n
                                                                                           <form id=\"form\" class=\"form\"
<body>\n
method=\"post\" action=\"/savetodb\" name=\"form\">\n
                                                                                                                      <h2>Register With
Us</h2>\n
                                                <div class=\"form-control\">\n
                                                                                                                                             <label
for=\"username\">Username</label>\n
                                                                                       <input type=\"text\" id=\"username\"
placeholder=\"Enter username\"name=\"name\" />\n
                                                                                                                                 <small>Error
Message</small>\n
                                              </div>\n
                                                                         <div class=\"form-control\">\n
                                                                                                                                             <label
for=\"email\">Email</label>\n
                                                             <input type=\"text\" id=\"email\" placeholder=\"Enter
email\" name=\"email\" />\n
                                                          <small>Error Message</small>\n
                                                                                                                          </div>\n
                                                                                                                                                <div
class=\"form-control\">\n
                                                     <label for=\"password\">Password</label>\n
                                                                                                                                            <input
type=\"password\" id=\"password\" placeholder=\"Enter password\" name=\"password\"
/>\n
               <small>Error Message</small>\n
                                                                               </div>\n
                                                                                                    <div class=\"formcontrol\">\n
```

563","order":1,"disp":true,"width":"6","collapse":false,"className":""},{"id":"ccf6c01952c144

```
id=\"password2\" placeholder=\"Enter password again\" />\n
                                                                            <small>Error
Message</small>\n
                        </div>\n
                                     <button>Submit</button>\n
</form>\n
                         </div>\n
                                               <script
                                                         >{{{payload.script}}}</script>\n
</body>\n</html>\n","output":"str","x":560,"y":120,"wires":[["6957d18ac5f8d2bb"]]},{"id":"69
57d18ac5f8d2bb","type":"http
response","z":"5b0784b57034f8b5","name":"","statusCode":"","headers":{},"x":710,"y":120,"wi
res":[]},{"id":"5034428c8cd66f0b","type":"cloudant
out","z":"5b0784b57034f8b5","name":"","cloudant":"187d1bdff4e76b53","database":"ibm_te
st", "service": "_ext_", "payonly": true, "operation": "insert", "x": 360, "y": 240, "wires": []}, ("id": "b460e6
d4dbeb9d84","type":"http
in","z":"5b0784b57034f8b5","name":"/savedb","url":"/savetodb","method":"post","upload":fal
se,"swaggerDoc":"","x":130,"y":280,"wires":[["5034428c8cd66f0b","57e54c5f288f9a6d","1c7
8e73f7ce78484"]]},{"id":"57e54c5f288f9a6d","type":"template","z":"5b0784b57034f8b5","n
ame":"","field":"payload","fieldType":"msg","format":"handlebars","syntax":"mustache","templ
ate":"hi\n","output":"str","x":340,"y":320,"wires":[["e5531b60527c7066"]]},{"id":"15f72a2d88b
77d68","type":"http
response","z":"5b0784b57034f8b5","name":"","statusCode":"","headers":{},"x":630,"y":320,"wi
res":[]},{"id":"1c78e73f7ce78484","type":"debug","z":"5b0784b57034f8b5","name":"","active":
true, "tosidebar": true, "console": false, "tostatus": false, "complete": "true", "target Type": "full", "sta
tusVal":"","statusType":"auto","x":330,"y":280,"wires":[]},{"id":"8ef382baa4840767","type":"te
mplate", "z": "5b0784b57034f8b5", "name": "", "field": "payload.script", "fieldType": "msg", "format
":"javascript","syntax":"mustache","template":"const
                                                                  form
document.getElementById('form');\nconst
                                                           username
document.getElementById('username');\nconst
                                                                 email
document.getElementById('email');\nconst
                                                            password
document.getElementById('password');\nconst
                                                             password2
document.getElementById('password2');\n\n// show input error message\nfunction
showError(input, message) {\n
                                       const formControl = input.parentElement;\n
formControl.className
                            =
                                  'form-control
                                                   error':\n
                                                                    const
                                                                              small
formControl.querySelector('small');\n small.innerText = message;\n}\n\n// show success
message\nfunction showSuccess(input) {\n formControl = input.parentElement;\n
formControl.className = 'form-control success';\n\\n\n//check email is valid\nfunction
checkEmail(input) {\n const re =
/^(([^<>()[\\]\\\.;:\\s@\"]+(\\.[^<>()[\\]\\\.;:\\s@\"]+)*)|(\".+\"))@((\\[[0-9]{1,3}\\.[0-
9]{1,3}\\.[0-9]{1,3}\\.[0-9]{1,3}\\])|(([a-zA-Z\\-0-9]+\\.)+[a-zA-Z]{2,}))$/;\n
                                                                                        if
(re.test(input.value.trim())) {\n
                                   showSuccess(input);\n
                                                               return true;\n } else {\n
showError(input, 'Email is not valid');\n
                                              return false;\n }\n\n//check required
fields\nfunction checkRequired(inputArr) {\n let err=true;\n inputArr.forEach(function
```

(input) {\n if (input.value.trim() === ") {\n showError(input, `\${getFieldName(input)} is

<input type=\"password\"

<label for=\"password2\">Confirm Password</label>\n

required`);\n err=false;\n } else {\n err=err&true;\n showSuccess(input);\n }\n });\n return err\n}\n\n/check input lenght\nfunction checkLength(input, min, max) {\n if (input.value.length < min) {\n showError(input, `\${getFieldName(input)} must be at least \${min} characters`);\n } else if (input.value.length > max) {\n showError(input, `\${getFieldName(input)} must be less than \${max} characters`);\n } else {\n return true; $\n \$  return false; $\n\$ showSuccess(input);\n match\n\nfunction checkPasswordsMatch(input1, input2) {\n if (input1.value !== input2.value) {\n showError(input2, 'Passwords do not match');\n return false;\n }\n return true;\n}\n\n// Get fieldname\nfunction getFieldName(input) {\n return input.id.charAt(0).toUpperCase() + input.id.slice(1);\n\\n// Event listeners\nform.addEventListener('submit', function (e) {\n e.preventDefault();\n\n let check1=checkRequired([username, email, password, password2]);\n let check2=checkLength(username, 3, 15);\n let check3=checkLength(password, 6, 25);\n let check5= checkPasswordsMatch(password. let check4=checkEmail(email):\n password2);\n console.log(check1+\" \"+ check2+\" \"+check3+\" \"+check4+\" \"+check5);\n if(check1&&check2&&check3&&check4&&check5)\n document.form.submit();\n});\n","output":"str","x":240,"y":120,"wires":[["f7a98b4df49543ec

]]},{"id":"f7a98b4df49543ec","type":"template","z":"5b0784b57034f8b5","name":"","field":"p

yload.css", "fieldType": "msg", "format": "javascript", "syntax": "mustache", "template": "@impor t url('https://fonts.googleapis.com/css?family=Open+Sans&dispay=swap');\n\n:root {\n success-color: #23cc71;\n --error-color: #e74c3c;\n}\n\n\* box-sizing: {\n borderbox;\n\\n\nbody {\n background-color: #f9fafb;\n font-family: 'Open Sans', sansserif;\n display: flex;\n align-items: center;\n justify-content: center;\n min-height: 100vh;\n margin: 0;\n}\n\n.container {\n background-color: #fff;\n border-radius: 5px;\n boxshadow: 0 2px 10px rgba(0, 0, 0, 0.3);\n width:  $400px;\n\$ \n\nh2 {\n text-align: center;\n margin: 0 0 20px;\n\\n\n.form {\n padding: 30px 40px;\n}\\n\n.form-control {\n marginbottom: 10px;\n padding-bottom: 20px;\n position: relative;\n\\n\n.form-control label {\n color: #777;\n display: block;\n margin-bottom: 5px;\n}\n\n.form-control input {\n border: 2px solid #f0f0f0;\n border-radius: 4px;\n display: block;\n width: 100%;\n padding: 10px;\n font-size: 14px;\n}\n\n.form-control input:focus {\n outline: 0;\n bordercolor: #777;\n\\n.form-control.success input {\n border-color: var(-successcolor);\n\\\n.form-control.error input {\n border-color: var(--errorcolor);\n\\n.formcontrol small {\n color: var(--error-color);\n position: absolute;\n bottom: 0;\n left: 0;\n visibility: hidden;\n}\n\n.form-control.error small {\n visibility: visible;\n\\n.form button {\n cursor: pointer;\n background-color: #3498db;\n border: 2px solid #3498db;\n border-radius: 4px;\n color: #fff;\n display: block;\n font-size: 16px;\n padding: 10px;\n margin-top: 20px;\n width:

100%;\n}\n","output":"str","x":400,"y":120,"wires":[["2e945da495c93774"]]},{"id":"e5531b605 27c7066","type":"http

request","z":"5b0784b57034f8b5","name":"","method":"GET","ret":"txt","paytoqs":"ignore","url ":"https://node-red-iqqij-2022-11-03.au-

syd.mybluemix.net/login", "tls":"", "persist":false, "proxy":"", "authType": "basic", "senderr":false, " x":490,"y":320,"wires":[["15f72a2d88b77d68"]]},{"id":"5ab0d8056629e56d","type":"template ","z":"be1384fe0a55a741","name":"","field":"payload","fieldType":"msg","format":"handlebar ","syntax":"mustache","template":"<!DOCTYPE html>\n<html>\n<head>\n<meta name=\"viewport\" content=\"width=device-width, initial-scale=1\">\n<style>\nbody {fontfamily: Arial, Helvetica, sans-serif; \n\n/\* Full-width input fields \*/\ninput[type=text], input[type=password] {\n width: 100%;\n padding: 12px 20px;\n margin: 8px 0;\n display: inline-block;\n border: 1px solid #ccc;\n box-sizing: border-box;\n}\n\n/\* Set a style for all buttons \*/\nbutton {\n background-color: #04AA6D;\n color: white;\n padding: 14px 20px;\n margin: 8px 0;\n border: none;\n cursor: pointer;\n width: 100%;\n\\nbutton:\nover  $\{\n opacity: 0.8;\n\}\n\n/* Extra styles for the cancel button$ \*/\n.cancelbtn {\n width: auto;\n padding: 10px 18px;\n background-color: #f44336;\n\\n\n/\* Center the image and position the close button \*/\n.imgcontainer {\n text-align: center;\n margin: 24px 0 12px 0;\n position: relative;\n}\n\nimg.avatar {\n width: 40%;\n border-radius: 50%;\n}\n\n.container {\n padding: 16px;\n}\n\nspan.psw {\n float: right;\n padding-top: 16px;\n}\n\n/\* The Modal (background) \*/\n.modal {\n display: none; /\* Hidden by default \*/\n position: fixed; /\* Stay in place \*/\n z-index: 1; /\* Sit on top \*/\n left: 0;\n top: 0;\n width: 100%; /\* Full width \*/\n height: 100%; /\* Full height \*/\n overflow: auto; /\* Enable scroll if needed \*/\n background-color: rgb(0,0,0); /\* Fallback color \*/\n background-color: rgba(0,0,0,0.4); /\* Black w/ opacity \*/\n paddingtop: 60px;\n}\n\n/\* Modal Content/Box \*/\n.modal-content {\n backgroundcolor: #fefefe;\n margin: 5% auto 15% auto; /\* 5% from the top, 15% from the bottom and centered \*/\n border: 1px solid #888;\n width: 80%; /\* Could be more or less, depending on screen size \*/\n\\n\n/\* The Close Button (x) \*/\n.close {\n position: absolute;\n right: 25px;\n top: 0;\n color: #000;\n font-size: 35px;\n font-weight: bold;\n}\n\n.close:hover,\n.close:focus {\n color: red;\n cursor: pointer;\n}\n\n/\* Add Zoom Animation \*/\n.animate {\n -webkit-animation: animatezoom 0.6s;\n animation: animatezoom 0.6s\n\n\n@-webkit-keyframes animatezoom {\n from {-webkittransform: scale(0)} \n to {-webkit-transform: scale(1)}\n}\n \n@keyframes animatezoom {\n from {transform: scale(0)} \n to {transform: scale(1)}\n}\n\n/\* Change styles for span and cancel button on extra small screens \*/\n@media screen and (max-width: 300px) {\n span.psw {\n display: block;\n float: none;\n }\n

```
.cancelbtn {\n \ \ width: 100\%;\n }\n</style>\n</bed>\n<body>\n\n<h2>Modal Login
Form</h2>\n\n<button
onclick=\"document.getElementById('id01').style.display='block'\"
style=\"width:auto;\">Login</button>\n\n<div id=\"id01\" class=\"modal\">\n \n <form
class=\"modal-content animate\" action=\"/checkdata\" method=\"post\">\n <div
class=\"imgcontainer\">\n
                                                                <span
onclick=\"document.getElementById('id01').style.display='none'\" class=\"close\"
title=\"Close Modal\">×</span>\n
                                                                              <img
src=\"https://www.w3schools.com/howto/img_avatar2.png\"
                                                                alt=\"Avatar\"
class=\"avatar\">\n </div>\n\n <div class=\"container\">\n
                                                              <label
for=\"uname\"><b>Username</b></label>\n <input type=\"text\" placeholder=\"Enter
Username\" name=\"uname\"
                                   required>\n\n
<label for=\"psw\"><b>Password</b></label>\n
<input type=\"password\" placeholder=\"Enter Password\" name=\"psw\" required>\n
     <button type=\"submit\">Login/n
                                                 <label>\n
                                                              <input
type=\"checkbox\" checked=\"checked\" name=\"remember\"> Remember me\n
</label>\n </div>\n\n <div
                                   class=\"container\"
                                                        style=\"background-
color:#f1f1f1\">\n
                                                         <button type=\"button\"
onclick=\"document.getElementById('id01').style.display='none'\"
class=\"cancelbtn\">Cancel</button>\n
                                                                              <span
class=\"psw\">Forgot
                            <a href=\"#\">password?</a></span>\n </div>\n
</form>\n \n</div>\n <button type=\"button\" onclick=\"\" class=\"cancelbtn\"><a
href=\"https://node-red-iggij-202211-03.au-
syd.mybluemix.net/checkgr\">checkgr</a></button>\n\n<script>\n// Get the modal\nvar
modal = document.getElementById('id01');\n\n// When the user clicks anywhere outside
of the modal, close it\nwindow.onclick = function(event) {\n if
(event.target == modal) {\n
                                                  modal.style.display = \"none\";\n
\n\\n</body>\n</html>\n","output":"str","x":280,"y":220,"wires":[["694210711"]
08274d8"]]},{"id":"69421071108274d8","type":"http
response","z":"be1384fe0a55a741","name":"","statusCode":"","headers":{},"x":430,"v":220,"wi
r es":[]},{"id":"ca7a4ed0319814fa","type":"http
in","z":"be1384fe0a55a741","name":"","url":"/login","method":"get","upload":false,"swaggerD
c":"","x":120,"y":220,"wires":[["5ab0d8056629e56d"]]},{"id":"c936ec118d895c74","type":"http
in","z":"be1384fe0a55a741","d":true,"name":"register","url":"/register","method":"get","upload
":false,"swaggerDoc":"","x":130,"y":340,"wires":[["94ef07ee97143bcc"]]},{"id":"94ef07ee971
4
3bcc", "type": "template", "z": "be1384fe0a55a741", "d": true, "name": "", "field": "payload", "fieldTy
```

```
html>\n<html>\n<head>\n<meta
                                                           name=\"viewport\"
                                                                                               content=\"width=device-width,
initial-scale=1">\n<style>\nbody {\n
                                                                      font-family: Arial, Helvetica, sans-serif;\n
background-color: black;\n}\n\n* {\n box-sizing: border-box;\n}\n\n/* Add padding to
containers */\n.container {\n padding: 16px;\n background-color: white;\n}\n\n/*
Fullwidth input fields */\ninput[type=text], input[type=password] {\n width: 100%;\n
padding: 15px;\n margin: 5px 0 22px 0;\n display: inline-block;\n border: none;\n
background: #f1f1f1;\n\\n\niput[type=text]:focus, input[type=password]:focus {\n
background-color: #ddd;\n outline: none;\n\\n/* Overwrite default styles of hr */\nhr {\n
border: 1px solid #f1f1f1;\n margin-bottom: 25px;\n}\n\n/* Set a style for the submit
button */\n.registerbtn {\n background-color: #04AA6D;\n color: white;\n padding: 16px
20px;\n margin: 8px 0;\n border: none;\n cursor: pointer;\n width: 100%;\n opacity:
0.9;\n\\n.registerbtn:hover {\n opacity: 1;\n}\n\n/* Add a blue text color to links */\na
{\n color: dodgerblue;\n}\n\n/* Set a grey background color and center the text of the
\"sign in\" section */\n.signin {\n
                                                                       background-color: #f1f1f1;\n
center;\n}\n</style>\n</head>\n<body>\n\n<form
                                                                                                                  action=\"/savedb\"
create an account.
this
          form to
                                                                                                     < hr > \n \
                                                                                                                                       <label
for=\"email\"><b>Email</b></label>\n
                                                                  <input type=\"text\" placeholder=\"Enter Email\"
name=\"email\"
                                    id=\"email\"
                                                                   required>\n\n
                                                                                                                                       <label
for=\"psw\"><b>Password</b></label>\n <input type=\"password\" placeholder=\"Enter
Password\" name=\"psw\" id=\"psw\" required>\n\n
                                                                                                                 <label for=\"psw-
repeat\"><b>Repeat
                                     Password</b></label>\n
                                                                                                                  type=\"password\"
                                                                                                   <input
placeholder=\"Repeat Password\" name=\"psw-repeat\" id=\"psw-repeat\" required>\n
<hr>\n By creating an account you agree to our <a href=\"#\">Terms &
Privacy</a>.\n\n
                                                                                                                       type=\"submit\"
                                                                                            <but
class = \register \\ \regitter \\ \register \\ \register \\ \register \\ \register \\ \registe
Already have an account? <a href=\"#\">Sign in</a>.\n
9a83c10b"]]},{"id":"e523fc909a83c10b","type":"http
response","z":"be1384fe0a55a741","d":true,"name":"","statusCode":"","headers":{},"x":470,"y":
360,"wires":[]},{"id":"84db9b6d5681f2f4","type":"http
in","z":"be1384fe0a55a741","name":"","url":"/checkdata","method":"post","upload":false,"swa
ggerDoc":"","x":140,"y":500,"wires":[["d519442b9f3e4714"]]},{"id":"d519442b9f3e4714","type
":"function","z":"be1384fe0a55a741","name":"","func":"const u=\"https://apikey-
v2ec05g73ulbq5d864ome30mpx1mj9uk9gfxc0mmbg219:4df6813b619b78b5a9ffe60549
4
```

e":"msg","format":"handlebars","syntax":"mustache","template":"<!DOCTYPE

p

```
bluemix.cloudantnosqldb.appdomain.cloud\"\n//
                                                                                  const
Cloudant=require('@cloudant/cloudant')\nconst
                                                   cloudant=Cloudant(u)\nconst
db=cloudant.db.use('ibm_test')\nmsg.payload.name=msg.payload.uname\nconst
                           name:msg.payload.uname,\n
query={\n selector:{\n
password:msq.payload.psw\n \nh\nmsq.cred= await db.find(query)\n\nreturn
msg;","outputs":1,"noerr":0,"initialize":"","finalize":"","libs":[{"var":"Cloudant","module":"@cloud
ant/cloudant"}],"x":300,"y":500,"wires":[["164020f68de13d30","4d6948d9b7ca8c0c"]]},{"id":"
164020f68de13d30","type":"switch","z":"be1384fe0a55a741","name":"","property":"cred.boo
kmark","propertyType":"msg","rules":[{"t":"eq","v":"nil","vt":"str"},{"t":"else"}],"checkall":"false","r
epair":false,"outputs":2,"x":430,"y":560,"wires":[["62167cd4b0252d70"],["a20718e10646a08
c"]]},{"id":"62167cd4b0252d70","type":"http
request","z":"be1384fe0a55a741","name":"","method":"GET","ret":"txt","paytoqs":"ignore","url"
:"https://node-red-iggij-2022-11-03.au-
syd.mybluemix.net/login", "tls":"", "persist":false, "proxy":"", "authType":"", "senderr":false, "x":59
0,"y":540,"wires":[["64fe4cc329b288c8"]]},{"id":"64fe4cc329b288c8","type":"http
response","z":"be1384fe0a55a741","name":"","statusCode":"","headers":{},"x":810,"y":560,"wi
r
es":[]},{"id":"a20718e10646a08c","type":"function","z":"be1384fe0a55a741","name":"","func":
"msg.res.redirect('/seat?_id='+msg.cred.docs[0]._id)\nreturn
msg","outputs":1,"noerr":0,"initialize":"","finalize":"","libs":[],"x":580,"y":580,"wires":[["64fe4cc3
29b288c8"]]},{"id":"4d6948d9b7ca8c0c","type":"debug","z":"be1384fe0a55a741","name":"","
active":true,"tosidebar":true,"console":false,"tostatus":false,"complete":"true","targetType":"f
ull","statusVal":"","statusType":"auto","x":410,"y":440,"wires":[]},{"id":"2730738b3af84750","ty
pe":"template","z":"06fda069895ac1cd","name":"","field":"payload","fieldType":"msg","format
":"handlebars","syntax":"mustache","template":"<!DOCTYPE html>\n<html lang=\"en\">\n
<head>\n
              <meta charset=\"UTF-8\" />\n
                                                 <meta http-equiv=\"X-UA-Compatible\"
content=\"IE=edge\" />\n
                              <meta name=\"viewport\" content=\"width=device-width,
initial-scale=1.0\"
                     />\n<script
src=\"https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js\"></script>\n
<style>{{payload.css}}</style>\n <title>Movie Seat Booking</title>\n </head>\n <body
class=\"background\">\n <div class=\"movie-container\">\n
                                                                <label>Pick a
Train:</label>\n
                  <select id=\"movie\">\n
                                              <option value=\"100\"> Third Class
(Rs.100)/option>\n
                             <option value=\"1200\">First class (Rs.1200)\n
<option value=\"1500\"> Sleepeer (Rs.1500)</option>\n
                                                         <option value=\"900\">Middle
Class (Rs.900)</option>\n
                                </select>\n
                                               </div>\n\n
                                                             ul class=\"showcase\">\n
\n
          <div class=\"seat\"></div>\n
<small>N/A</small>\n
                                                  <div class=\"seat selected\"></div>\n
                          \n\n
                                       \n
```

\n

<div class=\"seat occupied\"></div>\n

<small>Selected</small>\n \n\n

<small>Occupied</small>\n \n \n <form id=\"form\">\n <div class=\"container\">\n <div class=\"row\">\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat occupied\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat occupied\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat occupied\"></div>\n <div class=\"seat\"></div>\n <div class=\"line\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat occupied\"></div>\n <div class=\"seat\"></div>\n <div \n class=\"seat\"></div>\n <div class=\"seat occupied\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"row\">\n </div>\n\n <div class=\"seat\"></div>\n <div class=\"seat occupied\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"line\"></div>\n <div class=\"seat <div class=\"seat occupied\"></div>\n occupied\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n \n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div

class=\"seat\"></div>\n <div class=\"row\">\n </div>\n <div class=\"seat occupied\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat occupied\"></div>\n <div <div class=\"seat\"></div>\n class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"line\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat occupied\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat \n occupied\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n <div class=\"seat\"></div>\n </div>\n \n </div>\n <button type=\"submit\" id=\"submit\_btn\" >Confirm</button>\n </form>\n \n\n \n have selected <span id=\"count\">0</span> seats for a price of Rs. <span  $id=\t volume 1 = vol$ \n\n \n </body>\n <script type=\"text/javascript\">{{{payload.script}}}</script>\n</html>\n","output":"str","x":540,"y"

•

```
120,"wires":[["f8b95d57c8f28d86"]]},{"id":"f8b95d57c8f28d86","type":"http
response","z":"06fda069895ac1cd","name":"","statusCode":"","headers":{},"x":670,"y":120,"wir
es":[]},{"id":"6449f20817d5f357","type":"template","z":"06fda069895ac1cd","name":"","field":
"payload.script","fieldType":"msg","format":"javascript","syntax":"plain","template":"const
container
                      document.querySelector('.container');\nconst
                                                                       seats
document.guerySelectorAll('.row
                                     .seat:not(.occupied');\nconst
                                                                      count
document.getElementById('count');\nconst
                                                           total
                                                                                  =
document.getElementById('total');\nconst
                                                       movieSelect
                                                                                  =
document.getElementById('movie');\nfunction GetURLParameter(sParam)\n{\n
                                                                                 var
sPageURL = window.location.search.substring(1);\n
                                                             var sURLVariables
                       for (var i = 0; i < sURLVariables.length; i++) \n
sPageURL.split('&');\n
                                                                       {\n
                                                                                 var
sParameterName = sURLVariables[i].split('=');\n
                                                if (sParameterName[0] == sParam) \n
          return sParameterName[1];\n
                                           }\n }\n}\npopulateUI();\nlet ticketPrice =
+movieSelect.value;\n\n//
                           Save
                                  selected
                                              movie
                                                      index
                                                              and
                                                                     price\nfunction
setMovieData(movieIndex, moviePrice) {\n localStorage.setItem('selectedMovieIndex',
movieIndex);\n localStorage.setItem('selectedMoviePrice', moviePrice);\n\n\n// update
total and count\nfunction updateSelectedCount() {\n
                                                           const selectedSeats =
document.guerySelectorAll('.row .seat.selected');\n\n const seatsIndex =
[...selectedSeats].map((seat)
                                                         [...seats].indexOf(seat));\n\n
                                         =>
localStorage.setItem('selectedSeats', JSON.stringify(seatsIndex));\n\n //copy selected
seats into arr\n // map through array\n //return new array of indexes\n\n const
selectedSeatsCount
                             selectedSeats.length;\n\n
                                                               count.innerText
selectedSeatsCount;\n total.innerText = selectedSeatsCount * ticketPrice;\n}\n\n// get
data from localstorage and populate ui\nfunction populateUI() {\n const selectedSeats =
JSON.parse(localStorage.getItem('selectedSeats'));\n if (selectedSeats !== null &&
selectedSeats.length > 0) {\n seats.forEach((seat, index) => {\n
(selectedSeats.indexOf(index) > -1) {\n
                                        seat.classList.add('selected');\n
                                                                         }\n });\n
}\n\n const selectedMovieIndex = localStorage.getItem('selectedMovieIndex');\n\n if
(selectedMovieIndex !== null) {\n movieSelect.selectedIndex = selectedMovieIndex;\n
\n/\n/\n Movie select event\nmovieSelect.addEventListener('change', (e) => {\n
ticketPrice = +e.target.value;\n setMovieData(e.target.selectedIndex, e.target.value);\n
updateSelectedCount();\n\);\n\n// Seat click event\ncontainer.addEventListener('click',
(e)
                                  if
                                          (e.target.classList.contains('seat')
                                                                                 &&
         =>
                  {\n
!e.target.classList.contains('occupied')) {\n
                                              e.target.classList.toggle('selected');\n\n
updateSelectedCount();\n \\n\);\n\n// intial count and total\nupdateSelectedCount();\n//
document.getElementById(\"submit_btn\").addEventListener(\"click\",
(e)=>{console.log(\"hi\")})\n$(\"#submit_btn\").click((e)=>{\n e.preventDefault();\n
const id=GetURLParameter(\"_id\")\n if(id!=null&&id!=undefined){\n
```

","format":"handlebars","syntax":"mustache","template":"@import

url('https://fonts.googleapis.com/css?family=Lato&display=swap');\n\n\* {\n box-sizing: border-box;\n}\n\nbody {\n background-color: #242333;\n display: flex;\n flex-direction: column;\n color: white;\n align-items: center;\n justify-content: center;\n height: 100vh;\n font-family: 'Lato', 'sans-serif';\n}\n\n.movie-container {\n margin: 20px 0;\n}\n\n.movie-container select {\n background-color: #fff;\n border: 0;\n borderradius: 5px;\n font-size: 14px;\n margin-left: 10px;\n padding: 5px 15px 5px 15px;\n mozappearance: none;\n -webkit-appearance: none;\n appearance: none;\n}\n\n.container {\n perspective: 1000px;\n margin-bottom: 30px;\n backgroundcolor: #777;\n display: block;\n border-radius: 50px 30px 30px 50px ;\n padding: 5px 20px 5px 50px;\n}\n\n.seat {\n background-color: #444451;\n height: 32px;\n width:

35px;\n margin: 5px;\n border-top-left-radius: 10px;\n border-top-right-radius: 10px;\n}\n\n.seat.selected {\n background-color: #6feaf6;\n\\n.seat.occupied {\n background-color: #fff;\n}\n\n.seat:nth-of-type(2) {\n margin-right: 18px;\n}\n.seat:nthofmargin-right: 18px;\n}\n\n.seat:nth-last-of-type(2) {\n type(11) {\n margin-left: 18px;\n\\n.seat:not(.occupied):hover {\n cursor: pointer;\n transform: scale(1.2);\n\\n.showcase .seat:not(.occupied):hover {\n cursor: default;\n transform: scale(1);\n\\n.showcase {\n background-color: rgba(0, 0, 0, 0.1);\n padding: 5px 10px;\n border-radius: 5px;\n color: #777;\n list-style-type: none;\n display: flex;\n justify-content: space-between;\n\n.showcase li {\n display: flex;\n align-items: center;\n justify-content: center;\n margin: 0 10px;\n}\n\n.showcase li small {\n marginleft: 10px;\n\\n.row {\n display: flex;\n}\\n.screen {\n background-color: #fff;\n height: 70px;\n width: 100%;\n margin: 15px 0;\n transform: rotateX(-45deg);\n boxshadow: 0 3px 10px rgba(255, 255, 255, 0.75);\n\np.text {\n margin: 5px 0;\n}\n\np.text span {\n color: #6feaf6;\n}\n /\* .line{\n height: 41px;\n padding: 5px;\n width: 1px;\n background-color: white;\n margin-left: 7px;\n margin-right: 7px;\n } \*/\n #submit\_btn{\n background-color: #444451; /\* Green \*/\n border: none;\n color: white;\n padding: 15px 32px;\n text-align: center;\n text-decoration: none;\n display: inline-block;\n font-size: 16px;\n margin: 4px 2px;\n cursor: pointer;\n

}","output":"str","x":380,"y":120,"wires":[["2730738b3af84750"]]},{"id":"ba59e3125dcea89c","t

in","z":"06fda069895ac1cd","name":"","url":"/seat","method":"get","upload":false,"swaggerD o

 $c":"","x":100,"y":120,"wires":[["6449f20817d5f357"]]\}, \\ \{"id":"d45f612c353175d1","type":"temple of the context of the conte$ 

ate","z":"06fda069895ac1cd","name":"","field":"payload","fieldType":"msg","format":"handle
b ars","syntax":"mustache","template":"<!DOCTYPE html>\n<html>\n<head>\n<meta
name=\"viewport\" content=\"width=device-width, initial-scale=1\">\nlink
rel=\"stylesheet\"

href=\"https://cdnjs.cloudflare.com/ajax/libs/fontawesome/4.7.0/css/font-awesome.min.css\">\n<style>\nbody {\n font-family: Arial;\n font-size: 17px;\n padding: 8px;\n}\n\n\* {\n box-sizing: border-box;\n}\n\n.row {\n display: -ms-flexbox; /\* IE10 \*/\n display: flex;\n -ms-flex-wrap: wrap; /\* IE10 \*/\n flexwrap: wrap;\n margin: 0 -  $16px;\n\n.col-25 {\n -ms-flex: 25\%; /* IE10 */\n flex:}$ 

25%;\n}\n\n.col-50 {\n -ms-flex: 50%; /\* IE10 \*/\n flex: 50%;\n}\n\n.col-75 {\n -ms-flex: 75%; /\* IE10 \*/\n flex: 75%;\n\\n.col-25,\n.col-50,\n.col-75 {\n padding: 0 16px;\n}\n.container {\n background-color: #f2f2f2;\n padding: 5px 20px 15px 20px;\n border: 1px solid lightgrey;\n border-radius: 3px;\n\ninput[type=text] {\n width: 100%;\n margin-bottom: 20px;\n padding: 12px;\n border: 1px solid #ccc;\n borderradius: 3px;\n}\n\nlabel {\n margin-bottom: 10px;\n display: block;\n}\n.iconcontainer margin-bottom: 20px;\n padding: 7px 0;\n font-size: 24px;\n\\n.btn {\n {\n background-color: #04AA6D;\n color: white;\n padding: 12px;\n margin: 10px 0;\n border: none;\n width: 100%;\n border-radius: 3px;\n cursor: pointer;\n font-size: background-color:  $#45a049;\n\n$  {\n  $17px:\n\$  \n\n.btn:hover {\n} color: #2196F3;\n}\n\nhr {\n border: 1px solid lightgrey;\n}\n\nspan.price {\n float: right;\n color: grey;\n\\n/\* Responsive layout - when the screen is less than 800px wide, make the two columns stack on top of each other instead of next to each other (also change the direction - make the \"cart\" column go on top) \*/\n@media (max-width: 800px) {\n .row {\n flex-direction: column-reverse;\n \n .col-25 {\n margin-bottom: 20px;\n  $\n</m>/n</style>\n</mead>\n<br/>Responsive Checkout Form</h2>\nResize$ the browser window to see the effect. When the screen is less than 800px wide, make the two columns stack on top of each other instead of next to each other. <div class=\"container\">\n  $class=\"row\">\n < div class=\"col-75\">\n$ <form action=\"/creqr\">\n \n <div class=\"row\">\n <div class=\"col-50\">\n <label for=\"fname\"></i> Full <h3>Billing Address</h3>\n Name</label>\n <input type=\"text\" id=\"fname\" name=\"firstname\" placeholder=\"John M. Doe\">\n <label for=\"email\"><i class=\"fa faenvelope\"></i> <input type=\"text\" id=\"email\" name=\"email\" Email</label>\n placeholder=\"john@example.com\">\n <label for=\"adr\"><i class=\"fa faaddress-</pre> card-o\"></i> Address</label>\n <input type=\"text\" id=\"adr\" name=\"address\" placeholder=\"542 W. 15th Street\">\n <label for=\"city\"><i class=\"fa fa-</pre> institution\"></i> City</label>\n <input type=\"text\" id=\"city\" name=\"city\" placeholder=\"New York\">\n\n <div class=\"row\">\n <div class=\"col-

```
50\">\n
              <label for=\"state\">State/n
                                                       <input type=\"text\" id=\"state\"
name=\"state\" placeholder=\"NY\">\n
                                            </div>\n
<div class=\"col-50\">\n
                              <label for=\"zip\">Zip</label>\n
                                                                    <input
type=\"text\" id=\"zip\" name=\"zip\" placeholder=\"10001\">\n
                                                                    </div>\n
</div>\n
             </div>\n\n
                            <div class=\"col-50\">\n
                                                          <h3>Payment</h3>\n
<label for=\"fname\">Accepted Cards</label>\n
                                                    <div class=\"icon-container\">\n
<i class=\"fa fa-cc-visa\" style=\"color:navy;\"></i>\n
                                                         <i class=\"fa fa-cc-amex\"
style=\"color:blue;\"></i>\n
                                 <i class=\"fa fa-cc-mastercard\"</pre>
style=\"color:red;\"></i>\n
                                                                           <i class=\"fa
fa-cc-discover\"
style=\"color:orange;\"></i>\n
                                                 <label for=\"cname\">Name on
                                  </div>\n
Card</label>\n
                     <input type=\"text\" id=\"cname\" name=\"cardname\"
placeholder=\"John More Doe\">\n
                                        <label for=\"ccnum\">Credit card
number</label>\n
                       <input type=\"text\" id=\"ccnum\" name=\"cardnumber\"</pre>
placeholder=\"1111-2222-3333-4444\">\n
                                              <label for=\"expmonth\">Exp
                      <input type=\"text\" id=\"expmonth\" name=\"expmonth\"
Month</label>\n
placeholder=\"September\">\n
                                   <div class=\"row\">\n
                                                                <div class=\"col50\">\n
<label for=\"expyear\">Exp Year</label>\n
                                                <input type=\"text\" id=\"expyear\"
name=\"expyear\" placeholder=\"2018\">\n
                                                                <div class=\"col-
                                                 </div>\n
50\">\n
                                                        <input type=\"text\" id=\"cvv\"
               <label for=\"cvv\">CVV</label>\n
name=\"cvv\" placeholder=\"352\">\n
                                           </div>\n
</div>\n
             </div>\n
                          \n
                                 </div>\n
                                             <label>\n
                                                           <input type=\"checkbox\"
checked=\"checked\" name=\"sameadr\"> Shipping address same as billing\n
              <input type=\"submit\" value=\"Continue to checkout\" class=\"btn\">\n
</label>\n
</form>\n </div>\n </div>\n </div>\n </div>\n </div>\n </div
{{!--<h4>Cart <span class=\"price\" style=\"color:black\"><i class=\"fa fa-
shoppingcart\"></i> <b>4</b></span></h4>--}}\n {{!--<a href=\"#\">Product 1</a>
span class=\"price\">$15</span>--}}\n {{!--<a href=\"#\">Product 2</a> < span
class=\"price">$5</span>--}}\n \quad \{\{!--<a href=\"#\">Product 3</a> < span}
class=\"price\">$8</span>--}}\n {{!--<a href=\"#\">Product 4</a> <span
class=\"price\">$2</span>--}}\n {{!--<hr>--}}\n
                                                     Total <span class=\"price\"</p>
style=\"color:black\"><b>$1000</b></span>\n
                                                                       </div>\n
</div>\n</div>\n\n</body>\n</html>\n","output":"str","x":260,"y":280,"wires":[["53439ef604"]
4e0ce4"]]},{"id":"0eaeaa4e8c04018c","type":"http
in","z":"06fda069895ac1cd","name":"","url":"/pay","method":"get","upload":false,"swaggerDoc
":"","x":100,"y":280,"wires":[["d45f612c353175d1"]]},{"id":"53439ef6044e0ce4","type":"http:
response","z":"06fda069895ac1cd","name":"","statusCode":"","headers":{},"x":410,"y":280,"wi
r es":[]},{"id":"0aeb7a91d58b28f5","type":"qrcode-
```

```
generator","z":"b756f8b8c2152197","name":"","qrtype":"text2qr","text2qrText":"","ssid":"","hid
denssid":false,"wifitype":"","phonenum":"","smsphonenum":"","smstext":"","mailto":"","mailsu
bj
ect":"","mailbody":"","latitude":"","longitude":"","colorlight":"#ffffff","colordark":"#000000","pri
n
tstatus":false,"x":390,"y":300,"wires":[["ed786bf392514b26"]]},{"id":"1c632e7a702249d8","ty
pe":"http
in","z":"b756f8b8c2152197","name":"","url":"/creqr","method":"get","upload":false,"swaggerD
oc":"","x":80,"v":300,"wires":[["ec60671e7be4fed6","270ef0a24ecd579e"]]},{"id":"396da9a0fd
a3d66e","type":"http
response","z":"b756f8b8c2152197","name":"","statusCode":"","headers":{},"x":670,"y":300,"wi
res":[]},{"id":"ec60671e7be4fed6","type":"function","z":"b756f8b8c2152197","name":"","func":
"msg.grcodeinput=\"https://node-red-iggij-2022-11-
03.ausyd.mybluemix.net/checkgr?_id=\"+msg.payload.id\nreturn
msg;","outputs":1,"noerr":0,"initialize":"","finalize":"","libs":[],"x":240,"y":300,"wires":[["0aeb7a9
1d58b28f5"]]},{"id":"ed786bf392514b26","type":"template","z":"b756f8b8c2152197","name"
:"","field":"payload","fieldType":"msg","format":"handlebars","syntax":"mustache","template":"
<ima
src={{payload}}>","output":"str","x":540,"y":300,"wires":[["396da9a0fda3d66e"]]},{"id":"b60f5
c12f38f323b","type":"http
in","z":"b756f8b8c2152197","name":"","url":"/checkqr","method":"get","upload":false,"swagge
rDoc":"","x":110,"y":420,"wires":[["b40fb4f908782108"]]},{"id":"b40fb4f908782108","type":"cl
oudant
in","z":"b756f8b8c2152197","name":"","cloudant":"187d1bdff4e76b53","database":"ibm_test
","service":"node-red-iggij-2022--cloudant-1667477065487-
90118", "search": "_id_", "design": "", "index": "", "x": 260, "y": 420, "wires": [["3a497fa9de5291e9"]]}, {"
id":"3a497fa9de5291e9","type":"template","z":"b756f8b8c2152197","name":"","field":"payloa
d","fieldType":"msg","format":"handlebars","syntax":"mustache","template":"<!DOCTYPE
                                     style=\"background-color:DodgerBlue;\">
html>\n<html>\n<body>\n\n<h1
                                                                                 TICKET
VERIFICATION</h1>\n\n\nYOUR TICKET IS
VALID\n\n\n\n\n',"output":"str","x":400,"y":420,"wires":[["b714a2e]
2ce25d929"]]},{"id":"b714a2e2ce25d929","type":"http
response","z":"b756f8b8c2152197","name":"","statusCode":"","headers":{},"x":530,"y":420,"wi
res":[]},{"id":"270ef0a24ecd579e","type":"debug","z":"b756f8b8c2152197","name":"","active":
true, "tosidebar":true, "console":false, "tostatus":false, "complete": "true", "targetType": "full", "sta
tusVal":"","statusType":"auto","x":210,"y":240,"wires":[]},{"id":"bb25eec692eaeaee","type":"ib
miot
```

```
tType":"evt","deviceId":"123456","deviceType":"3.0.2","eventCommandType":"blink","format"
:"json","data":"json","gos":0,"name":"IBM
IoT", "service": "registered", "x":800, "y":300, "wires": []}, {"id": "0ce51cb7d0a41089", "type": "debug
","z":"17ca3c472225de5f","name":"debug
14", "active": true, "tosidebar": true, "console": false, "tostatus": false, "complete": "false", "status V
al":"","statusType":"auto","x":800,"y":400,"wires":[]},{"id":"9d8450dcee3b1ad6","type":"http
in","z":"17ca3c472225de5f","name":"","url":"/random","method":"get","upload":false,"swagge
rDoc":"","x":190,"y":200,"wires":[["fd0a4d003fc2dc38","a9b34332c9e1f5b3"]]},{"id":"07bdadf
e13984e57","type":"http
response","z":"17ca3c472225de5f","name":"","statusCode":"","headers":{},"x":790,"y":120,"wir
es":[]},{"id":"9a5d832f88cd2e89","type":"worldmap","z":"17ca3c472225de5f","name":"","lat":"
10.997294","lon":"76.966460","zoom":"","layer":"OSMC","cluster":"","maxage":"","usermenu":"
show", "layers": "show", "panit": "false", "panlock": "false", "zoomlock": "false", "hiderightclick": "fal
se","coords":"deg","showqrid":"false","showruler":"true","allowFileDrop":"false","path":"/world
map","overlist":"DR,CO,RA,DN,HM","maplist":"OSMG,OSMC,EsriC,EsriS,EsriT,EsriDG,UKOS","
mapname":"","mapurl":"","mapopt":"","mapwms":false,"x":800,"y":200,"wires":[]},{"id":"a9b343
32c9e1f5b3", "type": "function", "z": "17ca3c472225de5f", "name": "generator", "func": "msg.payl
oad.Latitude = Math.floor(Math.random() * 90) + -90;\nmsg.payload.Longitude =
Math.floor(Math.random()
                                     *
                                                 180)
                                                                             -180;\nreturn
msg;","outputs":1,"noerr":0,"initialize":"","finalize":"","libs":[],"x":480,"y":180,"wires":[["0ce51cb
7
d0a41089","07bdadfe13984e57","9a5d832f88cd2e89","bb25eec692eaeaee"]]},{"id":"fd0a4
d003fc2dc38","type":"template","z":"17ca3c472225de5f","name":"Location
API", "field": "payload", "fieldType": "msg", "format": "handlebars", "syntax": "mustache", "templa
t e":"<!DOCTYPE html> \n<html> \n
                                        <head> \n
                                                         <title>Geolocation API</title> \n
</head> \n <body> \n
                             <h2>Find Your Location in below Map</h2> \n
                                                                                   <but
onclick=\"getlocation();\"> Show Position</button> \n
                                                           <div id=\"demo\" style=\"width:</pre>
600px; height: 400px; margin-left: 200px;\"></div> \n
                                                                                    <script
                                                                     \n
src=\"https://maps.google.com/maps/api/js?sensor=false\"> </script> \n
                                                                                \n
<script type=\"text/javascript\">
                                     \n
function
               getlocation(){ \n
                                                            if(navigator.geolocation){ \n
navigator.geolocation.getCurrentPosition(showPos, showErr); \n
                                                                         }\n
                                                                                   else{\n
                                                                             }\n
alert(\"Sorry! your Browser does not support Geolocation API\")\n
                                                                                       } \n
//Showing Current Poistion on Google Map\n
                                                 function showPos(position){ \n
                                                                                       latt
= position.coords.latitude; \n
                                    long = position.coords.longitude; \n
                                                                               var lattlong
= new google.maps.LatLng(latt, long); \n
                                                  var myOptions = { \n
                                                                                    center:
lattlong, \n
                    zoom: 15, \n
```

out","z":"17ca3c472225de5f","authentication":"apiKey","apiKey":"9afefb5c4e2d4f5c","outpu

```
{style:google.maps.NavigationControlStyle.SMALL} \n
                                                              } \n
                                                                          var maps = new
google.maps.Map(document.getElementById(\"demo\"), myOptions); \n
                                                                               var markers
          new google.maps.Marker({position:lattlong, map:maps, title:\"You are here!\"});
= \n
\n
        } \n\n
                   //Handling Error and Rejection\n
                                                               function showErr(error) {\n
switch(error.code){\n
                             case error.PERMISSION_DENIED:\n
                                                                        alert(\"User denied
the request for Geolocation API.\");\n
                                                            break;\n
                                                                                      case
error.POSITION_UNAVAILABLE:\n
                                                     alert(\"USer location information is
unavailable.\");\n
                        break;\n
                                        case error.TIMEOUT:\n
                                                                       alert(\"The request
to get user location timed out.\");\n
                                                         case error.UNKNOWN_ERROR:\n
                                          break;\n
alert(\"An unknown error occurred.\");\n
                                                                        }
                                                                               </script> \n
                                                break;\n
                                                                }\n
</body>
                   \n</html>
                                                                                      n\n
\n","output":"str","x":490,"y":300,"wires":[["9a5d832f88cd2e89","07bdadfe13984e57"]]},{"id"
819111a589978f90", "type": "camera", "z": "81797b4edf755c43", "name": "", "x": 110, "y": 100, "wi
es":[["c34cf533c3c47ab3"]]},{"id":"c34cf533c3c47ab3","type":"grdecode","z":"81797b4edf7
55c43","name":"","x":180,"y":200,"wires":[["18a01ba076ce9c2e","00e25604ef3b7913"]]},{"id"
:"18a01ba076ce9c2e","type":"debug","z":"81797b4edf755c43","name":"debug
7", "active":true, "tosidebar":true, "console":false, "tostatus":false, "complete": "false", "status Val
":"","statusType":"auto","x":200,"y":320,"wires":[]},{"id":"aba031debe6fc277","type":"cloudant
in","z":"81797b4edf755c43","name":"","cloudant":"ccf6c01952c14417","database":"test_ibm
","service":"_ext_","search":"_id_","design":"","index":"","x":520,"y":200,"wires":[["13201066429
8e3da","a2990c649bda8258"]]},{"id":"132010664298e3da","type":"switch","z":"81797b4edf
755c43","name":"","property":"payload","propertyType":"msq","rules":[{"t":"eq","v":"_id","vt":"str
"},{"t":"neg","v":"_id","vt":"str"}],"checkall":"true","repair":false,"outputs":2,"x":510,"y":340,"wires
":[["5ed7f5349e944007","9f83a06c75e6fbaa"],["9599f0ee5017d96b"]]},{"id":"00e25604ef3
b7913", "type": "template", "z": "81797b4edf755c43", "name": "", "field": "payload", "fieldType": "ms
q", "format": "handlebars", "syntax": "mustache", "template": "This is the payload: {{payload}}
!","output":"str","x":360,"y":200,"wires":[["aba031debe6fc277"]]},{"id":"5ed7f5349e944007","t
ype":"ui_text","z":"81797b4edf755c43","group":"8b64b5f5b47388f9","order":0,"width":0,"hei
ght":0,"name":"","label":"VALID
                                     TICKET", "format": "VALID
TICKET", "layout": "rowspread", "className": "", "x":720, "y":320, "wires": []}, {"id": "9599f0ee5017d
96b","type":"ui_text","
z":"81797b4edf755c43","group":"8b64b5f5b47388f9","order":0,"width":0,"height":0,"name":"
","label":"INVALID
                             TICKET", "format": "INVALID
                                                                    TICKET","layout":"row-
spread","className":"","x":730,"y":360,"wires":[]},{"id":"a2990c649bda8258","type":"debug","
z":"81797b4edf755c43","name":"debug
```

true, \n

navigationControlOptions:

mapTypeControl:

```
":"","statusType":"auto","x":760,"y":200,"wires":[]},{"id":"7bf9f3633cf4b95f","type":"comment",
"z":"81797b4edf755c43","name":"Only train booked passengers have access to the
automatic
door.","info":"","x":470,"y":80,"wires":[]},{"id":"9f83a06c75e6fbaa","type":"ui_audio","z":"81797
b4edf755c43","name":"","group":"8b64b5f5b47388f9","voice":"","always":"","x":700,"y":280,"w
value='TRANSACTION_DATE_TIME'>\n\t\t<input type='hidden'
name='CHECKSUMHASH'
value='PAYTM_GENERATED_CHECKSUM_VALUE'>\n\t\</FORM>\n\t</body>\n\t<script
                                     document.forms[0].submit();</script>
type=\"text/javascript\">
\n</html>","output":"str","x":360,"y":240,"wires":[["8e8fce1273ef654e","cbbe2b786bf566a5",
"3d8f3e9596658682"]]},{"id":"5d36e1c25807fc55","type":"ui_text","z":"aed5dac2f6530d40",
"group":"8b64b5f5b47388f9","order":0,"width":0,"height":0,"name":"","label":"PAYMENT
SUCCESS","format":"PAYMENT
                                                                 SUCCESS","layout":"row-
spread","className":"","x":760,"y":260,"wires":[]},{"id":"669d6f48c5514c41","type":"ui_text","
z":"aed5dac2f6530d40","group":"8b64b5f5b47388f9","order":0,"width":0,"height":0,"name":""
                            FAILED","format":"PAYMENT
,"label":"PAYMENT
                                                                   FAILED","layout":"row-
spread","className":"","x":750,"y":300,"wires":[]},{"id":"f7487ba240451b6d","type":"commen
t","z":"aed5dac2f6530d40","name":"Automatic
                                                    Fare Collection
                                                                          using Smart
Ticketing", "info":"", "x":460, "y":80, "wires": []}, {"id": "b26573564873ca09", "type": "ui_audio", "z": "a
ed5dac2f6530d40","name":"","group":"8b64b5f5b47388f9","voice":"","always":"","x":760,"y":1
80, "wires": []}, {"id": "8e8fce1273ef654e", "type": "cloudant
out","z":"aed5dac2f6530d40","name":"","cloudant":"ccf6c01952c14417","database":"test_ib
m","service":"_ext_","payonly":false,"operation":"insert","x":580,"y":160,"wires":[]},{"id":"56da2
8cef520982b","type":"ui_button","z":"aed5dac2f6530d40","name":"","group":"8b64b5f5b473
88f9","order":6,"width":0,"height":0,"passthru":true,"label":"PAY","tooltip":"","color":"","bgcolor
"","className":"","icon":"","payload":"","payloadType":"str","topic":"topic","topicType":"msg","
X"
:130,"y":160,"wires":[["0847601c814dc503"]]},{"id":"3d8f3e9596658682","type":"debug","z":"
aed5dac2f6530d40","name":"debug
10", "active":true, "tosidebar":true, "console":false, "tostatus":false, "complete": "false", "status V
al":"","statusType":"auto","x":560,"y":340,"wires":[]},{"id":"561362daf8e2d414","type":"templat
e","z":"aed5dac2f6530d40","name":"Payment
site", "field": "payload", "fieldType": "msg", "format": "handlebars", "syntax": "mustache", "templa
t e":"<?php\n/*\n* import checksum generation utility\n* You can get this utility from
https://developer.paytm.com/docs/checksum/\n*/\nrequire_once(\"PaytmChecksum.p
```

8", "active": true, "tosidebar": true, "console": false, "tostatus": false, "complete": "false", "status Val

```
=> \"YOUR_MID_HERE\",\n \"merchantOrderId\" => 'BEKJBJK123',\n \"amount\"
=> \"1303.00\",\n 'posld'
                               =>\"S1234_P1235\",\n 'userPhoneNo'
=>\"77777777\"\n);\n\n/*\n* Generate checksum by parameters we have in body\n*
Find your Merchant Key in your Paytm Dashboard at
https://dashboard.paytm.com/next/apikeys \n*/\n$checksum =
PaytmChecksum::generateSignature(json_encode($paytmParams[\"body\"],
JSON_UNESCAPED_SLASHES),
\"YOUR_MERCHANT_KEY\");\n\n$paytmParams[\"head\"] = array(\n \"clientId\"\t
C11',\n \ version\"\t => \v1',\n \"signature\"\t => \$checksum,\n);\n\n\post_data =
json_encode($paytmParams, JSON_UNESCAPED_SLASHES);\n\n/* for Staging */\n$url
= \"https://securegw-stage.paytm.in/order/sendpaymentrequest\";\n\n/* for Production
*/\n// $url = \"https://securegw.paytm.in/order/sendpaymentrequest\";\n\n$ch =
curl_init($url);\ncurl_setopt($ch,
                                        CURLOPT_POST,
                                                                   1);\ncurl_setopt($ch,
CURLOPT_POSTFIELDS, $post_data);\ncurl_setopt($ch, CURLOPT_RETURNTRANSFER,
                                   CURLOPT_HTTPHEADER,
true);
           \ncurl_setopt($ch,
                                                                  array(\"Content-Type:
application/json\")); \n$response = curl_exec($ch);\nprint_r($response);
\n\n","output":"str","x":150,"y":300,"wires":[["a0df98c2f9459a5a","522c2f98894ca0b1"]]},{"i
d ":"82c35a8e5f400307","type":"comment","z":"e1db7d4ac8ef0596","name":"Aware as you
approach
              your
destination", "info":"", "x":410, "y":80, "wires": []}, {"id": "c8018d0e6e0b3ece", "type": "worldmap", "
z"
:"e1db7d4ac8ef0596","name":"","lat":"","lon":"","zoom":"","layer":"","cluster":"","maxage":"","us
er
menu":"show","layers":"show","panit":"false","panlock":"false","zoomlock":"false","hideright
cl
ick":"false","coords":"false","showqrid":"false","showruler":"false","allowFileDrop":"false","p
at
h":"/worldmap","overlist":"DR,CO,RA,DN,HM","maplist":"OSMG,OSMC,EsriC,EsriS,EsriT,Esri
D
G,UKOS","mapname":"","mapurl":"","mapopt":"","mapwms":false,"x":700,"y":240,"wires":[]},{"id
":"983bd028e6257ff2","type":"ui_toast","z":"e1db7d4ac8ef0596","position":"top
right", "displayTime": "3", "highlight": "", "sendall": true, "outputs": 0, "ok": "OK", "cancel": "", "raw": fals
e,"className":"","topic":"","name":"","x":720,"y":380,"wires":[]},{"id":"863beb25be12bdeb","typ
e":"ui_audio","z":"e1db7d4ac8ef0596","name":"","group":"8b64b5f5b47388f9","voice":"","alw
ays":"","x":700,"y":440,"wires":[]},{"id":"e1c3b191e5cfd0a8","type":"http
in","z":"e1db7d4ac8ef0596","name":"","url":"/gps","method":"get","upload":false,"swaggerDoc
":"","x":140,"y":240,"wires":[["920da509483ba98d"]]},{"id":"d9cb091e12ab51a2","type":"http
```

h p'';\n\n\$paytmParams = array();\n\n\$paytmParams[\"body\"] = array(\n

\"mid\"

```
response","z":"e1db7d4ac8ef0596","name":"","statusCode":"","headers":{},"x":630,"y":160,"wi
r
es":[]},{"id":"bfa10b515fcd92ba","type":"function","z":"e1db7d4ac8ef0596","name":"function
2","func":"\nreturn
msg;","outputs":1,"noerr":0,"initialize":"","finalize":"","libs":[],"x":460,"y":240,"wires":[["c8018d0
е
6e0b3ece","f04c1e5e138fb8c4","d019b8032a940e16","d9cb091e12ab51a2"]]},{"id":"f04c1
e5e138fb8c4","type":"switch","z":"e1db7d4ac8ef0596","name":"","property":"payload","prope
rtyType":"msg","rules":[{"t":"eq","v":"","vt":"str"},{"t":"eq","v":"","vt":"str"}],"checkall":"true","repair
:false,"outputs":2,"x":470,"y":360,"wires":[[],["983bd028e6257ff2","863beb25be12bdeb","51f
775011cb90d07"]]},{"id":"d019b8032a940e16","type":"debug","z":"e1db7d4ac8ef0596","na
me":"debug
11", "active":true, "tosidebar":true, "console":false, "tostatus":false, "complete": "false", "status
٧
al":"","statusType":"auto","x":700,"y":300,"wires":[]},{"id":"920da509483ba98d","type":"templ
te","z":"e1db7d4ac8ef0596","name":"","field":"payload","fieldType":"msg","format":"handleb
a rs","syntax":"mustache","template":"<!DOCTYPE html> \n<html> \n
                                                                              <head> \n
<title>Geolocation API</title> \n </head> \n <body> \n
                                                               <h2>Find Your Location in
below Map</h2> \n
                          <button onclick=\"getlocation();\"> Show Position</button> \n
<div id=\"demo\" style=\"width: 600px; height: 400px; margin-left: 200px;\"></div> \n
\n
       <script src=\"https://maps.google.com/maps/api/is?sensor=false\"> </script> \n
              <script type=\"text/javascript\"> \n
                                                              function getlocation(){ \n
\n
if(navigator.geolocation){ \n
                                     navigator.geolocation.getCurrentPosition(showPos,
showErr); \n
                   }\n
                             else{\n
                                             alert(\"Sorry! your Browser does not support
Geolocation API\")\n
                           }\n
                                   } \n
                                            //Showing Current Poistion on Google Map\n
function showPos(position){ \n
                                         latt = position.coords.latitude; \n
                                                                                   long =
position.coords.longitude; \n
                                    var lattlong = new google.maps.LatLng(latt, long); \n
var myOptions = { \n
                             center: lattlong, \n
                                                         zoom: 15, \n
mapTypeControl:
                                 true, \n
                                                 navigationControlOptions:
{style:google.maps.NavigationControlStyle.SMALL} \n
                                                              } \n
                                                                         var maps = new
google.maps.Map(document.getElementById(\"demo\"), myOptions); \n
                                                                             var markers
= \n
           new google.maps.Marker({position:lattlong, map:maps, title:\"You are
here!\"});","output":"str","x":300,"y":240,"wires":[["bfa10b515fcd92ba"]]},{"id":"51f775011cb9
0d07", "type": "smssend", "z": "e1db7d4ac8ef0596", "rccreds": "2609ae5f4f217abd", "recipient": "
```

,"name":"","x":610,"y":500,"wires":[["cc52b246621b9665"]]},{"id":"cc52b246621b9665","type" :"debug","z":"e1db7d4ac8ef0596","name":"","active":true,"tosidebar":true,"console":false,"tos tatus":false,"complete":"false","statusVal":"","statusType":"auto","x":810,"y":500,"wires":[]}]