# Question 1.Create a Bucket in IBM object storage.


Question 2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

Question 3.Upload a css page to the object storage and use the same page in your HTML code.

HTML Code :


```html
<!DOCTYPE html>
<html lang="en">
<head>
    <title>car</title>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="">
</head>

</html>
```

CSS Code :


```css
img{
    height: auto;
max-width: 100%; }
*{
margin: 0;
padding: 0; }
.container{

    padding: 10px 20px;

min-height: 90vh;
background-size: contain;
    position: relative;
}
.container img{
    position: absolute;
    left: 26%;
    top: 8%;
    animation: levitation 2s infinite alternate linear;
}
@keyframes levitation{
    0%{top:8%;}
    100%{top: 18%;}
}
```

Question 4. Design a chatbot using IBM Watson assistant for hospital.
Ex: User comes with query to know the branches for that hospital in
your city. Submit the web URL of that chat bot as a assignment.

https://web-
chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fa
u-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-906cdfd2-639e-47c7-9d7f-
0ca8c10fd9a4%3A%3A178143f8-958b-41b0-9cce-2488db66317d&integrationID=2442f30f-11d1-4308-
b2b7-ad8631676db2&region=au-syd&serviceInstanceID=906cdfd2-639e-47c7-9d7f-0ca8c10fd9a4

Question 5. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.


```html
<!DOCTYPE html>
<html lang="en">
<head>
    <title>tourism</title>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
<script>
  window.watsonAssistantChatOptions = {
    integrationID: "a59a2d7d-99c1-47cd-8063-dfa34ef41997", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "906cdfd2-639e-47c7-9d7f-0ca8c10fd9a4", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
  };
  setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'lates
    document.head.appendChild(t);
  });
</script>
</head>
<body>
</body>
</html>
```