# IBM ASSIGNMENT - 3

Questions:-

1.Create a Bucket in IBM object storage.

2.Upload an 5 images to IBM object storage and make it public. write html code to displaying all the 5 images.

```
<!DOCTYPE html>
<html>
<head>
<title>My Bucket </title>

</head>

<body>

<h2>HTML Object Storage</h2>
<img src="https://khansbucket.s3.jp-tok.cloud-object-storage.appdomain.cloud/ai.jpg" alt="AI" width="500" height="333">
<img src="https://khansbucket.s3.jp-tok.cloud-object-storage.appdomain.cloud/chatbot.jpeg" alt="CHATBOT" width="500" height="333">
<img src="https://khansbucket.s3.jp-tok.cloud-object-storage.appdomain.cloud/cloud.jpg" alt="CLOUD" width="500" height="333">
<img src="https://khansbucket.s3.jp-tok.cloud-object-storage.appdomain.cloud/data.jpg" alt="DATA" width="500" height="333">
<img src="https://khansbucket.s3.jp-tok.cloud-object-storage.appdomain.cloud/technology.jpg" alt="TECHNOLOGY" width="500" height="333">
<style>
      img{
          border-radius: 10px;
      }
</style>
<h1><a href="lamborghini.html">Click here for CSS Page</a><h1>
</body>
</html>
```

3.Upload a CSS page to the object storage and use the same page in your HTML code.

HTML CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <title>car</title>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="https://khansbucket.s3.jp-tok.cloud-object-storage.appdomain.cloud/assign3.css">
</head>
<body>
<div class="container">
    <img src="https://khansbucket.s3.jp-tok.cloud-object-storage.appdomain.cloud/lamboghini.png" alt="car">
</div>

</body>
</html>
```

CSS CODE:

```
img{
    height: auto;
max-width: 100%; }
*{
margin: 0;
padding: 0; }
.container{

    padding: 10px 20px;

min-height: 90vh;
background-size: contain;
    position: relative;
}
.container img{
    position: absolute;
    left: 26%;
    top: 8%;
    animation: levitation 2s infinite alternate linear;
}
@keyframes levitation{
    0%{top:8%;}
    100%{top: 18%;}
}
```

4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-236b7e8c-58ef-4e96-a249-575208d9c3ba%3A%3A4c14f3c9-d10b-46c8-bbeb-6ec34cc0d7b0&integrationID=4416659b-32de-4c11-ae96-641ece2bd28e&region=au-syd&serviceInstanceID=236b7e8c-58ef-4e96-a249-575208d9c3ba

5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.


```
<!DOCTYPE html>
<html lang="en">
<head>
    <title>Phone Guide</title>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
<script>
  window.watsonAssistantChatOptions = {
    integrationID: "b83ad8e3-0534-49b8-b258-e73716789b92", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "236b7e8c-58ef-4e96-a249-575208d9c3ba", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
  };
  setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
  });
</script>
</head>
<body>
</body>
</html>
```