REAL-TIME RIVER QUALITY MONITORING AND CONTROL SYSTEM

TEAM ID: PNT2022TMID15957

TEAM ID	PNT2022TMID15957
PROJECT TITLE	REAL TIME RIVER WATER QUALITY MONITORING AND CONTROL SYSTEM
TEAM LEADER	ROSINI M
TEAM MEMBER 1	POOJA SHREE P S
TEAM MEMBER 2	POOVITHA K
TEAM MEMBER 3	PRADEEPA T
TEAM MEMBER 4	PRANIKAA V

INTRODUCTION

1.1 Project Overview:

River water which is used as drinking water is a very precious commodity for all human beings.The system consists of several sensors which are used for measuring physical and chemical parameters of water. The parameters such as temperature, pH, and dissolved oxygen of the water can be measured. Using this system a person can detect pollutants from awater body from anywhere in the world.Current water quality monitoring system is a manual system with a monotonous process and is very time-consuming This paper proposes a sensor-based water quality monitoring system. The main components of Wireless Sensor Network (WSN) include a micro-controller for processing the system, communication system for inter and intra node communication and several sensors Real-time data access can be done byusing remote monitoring and Internet of Things (IoT) technology Data collected at the IBM cloud Server and verify them to trigger the actions to be performed.

1.2 Purpose:

Water quality refers to chemical, physical biological and radio logical characteristics of water. It is a measure of the condition of water relative to the necessities of one or more bio-tic species and or to any human need or purposes .Water quality monitoring is defined as a sampling and analysis of the water in lake, stream, ocean and river and conditions of the water body. Smart water quality monitoring is a process of real-time monitoring and the analysis of water to identify changes in parameters based on the physical, chemical and biological characteristics.Monitoring water quality is clearly important: in our seas, our rivers,on the surface and in our ports, for both companies and the public. It enables us to assess how they are changing, analyze trends and to inform plans and strategies that improve water quality and ensures that water meets its designated use.There are several indicators determining water quality. These include dissolved oxygen, turbidity, bio indicators, nitrates, pH

scale and water temperature.Monitoring water quality helps to identify specific pollutants, a certain chemical, and the source of the pollution.There are many sources of water pollution: wastewater from sewage seeping into the water supply; agricultural practices (e.g., the use of

pesticides and fertilizer); oil pollution, river and marine dumping, port, shipping and industrial activity. Monitoring water quality and a water quality assessment regularly provides a source of data identify immediate issues – and their source.

- Identifying trends, short and long-term, in water quality.
- Data collected over a period of time will show trends, for example identifying increasing concentrations of nitrogen pollution in a river or an inland waterway. The total data will then help to identify key water quality parameters.
- Environmental planning methods: water pollution prevention and management.
- Collecting, interpreting and using data is essential for the development of a sound and effective water quality strategy. The absence of real-time data will however hamper the development of strategies and limit the impact on pollution control. Using digital systems and programs for data collection and management is a solution to this challenge.
- Monitoring water quality is a global issue and concern: on land and at sea. Within the European Union, the European Green Deal sets out goals for restoring biological biodiversity and reducing water pollution, as well as publishing various directives to ensure standards of water quality. Individual nation states, for example France, have also clear regulatory frameworks requiring the effective monitoring of water quality. In the United States, the Environmental Protection Agency (EPA) enforcesregulations to address water pollution in each state. Across the world, countries increasingly understand the importance of effective water quality monitoring parameters and methods.

2.LITERATURE SURVEY

2.1 Existing Problem:

Due to population growth, urbanization ,and climatic change ,competition for water resources is expected to increase, with a particular impact on agriculture, river water. Water will be suitableness to potable water monitoring compound spillage identification done rivers, remote estimation for swimming pools. It holds self-sufficient hubs that unite with the cloud to ongoing water control .The River water needed to be treated before it is used in agriculture feilds,hence the parameters affecting the quality of river-water need to be analysed and to be used for water treatement purpose.

2.2 Reference :

1. K.S. Adu-Manu, C. Tapparello, W. Heinzelman, F.A. Katsriku, J.-D. Abdulai

Water quality monitoring using wireless sensor networks: Current trends and future research directions ACM Transactions on Sensor Networks (TOSN) (2017).

2. S. Thombre, R.U. Islam, K. Andersson, M.S. Hossain

IP based Wireless Sensor Networks : performance Analysis using Simulations and Experiments.Journal of Wireless Mobile Networks, Ubiquitous Computing, and DependableApplications, 7 (2016).

3. Rushikesh Kshirsagar, R.Mudhalwadkar, Saish Kalaskar

Design and Development of IoT Based Water Quality Measurement System. The idea about low-cost IOT based portable approach for water quality measurements system. Becauseof its low-cost approach, everyone can afford to use it to determine quality of water(2019).

4. N. Vijayakumar, R. Ramya

The real time monitoring of water quality in IoT environment. The parameters such as temperature, PH, turbidity, conductivity, dissolved oxygen of the water can be measured. The measured values from the sensors can be processed by the core controller. The raspberry PI B+ model can be used as a core controller (2015).

5. M.Chitra, D. Sadhihskumar, R. Aravindh, M. Murali, R. Vaittilingame

IoT based Water Flood Detection and Early Warning System.The collected information (data) from the water level sensor and temperature and humidity sensor passed to Thingview Android application in order to find the flow graph level of the water level in the river and temperature, humidity values and sends SMS to the registered contact mobile numbers (2020).

6. Dr.Geetha

IoT based real time water quality monitoring system using smart sensor WQM is a cost and efficient system designed to monitor drinking water quality withthe help of IOT(2020).

2.3 PROBLEM STATEMENT

The reduce the river water pollution and to monitor the parameters of river water and control measures can impact vegetation,health. The Real time analysis of Indicators of River water(Ph,salinity,nutrients,etc..,)

The River water needed to be treated before it is used in agriculture feilds,hence the parameters affecting the quality of river-water need to be analysed and to be used for water treatement purpose.

IDEATION & PROPOSED SOLUTION

3.1 Empathy Map Canvas:

An empathy map is a simple, easy-to-digest visual that captures knowledge about a user's behaviours and attitudes. It is a useful tool to helps teams better understand their users.Creating an effective solution requires understanding the true problem and the person who is experiencing it. The exercise of creating the map helps participants consider things from the user's perspective along with his or her goals and challenges.



3.2 Ideation & Brainstorming:

Brainstorming provides a free and open environment that encourages everyone within a team to participate in the creative thinking process that leads to problem solving. Prioritizing volume over value, out-of-the-box ideas are welcome and built

upon, and all participants are encouraged to collaborate, helping each other develop a rich amount of creative solutions.

Use this template in your own brainstorming sessions so your team can unleash their imagination and start shaping concepts even if you're not sitting in the same room.


2
Brainstorm
Write down any ideas that come to mind that address your problem statement.
10 minutes
GUNA
ALARM CONTROL
FLUORESCENCE DETECTOR
TEMPERATURE SENSOR
DIGITAL OUTPUT
PRAGADEESHWARAN
USING CHLOROPHYLL SENSOR
FINDING NITROGEN ION LEVEL
ELECTRICAL CONDUCTIVITY SENSOR
OXIDATION REDUCTION POTENTIAL SENSOR
SAGISHARAN
USING TURBIDITY SENSOR
FOR MONITORING DISSOLVED OXYGEN IN WATER QUALITY
TO MEASURE THE AMOUNTOF PARTICULARS FLOATING IN WATER
USING PH SENSOR
SOORYA PRAKASH
SENSOR FLOW MEASUREMENT
TO FIND LEAD ION LEVEL IN WATER
SALINITY DETECTION SENSOR
STREAM FLOW MEASUREMENT
AKASH
WIFI MODULE
LCD DISPLAY
ENABLING CLOUD
THING SPEAK
3
Group ideas
Take turns sharing your ideas while clustering similar or related notes as you go. Once all sticky notes have been grouped, give each cluster a sentence-like label. If a cluster is bigger than six sticky notes, try and see if you and break it up into smaller sub-groups.
20 minutes
SENSOR
USING TURBIDITY SENSOR
USING PH SENSOR
OXIDATION REDUCTION POTENTIAL SENSOR
TEMPERATURE SENSOR
SALINITY DETECTION SENSOR
WATER MONITORING
FOR MONITORING DISSOLVED OXYGEN IN WATER QUALITY
TO MEASURE THE AMOUNTOF PARTICULARS FLOATING IN WATER
STREAM FLOW MEASUREMENT
TO FIND LEAD ION LEVEL IN WATER
DETECTION
ALARM CONTROL
FLUORESCENCE DETECTOR
FINDING NITROGEN ION LEVEL
DISPLAY
DIGITAL OUTPUT
LCD DISPLAY
THING SPEAK
ENABLING CLOUD


4
Prioritize
Your team should all be on the same page about what's important moving forward. Place your ideas on this grid to determine which ideas are important and which are feasible.
20 minutes
USING PH SENSOR
SALINITY DETECTION SENSOR
OXIDATION REDUCTION POTENTIAL SENSOR
STREAM FLOW MEASUREMENT
USING TURBIDITY SENSOR
DIGITAL OUTPUT
TEMPERATURE SENSOR
TO MEASURE THE AMOUNTOF PARTICULARS FLOATING IN WATER
LCD DISPLAY
FINDING NITROGEN ION LEVEL
FLUORESCENCE DETECTOR
TO FIND LEAD ION LEVEL IN WATER
ALARM CONTROL
Importance
Feasibility


After you collaborate
You can export the mural as an image or pdf to share with members of your company who might find it helpful.
Quick add-ons
Share the mural
Share a view link to the mural with stakeholders to keep them in the loop about the outcomes of the session.
Export the mural
Export a copy of the mural as a PNG or PDF to attach to emails, include in slides, or save in your drive.
Keep moving forward
Strategy blueprint
Define the components of a new idea or strategy.
Open the template →
Customer experience journey map
Understand customer needs, motivations, and obstacles for an experience.
Open the template →
Strengths, weaknesses, opportunities & threats
Identify strengths, weaknesses, opportunities, and threats (SWOT) to develop a plan.
Open the template →
Share template feedback

3.3 Proposed Solution:

S.No.	Parameter	Description
1.	Problem Statement	Due to population growth,urbanization,and climatic change,competition for water resourcesis expected to increase,with a particular impact on agriculture,river water.
2.	Idea / Solution description	To monitor the water supply we implement IoT (Internet of Things)setup, for river water quality monitoring systems periodically checks,dust particles,temperature and PH level by sensors and notifies for public when the water quality vaires.
3.	Novelty / Uniqueness	We use water detection sensor has uniqueadvantage.It consumes less time to monitorthan a manual method for checking pollutedlevels,and notifies immediately to reduce affected rate of pollution in water.
4.	Social Impact /Customer Satisfaction	People who are living in rural areas near to the river will be very satisfied with our idea.It will be useful to monitor water pollution in specific area.So this system prevent people from water pollution.It will be used for farming purpose to check quality water,temperature and PH level.Our Impact of this project is also create a social satisfaction for farmers too.

5.	Business Model (Revenue Model)	It costs low compared to other model.Our real time quality monitoring model has sensors easily helps to monitor and predict the affected water scale easily in farming, drinking water,aquaculture,and other industries.It notifies by sending directly to the corporation and they can further notify the people to aware immediately.Quick actions can be taken.With the help of efficient use of mobile network,IoT and continuous monitoring it will be revolutionized model.
6.	Scalability of the Solution	Checking the river water quality for providing clean drinking water for the people, farming, promoting aquaculture, and other industries. It is the best replacement for checking water quality in laboratories and it is user-friendly.If we add more advanced sensors in future it can be used to monitor multiple levels in water.It will show continuous real time values in maintaining the quality of water.

3.4 Problem solution:






Identify strong TR & EM
3. TRIGGERS
TR
What triggers customers to act? i.e. seeing their neighbour installing solar panels, reading about a more efficient solution in the news.
We are building a IoT based Irrigation System using ESP8266 NodeMCU Module and DHT11 Sensor. It will not only automatically irrigate the water based on the moisture level in the soil but also send the Data to ThingSpeak Server to keep track of the land condition
4. EMOTIONS: BEFORE / AFTER
EM
How do customers feel when they face a problem or a job and afterwards? i.e. lost, insecure > confident, in control - use it in your communication strategy & design.
BEFORE:
• Before implementing this IOT project people faced some difficulties to enjoy boating, fishing, and provision safe drinking.
• They also face major problems in the development of industrial, hydroelectric, and agricultural water requirements in the water quality.
AFTER:
• After implementing this project people can be able to overcome all these above-mentioned difficulties easily with this..
10. YOUR SOLUTION
SL
If you are working on an existing business, write down your current solution first, fill in the canvas, and check how much it fits reality.
If you are working on a new business proposition, then keep it blank until you fill in the canvas and come up with a solution that fits within customer limitations, solves a problem and matches customer behaviour.
Water quality monitoring is demarcated as the assortment of data at set or desired places and at periodic intervals for providing information that might be accustomed to describe present conditions of water. The objectives of smart water quality monitoring system are:
1.To measure perilous quality metrics like physical, chemical and microbial properties.
2.To find the deviations in measured metrics and give timely warning in recognition threats or hazards.
8. CHANNELS of BEHAVIOUR
CH
8.1 ONLINE
What kind of actions do customers take online? Extract online channels from #7 and use them for customer development.
8.2 OFFLINE
What kind of actions do customers take offline? Extract offline channels from #7 and use them for customer development.
ONLINE:
1.Public may provide review and rating for the system.
2.The software used should be properly studied by everyone to operate it.
OFFLINE:
1.Connectivity. This doesn't need too much further explanation.
2.Things. Anything that can be tagged or connected as such as it's designed to be connected.

4 REQUIREMENT ANALYSIS

4.1 Functional Requirement:

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Form Registration through Gmail Registration through LinkedIN
FR-2	User Confirmation	Confirmation via Email Confirmation via OTP
FR-3	Ultrasonic generator	Periodically the waves are generated to destroy algae in the range of 25%,50%,100%
FR-4	Ph level detection	To observe the water quality, Ph sensor is used and the signals are conveyed to the Arduino.
FR-5	Turbidity detection	Turbidity sensor measures the purity of element or marshy utter in the water and the signals are delivered to Arduino

4.2 Non-Functional Requirement:

FR No.	Non-Functional Requirement	Description
NFR-1	**Usability**	Monitors the flow and quality of ground water, and investigates surface- and ground-water interactions.
NFR-2	**Security**	The data and information are secured in the application by using the application firewall.
NFR-3	**Reliability**	The Real time sensor output values with future predicted data storage with output efficiency of 98%. It also gives certainty for aquaculture safety.
NFR-4	**Performance**	The performance of system has higher efficiency and environmental friendly.
NFR-5	**Availability**	It is available in the form of mobile UI 24 x 7 monitoring system.
NFR-6	**Scalability**	The system has high scalability. Able to be changed in size or scale to give the best output.
NFR-7	**Stability**	The ability of the system to bring itself back to its stable configuration. The stability is high.
NFR-8	**Efficiency**	The monitoring system is highly efficient,high mobility with consumption of power.

5 PROJECT DESIGN

5.1 Data Flow Diagrams:

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.



5.2 SOLUTION AND TECHNICAL ARCHITECTURE

Summary

This code pattern explains how to build an IOT based river watermonitoring and controlling system with some pre defined values.

Flow

- Feed the data received from the Sensor unit which are placed in the river sides.
- The collected data will be displayed in the Web page to the user.
- Then the collected data is sent to the data base, where the collected data and the predefined data are checked and monitored.
- If any data exceed the predefined data then the control signal will send to the Admin.
- The collected data will be stored in the IBM cloud storage. Later the data will be controlled by the admin via Web UI.

Components & Technologies:

S.No	Component	Description	Technology
1.	Sensor Data	The data is collected form the various sensor placed in the river sides.	ESP32Wifi module Raspberry Pie.
2.	Database for Storage	The data/info need to be stored for accessing it in future	MySQL-Oracle

3.	File Storage	File storage requirements	IBM Block Storage or Other Storage Service or Local Filesystem
4.	Cloud Database	Database Service on Cloud	IBM cloud
5.	Data Storage	File storage requirements	IBM Block Storage

Application Characteristics:

S.No	Characteristics	Description	Technology
1.	PH level Monitoring	The PH level of river water can be monitoredvia placing sensors in rivers.	PH-sensor
2.	Air Quality Monitoring	Theclarity and purity ofriver water can be monitored	Surface Mount Sensor
3.	Temperature Monitoring	The temperature of river water can be monitored	Temperature sensor
4.	Water Treatment	can be used as both a safety device in the water purification process as carbon dioxide, methane	NDIR gas sensors
4.	Soil Condition Monitoring	Soil condition monitoring sensors allow farmers to collect data about rainfall, temperature,	Acoustic sensor

5.3 USER STORIES

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptancecriteria	Priority	Release
Customer (Mobileuser)	Registration	USN-1	As a user, I can register forthe application by enteringmy email, password, and confirming my password.	I can accessmy account /dashboard	High	Sprint-1
		USN-2	As a user, I will receive confirmation email once I have registered for the application	I can receive confirmation email & click confirm	High	Sprint-1
		USN-3	As a user, I can registerfor the application through Google	I can register &access the dashboard withGoogle Login	Low	Sprint-2
		USN-4	As a user, I can register forthe application through G mail	I can access through Gmail	Medium	Sprint-1
	Login	USN-5	As a user, I can log into theapplication by entering email & password	Login Details arereceived to me.	High	Sprint-1
	Interface	USN-6	As a user, I can log intothe application by entering email & password.	Easy Access application	High	Sprint-1
Customer (Web user)	Dashboard	WUSN-7	As a web User, I can get allinformation (data)(Temp etc..)	I can easily Understand how touse it.	High	Sprint-1
CustomerCare Executive	View Perspective	CCE	As a Customer care, Ican view the data in graph plots	Easy UnderstandingofGraphs	High	Sprint-1

PROJECT PLANNING AND SCHEDULING

6.1 SPRINT PLANNING & SCHEDULING:

TITLE	DESCRIPTION	DATE
Literature Survey & Information Gathering	Literature survey on the selected project is done by gathering information about related details on technical papers and web browsing.	06 OCTOBER 2022
Empathy Map	Prepared Empathy Map Canvas to combine thoughts and pains, gains of the project with all team members .	08 OCTOBER 2022
Ideation	Brainstorming session is conducted with all team members to list out all the ideas and prioritise the top 3 ideas.	09 OCTOBER 2022
Proposed Solution	Prepared the proposed solution document, which includes the novelty, feasibility of idea, business model, social impact, scalability of solution, etc.	28 OCTOBER 2022
Problem Solution Fit	Prepared problem - solution fit document.	30 OCTOBER 2022

6.2 SPRINT DELIVERY SCHEDULE :\

Sprint	**Total Story Point s**	**Durati on**	**Sprin t Start Date**	**Sprint End Date (Planned)**	**Story Points Completed (ason Planned End Date)**	**Sprint Release Date (Actual)**
Sprint -1	20	6 Days	24 Oct 2022	29 Oct 2022	20	27 Oct 2022
Sprint -2	20	6 Days	28 Oct 2022	04 Nov 2022	30	30 Oct 2022
Sprint -3	20	6 Days	03 Nov 2022	10 Nov 2022	49	04 Nov 2022
Sprint -4	20	6 Days	08 Nov 2022	15 Nov 2022	50	09 Nov 2022

VELOCITY

$$AV = \frac{sprint\ duration}{velocity} = \frac{20}{10} = 2$$

6.3 REPORT FROM JIRA:



7.CODING AND SOLUTIONING

7.1 NODE RED SERVICE ASSOCIATED WITH IBM CLOUD:






dashboard
Layout
Site
Theme
Tabs & Links
+ tab
+ link
REAL TIME RIVER WATER MONITORING S
PARAMETERS
+ spacer
edit
PH
MOTOR ON
MOTOR OFF
moisture
FEILDS
ph
moisture
nutrients
salinity
Dissolved Oxygen
Water Turbidity
Water Turbidity


REAL TIME RIVER WATER MONITORING SYSTEM
PARAMETERS
FEILDS
Ph
ph
8
Water Turbidity
86
moisture
68
nutrients
46
MOTOR ON
salinity
35
MOTOR OFF
Dissolved Oxygen
32
moisture
Water Turbidity

8.TESTING

8.1 **Test Case Analysis**

Section	TotalCases	Not Tested	Fail	Pass
Print Engine	15	0	0	15
Client Application	45	0	0	45
Security	1	0	0	1
Outsource Shipping	2	0	0	2
Exception Reporting	10	0	0	10
Final Report Output	4	0	0	4
Version Control	3	0	0	3

8.2 USER ACCEPTANCE TESTING:

1.Purpose of Document

The purpose of this document is to briefly explain the test coverage and open issues of the REAL TIME RIVER WATER QUALITY MONITORING AND CONTROL SYSTEMS project at the time of the release to User Acceptance Testing (UAT).

2.Defect Analysis

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	9	5	4	3	21
Duplicate	2	0	2	0	4
External	3	4	1	2	10

Fixed	10	1	5	17	33
Not Reproduced	0	0	1	0	1
Skipped	0	0	1	2	3
Won't Fix	0	3	3	1	7
Totals	24	13	17	25	79

9.RESULT

9.1 PERFROMANCE METRICS:

PARAMETER	PERFORMANCE	DESCRIPTION
ADMIN TESTING	95%-100%	THE TESTING DONE BEFORE IT IS DEPLOYED AS AN APP
CUSTOMER SATISFACTION	75-85%	THE CUSTOMER NEED TO BE SATISFIED WITH THE MOBILE APPLICATION
USER INTERFACE	65-85%	THE APP CAN USED BY ANYONE.(EASE OF ACCESS)
SEVER RESPONSE	50-75%	url - response
DATA VALIDATION WITH NO. OF TEST CASE	60-80% (15-30 TESTCASE)	VALID DATA FROM THE APP

11. ADVANTAGES AND DISADVANTAGES

ADVANTAGES:

- The prototype developed for water quality maintenance is very beneficial for safeguarding public health and also adds to the clean environment.
- The automation of this water monitoring, cleaning and control process removes the need of manual labor and thus saves time and money.
- The automation of the system makes the control and monitoring process more efficient and effective. Real time monitoring on mobile phone which is possible through the interface of plc with Arduino and Bluetooth module allows remote controlling of the system.

DISADVANTAGES:

- It is difficult to collect the water samples from all the area of the water body.
- The cost of analysis is very high.
- The lab testing and analysis takes some time and hence the lab results does not reflect real time water quality measurement due to delay in measurement.
- The process is time consuming due to slow process of manual data collection from different locations of the water body.
- The method is prone to human errors of various forms.

12.CONCLUSION

Thus our project is used to Monitoring of Turbidity, PH & Temperature of Water makes use of water detection sensor with unique advantage and existing GSM network. The system can monitor water quality automatically, and it is low in cost and does not require people on duty. So the water quality testing is likely to be more economical, convenient and fast. The system has good flexibility. Only by replacing the corresponding sensors and changing the relevant software programs, this system can be used to monitor other water quality parameters.

The operation is simple. The system can be expanded to monitor hydrologic, air pollution, industrial and agricultural production and so on. It has widespread application and extension value.By keeping the embedded devices in the environment for monitoring enables selfprotection (i.e., smart environment) to the environment. To implementthis need to deploy the sensor devices in the environment for collecting the data and analysis. By deploying sensor devices in the environment, we can bring the environment into real life i.e. it can interact with other objects through the network.

Then the collected data and analysis results will be available to the end user through the Wi-Fi.

FUTURE SCOPE

We use water detection sensor has unique advantage.It consumes less time to monitor than a manual method for checking polluted levels,and notifies immediately to reduce affected rate of pollution in water.People who are living in rural areas near to the river will be very satisfied with our idea.It will be useful to monitor water pollution in specific area.So this system prevent people from water pollution.It will be used for farming purpose to check quality water,temperature and PH level.Our Impact of this project is also create a social satisfaction for farmers too.The scalabilty of this project gives the addition of more different type of sensors.By interfacing the relay we can control the supply of water. We can also implement as a revenue model.

13.APPENDIX

13.1 Source Code:

PYTHON CODE TO PUBLISH DATA

```
#program to publish data in ibm watson iot
platformimport time
import sys
import
ibmiotf.application
import
ibmiotf.device
import random
#Provide your IBM Watson Device Credentials
#Org_ID
organization =
"84708c"#Device
Type deviceType =
"abcd" #device ID
deviceId = "12345"
#Method of
Authentication
authMethod =
"token" #Auth-token
authToken = "12345678"
```

```
try:
        deviceOptions = {"org": organization, "type": deviceType,
"id":deviceId, "auth-method":authMethod, "auth-
token":authToken}
        deviceCli= ibmiotf.device.Client (deviceOptions)



#to handle the errors
except Exception as
e:
        print ("Caught evention connecting device: %s" %
        str(e))sys.exit()
#device
connection
deviceCli.con
nect()
#while Loop for getting the
valueswhile True:
    Ph=random.randint (6,8)
    WaterTurbidity=random.randint (15,100)
    salinity=random.randint (500,1000)
    DissolvedOxygen=random.randint (60,130)
    conductivity=random.randint
```

```
   (100,1200)data = {'Ph' : Ph,
'WaterTurbidity':WaterTurbidity,'salinity':salinity,'DissolvedOxygen':
DissolvedOxygen,'conductivity':conductivity}
   # define myonpublishcallback
   functiondef
   myonPublishCallback():
      print ("Published Ph = %s" % Ph, "WaterTurbidity = %s
%%" %WaterTurbidity,"salinity = %s" % salinity,"DissolvedO2
= %s" % DissolvedOxygen,"conductivity = %s" % conductivity)
      if(Ph<7.4 and salinity < 600 and DissolvedOxygen <
80 andconductivity < 200):
         if(Ph>7.4 and salinity > 900 and DissolvedOxygen >
120 andconductivity > 1100):
            print("UNSAFE, THE VALUES OF PARAMETERS
ARENOT IN THE RANGE")
      else:
      print("Quality of River water is measured and its correct")

   success = deviceCli.publishEvent("IoTSensor", "json", data,
qos=0,on_publish = myonPublishCallback)
   if not success:
      print("Not connected to
   IOTF")#sleep time
```

time.sleep(10)

OUTPUT

```
*Python 3.7.0 Shell*
File  Edit  Shell  Debug  Options  Window  Help
Quality of River water is measured and its correct
Published Ph = 6 WaterTurbidity = 80 % salinity = 652 DissolvedO2 = 123 conductivity = 306
Quality of River water is measured and its correct
Published Ph = 8 WaterTurbidity = 57 % salinity = 579 DissolvedO2 = 121 conductivity = 459
Quality of River water is measured and its correct
Published Ph = 7 WaterTurbidity = 85 % salinity = 703 DissolvedO2 = 106 conductivity = 165
Quality of River water is measured and its correct
Published Ph = 8 WaterTurbidity = 61 % salinity = 872 DissolvedO2 = 124 conductivity = 892
Quality of River water is measured and its correct
Published Ph = 6 WaterTurbidity = 75 % salinity = 934 DissolvedO2 = 119 conductivity = 351
Quality of River water is measured and its correct
Published Ph = 7 WaterTurbidity = 65 % salinity = 732 DissolvedO2 = 102 conductivity = 1104
Quality of River water is measured and its correct
Published Ph = 7 WaterTurbidity = 97 % salinity = 791 DissolvedO2 = 75 conductivity = 887
Quality of River water is measured and its correct
Published Ph = 8 WaterTurbidity = 47 % salinity = 992 DissolvedO2 = 111 conductivity = 770
Quality of River water is measured and its correct
Published Ph = 8 WaterTurbidity = 23 % salinity = 570 DissolvedO2 = 73 conductivity = 135
Quality of River water is measured and its correct
Published Ph = 6 WaterTurbidity = 76 % salinity = 516 DissolvedO2 = 88 conductivity = 226
Quality of River water is measured and its correct
Published Ph = 8 WaterTurbidity = 23 % salinity = 754 DissolvedO2 = 127 conductivity = 1101
Quality of River water is measured and its correct
```



HTML CODE:

```
<!DOCTYPE html>

<html lang="en">

<head>

   <style>

   h1 {text-
   align:
   center;} p
   {text-align:
   center;}
   div {text-
   align:
   center;}
   body {
      background-image: url("https://thumbs.dreamstime.com/b/clear-
transparent-light-blue-water-pool-texture-background-150961732.jpg");
      background-color: #cccccc;

    }

   </style>

   <meta charset="UTF-8">

   <meta http-equiv="X-UA-Compatible" content="IE=edge">

   <meta name="viewport" content="width=device-width, initial-scale=1.0">

   <title>Login page in HTML</title>

</head>

<body>

   <h1>Login Page</h1>
```

```
<form action="">
    <!-- Headings for the form -->
    <div class="headingsContainer">
        <h3>Sign in</h3>
        <p>Sign in with your username and password</p>
    </div>

    <!-- Main container for all inputs -->
    <div class="mainContainer">
        <!-- Username -->
        <label for="username">Your username</label>
        <input type="text" placeholder="Enter Username" name="username" required>
        <br><br>
        <!-- Password -->
        <label for="pswrd">Your password</label>
        <input type="password" placeholder="Enter Password" name="pswrd" required>

        <!-- sub container for the checkbox and forgot password link -->
        <div class="subcontainer">
            <label>
              <input type="checkbox" checked="checked" name="remember"> Remember
              me
            </label>
```

```
            <p class="forgotpsd"> <a href="#">Forgot Password?</a></p>
        </div>
        <button type="submit" onclick="window.location.href = 'https://node-red-qltdp-2022-11-07.eu-gb.mybluemix.net/ui';">Login</button>
        <!-- Sign up link -->
        <p class="register">Not a member?  <a href="#">Register here!</a></p>
      </div>
    </p>
  </form>
</body>
</html>
```





Github link:

https://github.com/IBM-EPBL/IBM-Project-12170-1659439571

Demo:

https://drive.google.com/folderview?id=1bbcIwMde_eYZjzws46twKbnPbMtcsTSy