


Upload Image To IBM Container Registry

Date	17 November 2022
Team ID	PNT2022TMID01390
Project Name	Skill/Job Recommender Application



The screenshot shows a Visual Studio Code editor with a Dockerfile open. The Dockerfile contains the following instructions:

```
1 FROM python
2 WORKDIR /jobapp
3 COPY . .
4 RUN pip install -r requirements.txt
5 CMD ["python", "app.py"]
6 EXPOSE 3000
7
```

The terminal window shows the output of the `ibmcloud login` command. The user is prompted to enter their email, password, and select a region. The output is as follows:


```
PS D:\Sprint_old> ibmcloud login -a https://cloud.ibm.com
API endpoint: https://cloud.ibm.com

Email> 910719104032@smartinternz.com

Password:
Authenticating...
Credentials were rejected.
Code: BXNIM9602E, message: The credentials you entered for the user '910719104032@smartinternz.com' are incorrect.

Password:
Authenticating...

Select a region (or press enter to skip):
1. au-syd
2. in-che
3. jp-osa
4. jp-tok
5. kr-seo
6. eu-de
7. eu-gb
8. ca-tor
9. us-south
10. us-east
11. br-sao
Enter a number>
```



The screenshot shows the same Visual Studio Code editor with the Dockerfile open. The terminal window shows the completion of the `ibmcloud login` command. The user has selected region 9 (us-south). The output is as follows:

```
Select a region (or press enter to skip):
1. au-syd
2. in-che
3. jp-osa
4. jp-tok
5. kr-seo
6. eu-de
7. eu-gb
8. ca-tor
9. us-south
10. us-east
11. br-sao
Enter a number> 9
Targeted region us-south

API endpoint: https://cloud.ibm.com
Region: us-south
User: 910719104032@smartinternz.com
Account: Vigneshwaran M's Account (f0437424ae1e4728852116c30ca76a87)
Resource group: No resource group targeted, use 'C:\Program Files\IBM\cloud\bin\ibmcloud.exe target -g RESOURCE_GROUP'
CF API endpoint:
Org:
Space:

New version 2.12.1 is available.
Change logs: https://github.com/IBM-Cloud/ibm-cloud-cli-release/releases/tag/v2.12.1
TIP: use 'C:\Program Files\IBM\cloud\bin\ibmcloud.exe config --check-version=false' to disable update check.

Do you want to update? [y/N] > y
```

The screenshot shows the Visual Studio Code interface with a Dockerfile open in the editor. The Dockerfile contains the following instructions:

```
1 FROM python
2 WORKDIR /jobapp
3 COPY . .
4 RUN pip install -r requirements.txt
5 CMD ["python", "app.py"]
6 EXPOSE 3000
7
```

The terminal window shows the output of the `ibmcloud login` command. The user is prompted to enter their email, password, and select a region. The output is as follows:

```
PS D:\Sprint_old> ibmcloud login -a https://cloud.ibm.com
API endpoint: https://cloud.ibm.com

Email> 910719104032@smartinternz.com

Password:
Authenticating...
OK

Targeted account Vigneshwaran M's Account (f8437424ae1e4728852116c30ca76a87)

Select a region (or press enter to skip):
1. au-syd
2. in-che
3. jp-osa
4. jp-tok
5. kr-seo
6. eu-de
7. eu-gb
8. ca-tor
9. us-south
10. us-east
11. br-sao
Enter a number> 4
Targeted region jp-tok
```

The screenshot shows the Visual Studio Code interface with the terminal window displaying the output of the `ibmcloud` commands. The output is as follows:

```
Region: jp-tok
User: 910719104032@smartinternz.com
Account: Vigneshwaran M's Account (f8437424ae1e4728852116c30ca76a87)
Resource group: No resource group targeted, use 'C:\Program Files\IBM\Cloud\bin\ibmcloud.exe target -g RESOURCE_GROUP'
CF API endpoint:
Org:
Space:
PS D:\Sprint_old> ibmcloud cr region-set jp-tok FAILED
'cr' is not a registered command. Check your list of installed plug-ins. See 'C:\Program Files\IBM\Cloud\bin\ibmcloud.exe help'.

PS D:\Sprint_old> ibmcloud cr region-set jp-tok FAILED
'cr' is not a registered command. Check your list of installed plug-ins. See 'C:\Program Files\IBM\Cloud\bin\ibmcloud.exe help'.

PS D:\Sprint_old> ibmcloud plugin install container-registry -r 'IBM Cloud'
Looking up 'container-registry' from repository 'IBM Cloud'...
Plug-in 'container-registry[cr] 2.0.2' found in repository 'IBM Cloud'
Attempting to download the binary file...
11.90 MiB / 11.90 MiB [=====] 100.00% 31s
12476416 bytes downloaded
Installing binary...
OK
PS D:\Sprint_old> ibmcloud cr namespace-add sjr-ns-1
No resource group is targeted. Therefore, the default resource group for the account ('Default') is targeted.
Adding namespace 'sjr-ns-1' in resource group 'Default' for account Vigneshwaran M's Account in registry us.icr.io...
FAILED
The requested namespace is already in use in registry 'us.icr.io'.
```

The screenshot shows the Visual Studio Code interface with a Dockerfile open in the editor. The Dockerfile contains the following instructions:

```
1 FROM python
2 WORKDIR /jobapp
3 COPY . .
4 RUN pip install -r requirements.txt
5 CMD ["python", "app.py"]
6 EXPOSE 3000
7
```

The terminal output shows the following commands and their results:

```
PS D:\Sprint_old> ibmcloud plugin install container-registry -r 'IBM Cloud'
Looking up 'container-registry' from repository 'IBM Cloud'...
Plug-in 'container-registry[cr] 2.0.2' found in repository 'IBM Cloud'
Attempting to download the binary file...
11.90 MiB / 11.90 MiB [=====] 100.00% 31s
12476416 bytes downloaded
Installing binary...
OK
PS D:\Sprint_old> ibmcloud cr namespace-add sjr-ns-1
No resource group is targeted. Therefore, the default resource group for the account ('Default') is targeted.
Adding namespace 'sjr-ns-1' in resource group 'Default' for account Vigneshwaran M's Account in registry us.icr.io...
FAILED
The requested namespace is already in use in registry 'us.icr.io'.
Choose a different namespace.
PS D:\Sprint_old> ibmcloud cr namespace-add sjr-ns-1
```

The status bar at the bottom indicates 'Ln 7, Col 1' and 'Spaces: 4'.

The screenshot shows the Visual Studio Code interface with a Dockerfile open in the editor. The Dockerfile contains the following instructions:

```
1 FROM python
2 WORKDIR /jobapp
3 COPY . .
4 RUN pip install -r requirements.txt
5 CMD ["python", "app.py"]
6 EXPOSE 3000
7
```

The terminal output shows the following commands and their results:

```
PS D:\Sprint_old> docker tag jobapp us.icr.io/sjr-ns-510/sjr-new-repo-1:jobapp
The push refers to repository [us.icr.io/sjr-ns-510/sjr-new-repo-1]
13d14442bb29: Pushing [=>] 6.095MB/185.2MB
b98c103f7ee1: Pushing [=>] 6.669MB/168.3MB
9ffc242f38da: Pushed
6f6e69c2c592: Pushed
53b8bfee7a0a: Pushed
5b3f1ed98915: Pushing [=====] 10.51MB/67.78MB
6b183c62e3d7: Pushing [=====] 11.57MB/18.48MB
882fd36bfd35: Pushing [>] 4.294MB/529MB
d1dec9917839: Waiting
d38adf39e1dd: Waiting
4ed121b04368: Waiting
d9d07d703dd5: Waiting
```

The status bar at the bottom indicates 'Ln 7, Col 1' and 'Spaces: 4'.

The screenshot shows the Visual Studio Code interface with a Dockerfile open in the editor. The Dockerfile contains the following instructions:

```
1 FROM python
2 WORKDIR /jobapp
3 COPY . .
4 RUN pip install -r requirements.txt
5 CMD ["python", "app.py"]
6 EXPOSE 3000
7
```

The terminal output shows the following commands and their results:

```
PS D:\Sprint_old> ibmcloud cr namespace-add sjr-ns-510
No resource group is targeted. Therefore, the default resource group for the account ('Default') is target
ed.

Adding namespace 'sjr-ns-510' in resource group 'Default' for account Vigneshwaran M's Account in registry us.icr.io...

Successfully added namespace 'sjr-ns-510'

OK
PS D:\Sprint_old> ibmcloud cr login
Logging 'docker' in to 'us.icr.io'...
Logged in to 'us.icr.io'.

OK
PS D:\Sprint_old> docker pull jobapp
Using default tag: latest
Error response from daemon: pull access denied for jobapp, repository does not exist or may require 'docker login': denied: requested access to the resource is
denied
PS D:\Sprint_old> docker login
Authenticating with existing credentials...
Login Succeeded

Logging in with your password grants your terminal complete access to your account.
For better security, log in with a limited-privilege personal access token. Learn more at https://docs.docker.com/go/access-tokens/
PS D:\Sprint_old> docker pull jobapp
Using default tag: latest
Error response from daemon: pull access denied for jobapp, repository does not exist or may require 'docker login': denied: requested access to the resource is
denied
PS D:\Sprint_old> docker pull jobapp
Using default tag: latest
```

The screenshot shows the Visual Studio Code interface with a Dockerfile open in the editor. The Dockerfile contains the following instructions:

```
1 FROM python
2 WORKDIR /jobapp
3 COPY . .
4 RUN pip install -r requirements.txt
5 CMD ["python", "app.py"]
6 EXPOSE 3000
7
```

The terminal output shows the following commands and their results:

```
PS D:\Sprint_old> ibmcloud cr namespace-add sjr-ns-510
No resource group is targeted. Therefore, the default resource group for the account ('Default') is target
ed.

Adding namespace 'sjr-ns-510' in resource group 'Default' for account Vigneshwaran M's Account in registry us.icr.io...

Successfully added namespace 'sjr-ns-510'

OK
PS D:\Sprint_old> ibmcloud cr login
Logging 'docker' in to 'us.icr.io'...
Logged in to 'us.icr.io'.

OK
PS D:\Sprint_old> docker pull jobapp
Using default tag: latest
Error response from daemon: pull access denied for jobapp, repository does not exist or may require 'docker login': denied: requested access to the resource is
denied
PS D:\Sprint_old> docker login
Authenticating with existing credentials...
Login Succeeded

Logging in with your password grants your terminal complete access to your account.
For better security, log in with a limited-privilege personal access token. Learn more at https://docs.docker.com/go/access-tokens/
PS D:\Sprint_old> docker pull jobapp
Using default tag: latest
Error response from daemon: pull access denied for jobapp, repository does not exist or may require 'docker login': denied: requested access to the resource is
denied
PS D:\Sprint_old> docker pull jobapp
Using default tag: latest
```

File Edit Selection View Go Run Terminal Help Dockerfile - Sprint_old - Visual Studio Code

EXPLORER

SPRINT_OLD

- __pycache__
- Certificate
- static
- templates
- app.py
- DigiCertGlob...
- Dockerfile
- requirement...

Dockerfile > ...

```
1 FROM python
2 WORKDIR /jobapp
3 COPY . .
4 RUN pip install -r requirements.txt
5 CMD ["python", "app.py"]
6 EXPOSE 3000
7
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL JUPYTER

```
denied
PS D:\Sprint_old> docker tag jobapp us.icr.io/sjr-ns-510/sjr-new-repo-1:jobapp
The push refers to repository [us.icr.io/sjr-ns-510/sjr-new-repo-1]
13d14442bb29: Pushed
b98c103f7eet: Pushed
9ffc242f38da: Pushed
6f6e69c2c592: Pushed
53b8bfee7a0a: Pushed
5b3f1ed98915: Pushed
6b183c62e3d7: Pushed
882fd36bfd35: Pushed
d1dec9917839: Pushed
d38adf39e1dd: Pushed
4ed121b04368: Pushed
d9d07d703dd5: Pushed
jobapp: digest: sha256:35868c8d1eb0266bab023d66bd968d7e8b31902797471069545bb44d12b2142c size: 2850
PS D:\Sprint_old>
```

Ln 7, Col 1 Spaces: 4 UTF-8 CRLF Dockerfile

File Edit Selection View Go Run Terminal Help Dockerfile - Sprint_old - Visual Studio Code

EXPLORER

SPRINT_OLD

- __pycache__
- Certificate
- static
- templates
- app.py
- DigiCertGlob...
- Dockerfile
- requirement...

Dockerfile > ...

```
1 FROM python
2 WORKDIR /jobapp
3 COPY . .
4 RUN pip install -r requirements.txt
5 CMD ["python", "app.py"]
6 EXPOSE 3000
7
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL JUPYTER

```
The push refers to repository [us.icr.io/sjr-ns-510/sjr-new-repo-1]
13d14442bb29: Pushed
b98c103f7eet: Pushed
9ffc242f38da: Pushed
6f6e69c2c592: Pushed
53b8bfee7a0a: Pushed
5b3f1ed98915: Pushed
6b183c62e3d7: Pushed
882fd36bfd35: Pushed
d1dec9917839: Pushed
d38adf39e1dd: Pushed
4ed121b04368: Pushed
d9d07d703dd5: Pushed
jobapp: digest: sha256:35868c8d1eb0266bab023d66bd968d7e8b31902797471069545bb44d12b2142c size: 2850
PS D:\Sprint_old> ibmcloud cr image-list
Listing images...

Repository          Tag      Digest          Namespace      Created      Size      Security status
us.icr.io/sjr-ns-510/sjr-new-repo-1  jobapp  35868c8d1eb0    sjr-ns-510     5 hours ago  615 MB   -
OK
PS D:\Sprint_old>
```

Ln 7, Col 1 Spaces: 4 UTF-8 CRLF Dockerfile

IBM Cloud

Search resources and products...

CatalogManageShobika Rajeskanna's Account

Clusters / mycluster-free

Preparing master, workers...Expires in 30 daysAdd tags

HelpKubernetes dashboardActions...

Overview

Worker nodes

Worker pools

DevOps

Pool: Filter...

Search

Add

Name	Status	Worker pool	Zone	Private IP	Public IP	Version
00000045	Normal	default	Milan 01	10.144.187.13	159.122.181.68	1.24.7_1543

Items per page: 251-1 of 1 item11 of 1 page

Help

Log in to your cluster

Deploy your app

Expose your app

Add storage to your app

Connect integrations

Install add-ons

Troubleshoot

IBM Cloud

Search resources and products...

CatalogManageShobika Rajeskanna's Account

Container Registry

Quick start

Namespaces1

Repositories0

Images0

Trash0

Settings

Namespaces

Location

Global

Viewing filtered namespaces

A filter is applied so that only the namespace image123 is included in the table.

Show all namespaces

Resource group: Filter...

Search

Create

Name	Resource group	Repository count	Image count	Retention policy
image123	Default	0	0	Retain all images

Items per page: 251-1 of 1 item11 of 1 page