# STEPS TO CREATE IBM DB2 AND CONNECTION WITH PYTHON

Date	12 November 2022	
Team ID	PNT2022TMID01390	
Project Name	Skills/Job Recommender Application	

## STEP 1: Import the ibm\_db Python library:

```
pip install --force-reinstall ibm_db==3.1.0 ibm_db_sa==0.3.7 import ibm_db
```

### STEP 2: Identify the database connection credentials:

#### STEP 3: Create the DB2 database connection:

```
dsn = (

"DRIVER={0};"

"DATABASE={1};"

"HOSTNAME={2};"

"PORT={3};"

"PROTOCOL={4};"

"UID={5};"

"PWD={6};"

"SECURITY={7};").format(dsn_driver, dsn_database, dsn_hostname, dsn_port, dsn_protocol, dsn_uid, dsn_pwd,dsn_security) print(dsn)

Now establish the connection to the database

try:
```

```
conn = ibm_db.connect(dsn, "", "")
                                   print ("Connected to database: ", dsn_database, "as user:
", dsn_uid, "on host: ", dsn_hostname)
except:
  print ("Unable to connect: ", ibm_db.conn_errormsg() )
server = ibm_db.server_info(conn)
print ("DBMS_NAME: ", server.DBMS_NAME)
print ("DBMS_VER: ", server.DBMS_VER)
print ("DB_NAME: ", server.DB_NAME)
client = ibm_db.client_info(conn)
print ("DRIVER_NAME:
                             ", client.DRIVER_NAME) print
                               ", client.DRIVER VER) print
("DRIVER VER:
("DATA_SOURCE_NAME: ", client.DATA_SOURCE_NAME) print
                          ", client.DRIVER ODBC VER) print
("DRIVER ODBC VER:
("ODBC_VER:
                  ", client.ODBC_VER)
print ("ODBC_SQL_CONFORMANCE: ", client.ODBC_SQL_CONFORMANCE)
print ("APPL_CODEPAGE:
                          ", client.APPL_CODEPAGE) print
("CONN_CODEPAGE:
                      ", client.CONN_CODEPAGE)
```

#### **STEP 4: Close the Connection:**

ibm\_db.close(conn)