Final Coding Deliverables

Java Script :- Swiper Bundle.min.js

```
/**
 * Swiper 8.1.5
 * Most modern mobile touch slider and framework with hardware accelerated
transitions
 * https://swiperjs.com
 *
 * Copyright 2014-2022 Vladimir Kharlampidi
 *
 * Released under the MIT License
 *
 * Released on: May 16, 2022
 */
```

```
!function(e,t){"object"==typeof
exports&&"undefined"!=typeof
module?module.exports=t():"function"==typeof
define&&define.amd?define(t):(e="undefined"!=typeof
globalThis?globalThis:e||self).Swiper=t()}(this,(function(){"us
e strict";function e(e){return null!==e&&"object"==typeof
e&&"constructor"in e&&e.constructor===Object}function
t(s,a){void 0===s&&(s={}),void
0===a&&(a={}),Object.keys(a).forEach((i=>{void
0===s[i]?s[i]=a[i]:e(a[i])&&e(s[i])&&Object.keys(a[i]).length>0
&&t(s[i],a[i])}))}const
s={body:{},addEventListener(){},removeEventListener(){},activ
eElement:{blur(){},nodeName:""},querySelector:()=>null,quer
ySelectorAll:()=>[],getElementById:()=>null,createEvent:()=>({initEvent(){}}),createElement:()=>({children:[],childNodes:[],st
```

```
yle:{},setAttribute(){},getElementsByTagName:()=>[]}),create
ElementNS:()=>({}),importNode:()=>null,location:{hash:"",hos
t:"",hostname:"",href:"",origin:"",pathname:"",protocol:"",se
arch:""}};function a(){const e="undefined"!=typeof
document?document:{};return t(e,s),e}const
i={document:s,navigator:{userAgent:""},location:{hash:"",hos
t:"",hostname:"",href:"",origin:"",pathname:"",protocol:"",se
arch:""},history:{replaceState(){},pushState(){},go(){},back(){}}
,CustomEvent:function(){return
this},addEventListener(){},removeEventListener(){},getCompu
tedStyle:()=>({getPropertyValue:()=>""}),Image(){},Date(){},scr
een:{},setTimeout(){},clearTimeout(){},matchMedia:()=>({}),re
questAnimationFrame:e=>"undefined"==typeof
setTimeout?(e(),null):setTimeout(e,0),cancelAnimationFrame
(e){"undefined"!=typeof
setTimeout&&clearTimeout(e)}};function r(){const
e="undefined"!=typeof window?window:{};return
t(e,i),e}class n extends
Array{constructor(e){"number"==typeof
e?super(e):(super(...e||[]),function(e){const
t=e.__proto__;Object.defineProperty(e,"__proto__",{get:()=>
t,set(e){t.__proto__=e}})}(this))}}function l(e){void
0===e&&(e=[]);const t=[];return
e.forEach((e=>{Array.isArray(e)?t.push(...l(e)):t.push(e)})),t}fu
nction o(e,t){return Array.prototype.filter.call(e,t)}function
d(e,t){const s=r(),i=a();let l=[];if(!t&&e instanceof n)return
e;if(!e)return new n(l);if("string"==typeof e){const
s=e.trim();if(s.indexOf("<")>=0&&s.indexOf(">")>=0){let}
e="div";0===s.indexOf("<li")&&(e="ul"),0===s.indexOf("<tr")
```

```
\&\&(e="tbody"),0!==s.indexOf("<td")\&\&0!==s.indexOf("<th")|
|(e="tr"),0===s.indexOf("<tbody")&&(e="table"),0===s.index
Of("<option")&&(e="select");const
t=i.createElement(e);t.innerHTML=s;for(let
e=0;e<t.childNodes.length;e+=1)l.push(t.childNodes[e])}else
l=function(e,t){if("string"!=typeof e)return[e];const
s=[],a=t.querySelectorAll(e);for(let
e=0;e<a.length;e+=1)s.push(a[e]);return s}(e.trim(),t||i)}else
if(e.nodeType||e===s||e===i)l.push(e);else
if(Array.isArray(e)){if(e instanceof n)return e;l=e}return new
n(function(e){const t=[];for(let s=0;s<e.length;s+=1)-
1===t.indexOf(e[s])&&t.push(e[s]);return
t}(I))}d.fn=n.prototype;const c={addClass:function(){for(var
e=arguments.length,t=new
Array(e),s=0;s<e;s++)t[s]=arguments[s];const
a=I(t.map((e=>e.split(" "))));return
this.forEach((e=>{e.classList.add(...a)})),this},removeClass:fun
ction(){for(var e=arguments.length,t=new
Array(e),s=0;s<e;s++)t[s]=arguments[s];const
a=I(t.map((e=>e.split(" "))));return
this.forEach((e=>{e.classList.remove(...a)})),this},hasClass:fun
ction(){for(var e=arguments.length,t=new
Array(e),s=0;s<e;s++)t[s]=arguments[s];const
a=l(t.map((e=>e.split(" "))));return
o(this,(e=>a.filter((t=>e.classList.contains(t))).length>0)).lengt
h>0},toggleClass:function(){for(var
e=arguments.length,t=new
Array(e),s=0;s<e;s++)t[s]=arguments[s];const
a=l(t.map((e=>e.split("
```

```
"))));this.forEach((e=>{a.forEach((t=>{e.classList.toggle(t)}))}))
},attr:function(e,t){if(1===arguments.length&&"string"==type
of e)return this[0]?this[0].getAttribute(e):void 0;for(let
s=0;s<this.length;s+=1)if(2===arguments.length)this[s].setAtt
ribute(e,t);else for(const t in
e)this[s][t]=e[t],this[s].setAttribute(t,e[t]);return
this},removeAttr:function(e){for(let
t=0;t<this.length;t+=1)this[t].removeAttribute(e);return
this},transform:function(e){for(let
t=0;t<this.length;t+=1)this[t].style.transform=e;return
this},transition:function(e){for(let
t=0;t<this.length;t+=1)this[t].style.transitionDuration="string"
"!=typeof e?`${e}ms`:e;return this},on:function(){for(var
e=arguments.length,t=new
Array(e),s=0;s<e;s++)t[s]=arguments[s];let[a,i,r,n]=t;function
l(e){const t=e.target;if(!t)return;const
s=e.target.dom7EventData||[];if(s.indexOf(e)<0&&s.unshift(
e),d(t).is(i))r.apply(t,s);else{const e=d(t).parents();for(let
t=0;t<e.length;t+=1)d(e[t]).is(i)&&r.apply(e[t],s)}function
o(e){const
t=e&&e.target&&e.target.dom7EventData||[];t.indexOf(e)<0
&&t.unshift(e),r.apply(this,t)}"function"==typeof
t[1]&&([a,r,n]=t,i=void 0),n||(n=!1);const c=a.split(" ");let
p;for(let e=0;e<this.length;e+=1){const
t=this[e];if(i)for(p=0;p<c.length;p+=1){const
e=c[p];t.dom7LiveListeners||(t.dom7LiveListeners={}),t.dom7
LiveListeners[e]||(t.dom7LiveListeners[e]=[]),t.dom7LiveListe
ners[e].push({listener:r,proxyListener:l}),t.addEventListener(e
,l,n)}else for(p=0;p<c.length;p+=1){const
```

```
e=c[p];t.dom7Listeners||(t.dom7Listeners={}),t.dom7Listene
rs[e]||(t.dom7Listeners[e]=[]),t.dom7Listeners[e].push({liste
ner:r,proxyListener:o}),t.addEventListener(e,o,n)}}return
this},off:function(){for(var e=arguments.length,t=new
Array(e),s=0;s<e;s++)t[s]=arguments[s];let[a,i,r,n]=t;"function
==typeof t[1]&&([a,r,n]=t,i=void 0),n||(n=!1);const
l=a.split(" ");for(let e=0;e<1.length;e+=1){const t=1[e];for(let</pre>
e=0;e<this.length;e+=1){const s=this[e];let
a;if(!i&&s.dom7Listeners?a=s.dom7Listeners[t]:i&&s.dom7Li
veListeners&&(a=s.dom7LiveListeners[t]),a&&a.length)for(let
e=a.length-1;e>=0;e-=1){const}
i=a[e];r&&i.listener===r||r&&i.listener&&i.listener.dom7pro
xy&&i.listener.dom7proxy===r?(s.removeEventListener(t,i.pr
oxyListener,n),a.splice(e,1)):r||(s.removeEventListener(t,i.pr
oxyListener,n),a.splice(e,1))}}}return
this},trigger:function(){const e=r();for(var
t=arguments.length,s=new
Array(t),a=0;a<t;a++)s[a]=arguments[a];const i=s[0].split("
"),n=s[1];for(let t=0;t<i.length;t+=1){const a=i[t];for(let
t=0;t<this.length;t+=1){const
i=this[t];if(e.CustomEvent){const t=new
e.CustomEvent(a,{detail:n,bubbles:!0,cancelable:!0});i.dom7E
ventData=s.filter(((e,t)=>t>0)),i.dispatchEvent(t),i.dom7Event
Data=[],delete i.dom7EventData}}}return
this},transitionEnd:function(e){const t=this;return
e&&t.on("transitionend",(function
s(a){a.target===this&&(e.call(this,a),t.off("transitionend",s))})
),this},outerWidth:function(e){if(this.length>0){if(e){const
e=this.styles();return
```

```
this[0].offsetWidth+parseFloat(e.getPropertyValue("margin-
right"))+parseFloat(e.getPropertyValue("margin-left"))}return
this[0].offsetWidth}return
null},outerHeight:function(e){if(this.length>0){if(e){const
e=this.styles();return
this[0].offsetHeight+parseFloat(e.getPropertyValue("margin-
top"))+parseFloat(e.getPropertyValue("margin-
bottom"))}return this[0].offsetHeight}return
null},styles:function(){const e=r();return
this[0]?e.getComputedStyle(this[0],null):{}},offset:function(){i
f(this.length>0){const
e=r(),t=a(),s=this[0],i=s.getBoundingClientRect(),n=t.body,l=s.
clientTop||n.clientTop||0,o=s.clientLeft||n.clientLeft||0,d=s
===e?e.scrollY:s.scrollTop,c=s===e?e.scrollX:s.scrollLeft;retur
n{top:i.top+d-l,left:i.left+c-o}}return
null},css:function(e,t){const s=r();let
a;if(1===arguments.length){if("string"!=typeof
e){for(a=0;a<this.length;a+=1)for(const t in
e)this[a].style[t]=e[t];return this}if(this[0])return
s.getComputedStyle(this[0],null).getPropertyValue(e)}if(2===
arguments.length&&"string"==typeof
e){for(a=0;a<this.length;a+=1)this[a].style[e]=t;return
this}return this},each:function(e){return
e?(this.forEach(((t,s)=>{e.apply(t,[t,s])})),this):this},html:funct
ion(e){if(void 0===e)return
this[0]?this[0].innerHTML:null;for(let
t=0;t<this.length;t+=1)this[t].innerHTML=e;return
this},text:function(e){if(void 0===e)return
this[0]?this[0].textContent.trim():null;for(let
```

```
t=0;t<this.length;t+=1)this[t].textContent=e;return
this},is:function(e){const t=r(),s=a(),i=this[0];let l,o;if(!i||void
0===e)return!1;if("string"==typeof e){if(i.matches)return
i.matches (e); if (i.webkit Matches Selector) return\\
i.webkitMatchesSelector(e);if(i.msMatchesSelector)return
i.msMatchesSelector(e);for(l=d(e),o=0;o<l.length;o+=1)if(l[o]
===i)return!0;return!1}if(e===s)return i===s;if(e===t)return
i===t;if(e.nodeType||e instanceof
n)\{for(l=e.nodeType?[e]:e,o=0;o<l.length;o+=1)if(l[o]===i)ret\}
urn!0;return!1}return!1},index:function(){let
e,t=this[0];if(t){for(e=0;null!==(t=t.previousSibling);)1===t.no
deType&&(e+=1);return e}},eq:function(e){if(void
0===e)return this;const t=this.length;if(e>t-1)return
d([]);if(e<0){const s=t+e;return d(s<0?[]:[this[s]])}return
d([this[e]])},append:function(){let e;const t=a();for(let
s=0;s<arguments.length;s+=1){e=s<0||arguments.length<=s?
void 0:arguments[s];for(let
s=0;s<this.length;s+=1)if("string"==typeof e){const
a=t.createElement("div");for(a.innerHTML=e;a.firstChild;)this
[s].appendChild(a.firstChild)}else if(e instanceof n)for(let
t=0;t<e.length;t+=1)this[s].appendChild(e[t]);else
this[s].appendChild(e)}return this},prepend:function(e){const
t=a();let s,i;for(s=0;s<this.length;s+=1)if("string"==typeof
e){const
a=t.createElement("div");for(a.innerHTML=e,i=a.childNodes.l
ength-1;i>=0;i-
=1)this[s].insertBefore(a.childNodes[i],this[s].childNodes[0])}
else if(e instanceof
n)for(i=0;i<e.length;i+=1)this[s].insertBefore(e[i],this[s].child
```

```
Nodes[0]);else
this[s].insertBefore(e,this[s].childNodes[0]);return
this},next:function(e){return
this.length>0?e?this[0].nextElementSibling&&d(this[0].nextEl
ementSibling).is(e)?d([this[0].nextElementSibling]):d([]):this[
0].nextElementSibling?d([this[0].nextElementSibling]):d([]):d(
[])},nextAll:function(e){const t=[];let s=this[0];if(!s)return
d([]);for(;s.nextElementSibling;){const
a=s.nextElementSibling;e?d(a).is(e)&&t.push(a):t.push(a),s=a
}return d(t)},prev:function(e){if(this.length>0){const
t=this[0];return
e?t.previousElementSibling&&d(t.previousElementSibling).is(
e)?d([t.previousElementSibling]):d([]):t.previousElementSiblin
g?d([t.previousElementSibling]):d([])}return
d([])},prevAll:function(e){const t=[];let s=this[0];if(!s)return
d([]);for(;s.previousElementSibling;){const
a=s.previousElementSibling;e?d(a).is(e)&&t.push(a):t.push(a)
,s=a}return d(t)},parent:function(e){const t=[];for(let
s=0;s<this.length;s+=1)null!==this[s].parentNode&&(e?d(this[
s].parentNode).is(e)&&t.push(this[s].parentNode):t.push(this
[s].parentNode));return d(t)},parents:function(e){const
t=[];for(let s=0;s<this.length;s+=1){let
a=this[s].parentNode;for(;a;)e?d(a).is(e)&&t.push(a):t.push(a
),a=a.parentNode}return d(t)},closest:function(e){let
t=this;return void
0 === e?d([]):(t.is(e) | | (t=t.parents(e).eq(0)),t)},find:function(e)
{const t=[];for(let s=0;s<this.length;s+=1){const</pre>
a=this[s].querySelectorAll(e);for(let
e=0;e<a.length;e+=1)t.push(a[e])}return
```

```
d(t)},children:function(e){const t=[];for(let
s=0;s<this.length;s+=1){const a=this[s].children;for(let
s=0; s<a.length; s+=1)e\&\&!d(a[s]).is(e)||t.push(a[s])|return
d(t)},filter:function(e){return
d(o(this,e))},remove:function(){for(let
e=0;e<this.length;e+=1)this[e].parentNode&&this[e].parentN
ode.removeChild(this[e]);return this}};function p(e,t){return
void 0===t&&(t=0),setTimeout(e,t)}function u(){return
Date.now())function h(e,t){void 0===t&&(t="x");const
s=r();let a,i,n;const l=function(e){const t=r();let s;return
t.getComputedStyle&&(s=t.getComputedStyle(e,null)),!s&&e.
currentStyle&&(s=e.currentStyle),s||(s=e.style),s}(e);return
s.WebKitCSSMatrix?(i=I.transform | | I.webkitTransform,i.split(
",").length>6&&(i=i.split(",
").map((e=>e.replace(",","."))).join(", ")),n=new
s.WebKitCSSMatrix("none"===i?"":i)):(n=l.MozTransform||I.
OTransform | | I.MsTransform | | I.msTransform | | I.transform | |
l.getPropertyValue("transform").replace("translate(","matrix(
1, 0, 0,
1,"),a=n.toString().split(",")),"x"===t&&(i=s.WebKitCSSMatrix
?n.m41:16===a.length?parseFloat(a[12]):parseFloat(a[4])),"y
"===t&&(i=s.WebKitCSSMatrix?n.m42:16===a.length?parseFl
oat(a[13]):parseFloat(a[5])),i||0}function
m(e){return"object"==typeof
e&&null!==e&&e.constructor&&"Object"===Object.prototyp
e.toString.call(e).slice(8,-1)}function
f(e){return"undefined"!=typeof window&&void
0!==window.HTMLElement?e instanceof
HTMLElement:e&&(1===e.nodeType||11===e.nodeType)}fu
```

```
nction g(){const e=Object(arguments.length<=0?void</pre>
0:arguments[0]),t=["__proto__","constructor","prototype"];f
or(let s=1;s<arguments.length;s+=1){const
a=s<0||arguments.length<=s?void
0:arguments[s];if(null!=a&&!f(a)){const
s=Object.keys(Object(a)).filter((e=>t.indexOf(e)<0));for(let
t=0,i=s.length;t<i;t+=1){const
i=s[t],r=Object.getOwnPropertyDescriptor(a,i);void
0!=r\&r.enumerable\&\&(m(e[i])\&\&m(a[i])?a[i].__swiper___?
e[i]=a[i]:g(e[i],a[i]):!m(e[i])&&m(a[i])?(e[i]={},a[i].__swiper___?
e[i]=a[i]:g(e[i],a[i])):e[i]=a[i])}}}return e}function
v(e,t,s){e.style.setProperty(t,s)}function
w(e){let{swiper:t,targetPosition:s,side:a}=e;const i=r(),n=-
t.translate;let l,o=null;const
d=t.params.speed;t.wrapperEl.style.scrollSnapType="none",i.
cancelAnimationFrame(t.cssModeFrameID);const
c=s>n?"next":"prev",p=(e,t)=>"next"===c&&e>=t||"prev"===
c\&e<=t,u=()=>\{l=(new)\}
Date).getTime(),null===o&&(o=l);const
e=Math.max(Math.min((I-o)/d,1),0),r=.5-
Math.cos(e*Math.PI)/2;let c=n+r*(s-
n);if(p(c,s)&&(c=s),t.wrapperEl.scrollTo({[a]:c}),p(c,s))return
t.wrapperEl.style.overflow="hidden",t.wrapperEl.style.scrollS
napType="",setTimeout((()=>{t.wrapperEl.style.overflow="",t
.wrapperEl.scrollTo({[a]:c})})),void
i.cancelAnimationFrame(t.cssModeFrameID);t.cssModeFram
eID=i.requestAnimationFrame(u)};u()}let b,x,y;function
E(){return b||(b=function(){const
e=r(),t=a();return{smoothScroll:t.documentElement&&"scroll
```

```
Behavior"in
t.documentElement.style,touch:!!("ontouchstart"in
e||e.DocumentTouch&&t instanceof
e.DocumentTouch),passiveListener:function(){let
t=!1;try{const
s=Object.defineProperty({},"passive",{get(){t=!0}});e.addEven
tListener("testPassiveListener",null,s)}catch(e){}return
t}(),gestures:"ongesturestart"in e}}()),b}function T(e){return
void 0===e&&(e={}),x||(x=function(e){let{userAgent:t}=void
0===e?{}:e;const
s=E(),a=r(),i=a.navigator.platform,n=t||a.navigator.userAgent
,l={ios:!1,android:!1},o=a.screen.width,d=a.screen.height,c=n
.match(/(Android);?[\s\/]+([\d.]+)?/);let
p=n.match(/(iPad).*OS\s([\d_]+)/);const
u=n.match(/(iPod)(.*OS\s([\d_]+))?/),h=!p\&\&n.match(/(iPho
ne\sOS|iOS)\s([\d_]+)/), m="Win32"===i;let
f="MacIntel"===i;return!p&&f&&s.touch&&["1024x1366","1
366x1024","834x1194","1194x834","834x1112","1112x834",
"768x1024","1024x768","820x1180","1180x820","810x1080"
,"1080x810"].indexOf(`${o}x${d}`)>=0&&(p=n.match(/(Versio)))
n)/([d]+)/),p||(p=[0,1,"13_0_0"]),f=!1),c&&!m&&(l.os="an
droid'', l.android=!0), (p||h||u)&&(l.os="ios", l.ios=!0), l\}(e)), x\}f
unction C(){return y||(y=function(){const
e=r();return{isSafari:function(){const
t=e.navigator.userAgent.toLowerCase();return
t.indexOf("safari")>=0&&t.indexOf("chrome")<0&&t.indexOf(
"android")<0}(),isWebView:/(iPhone|iPod|iPad).*AppleWeb
Kit(?!.*Safari)/i.test(e.navigator.userAgent)}}()),y}Object.keys
(c).forEach((e=>{Object.defineProperty(d.fn,e,{value:c[e],writ
```

```
able:!0})}));var $={on(e,t,s){const
a=this;if(!a.eventsListeners||a.destroyed)return
a;if("function"!=typeof t)return a;const
i=s?"unshift":"push";return e.split("
").forEach((e=>{a.eventsListeners[e]||(a.eventsListeners[e]=[
]),a.eventsListeners[e][i](t)})),a},once(e,t,s){const
a=this;if(!a.eventsListeners||a.destroyed)return
a;if("function"!=typeof t)return a;function
i(){a.off(e,i),i.__emitterProxy&&delete
i.__emitterProxy;for(var s=arguments.length,r=new
Array(s),n=0;n<s;n++)r[n]=arguments[n];t.apply(a,r)}return
i. emitterProxy=t,a.on(e,i,s)},onAny(e,t){const
s=this;if(!s.eventsListeners||s.destroyed)return
s;if("function"!=typeof e)return s;const
a=t?"unshift":"push";return
s.eventsAnyListeners.indexOf(e)<0&&s.eventsAnyListeners[a]
(e),s},offAny(e){const
t=this;if(!t.eventsListeners||t.destroyed)return
t;if(!t.eventsAnyListeners)return t;const
s=t.eventsAnyListeners.indexOf(e);return
s>=0&&t.eventsAnyListeners.splice(s,1),t},off(e,t){const
s=this;return!s.eventsListeners||s.destroyed?s:s.eventsListen
ers?(e.split(" ").forEach((e=>{void
0===t?s.eventsListeners[e]=[]:s.eventsListeners[e]&&s.events
Listeners[e].forEach(((a,i)=>\{(a===t | | a.\__emitterProxy\&a.\_
_emitterProxy===t)&&s.eventsListeners[e].splice(i,1)}))),s):s
},emit(){const
e=this;if(!e.eventsListeners||e.destroyed)return
e;if(!e.eventsListeners)return e;let t,s,a;for(var
```

```
i=arguments.length,r=new
Array(i),n=0;n<i;n++)r[n]=arguments[n];"string"==typeof
r[0] \mid Array.isArray(r[0])?(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r.slice(1,r.length),a=e):(t=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],s=r[0],
0].events,s=r[0].data,a=r[0].context||e),s.unshift(a);return(A
rray.isArray(t)?t:t.split("
")).forEach((t=>{e.eventsAnyListeners&&e.eventsAnyListener
s.length&&e.eventsAnyListeners.forEach((e=>{e.apply(a,[t,...s
])})),e.eventsListeners&&e.eventsListeners[t]&&e.eventsListe
ners[t].forEach((e=>{e.apply(a,s)}))))),e}};var
S={updateSize:function(){const e=this;let t,s;const
a=e.$el;t=void
0!==e.params.width&&null!==e.params.width?e.params.widt
h:a[0].clientWidth,s=void
0!==e.params.height&&null!==e.params.height?e.params.hei
ght:a[0].clientHeight,0===t&&e.isHorizontal()||0===s&&e.is
Vertical() | | (t=t-parseInt(a.css("padding-left") | | 0,10)-
parseInt(a.css("padding-right")||0,10),s=s-
parseInt(a.css("padding-top")||0,10)-
parseInt(a.css("padding-
bottom") | | 0,10), Number.isNaN(t)&&(t=0), Number.isNaN(s)
&&(s=0),Object.assign(e,{width:t,height:s,size:e.isHorizontal()
?t:s}))},updateSlides:function(){const e=this;function
t(t){return e.isHorizontal()?t:{width:"height","margin-
top":"margin-left","margin-bottom ":"margin-right","margin-
left":"margin-top","margin-right":"margin-bottom","padding-
left":"padding-top","padding-right":"padding-
bottom",marginRight:"marginBottom"}[t]}function
s(e,s){return parseFloat(e.getPropertyValue(t(s))||0)}const
a=e.params,{$wrapperEl:i,size:r,rtlTranslate:n,wrongRTL:l}=e,
```

```
o=e.virtual&&a.virtual.enabled,d=o?e.virtual.slides.length:e.s
lides.length,c=i.children(`.${e.params.slideClass}`),p=o?e.virtu
al.slides.length:c.length;let u=[];const h=[],m=[];let
f=a.slidesOffsetBefore;"function"==typeof
f&&(f=a.slidesOffsetBefore.call(e));let
g=a.slidesOffsetAfter;"function"==typeof
g&&(g=a.slidesOffsetAfter.call(e));const
w=e.snapGrid.length,b=e.slidesGrid.length;let
x=a.spaceBetween,y=-f,E=0,T=0;if(void
0===r)return;"string"==typeof
x\&\&x.indexOf("%")>=0\&\&(x=parseFloat(x.replace("%",""))/10
0*r),e.virtualSize=-
x,n?c.css({marginLeft:"",marginBottom:"",marginTop:""}):c.cs
s({marginRight:"",marginBottom:"",marginTop:""}),a.centere
dSlides&&a.cssMode&&(v(e.wrapperEl,"--swiper-centered-
offset-before",""),v(e.wrapperEl,"--swiper-centered-offset-
after",""));const C=a.grid&&a.grid.rows>1&&e.grid;let
$;C&&e.grid.initSlides(p);const
S="auto"===a.slidesPerView&&a.breakpoints&&Object.keys(
a.breakpoints).filter((e=>void
0!==a.breakpoints[e].slidesPerView)).length>0;for(let
i=0;i<p;i+=1){$=0;const
n=c.eq(i);if(C&&e.grid.updateSlide(i,n,p,t),"none"!==n.css("di
splay")){if("auto"===a.slidesPerView){S&&(c[i].style[t("width"
)]="");const
r=getComputedStyle(n[0]),l=n[0].style.transform,o=n[0].style.
webkitTransform;if(I&&(n[0].style.transform="none"),o&&(n[
0].style.webkitTransform="none"),a.roundLengths)$=e.isHori
zontal()?n.outerWidth(!0):n.outerHeight(!0);else{const
```

```
e=s(r,"width"),t=s(r,"padding-left"),a=s(r,"padding-
right"),i=s(r,"margin-left"),l=s(r,"margin-
right"),o=r.getPropertyValue("box-sizing");if(o&&"border-
box"===o)$=e+i+l;else{const{clientWidth:s,offsetWidth:r}=n[
0];$=e+t+a+i+l+(r-
s)}}l\&\&(n[0].style.transform=I),o\&\&(n[0].style.webkitTransfor
m=o),a.roundLengths&&($=Math.floor($))}else $=(r-
(a.slidesPerView-
1)*x)/a.slidesPerView,a.roundLengths&&($=Math.floor($)),c[
i]\&\&(c[i].style[t("width")]=`${$}px`);c[i]\&\&(c[i].swiperSlideSiz
e=\$),m.push($),a.centeredSlides?(y=y+\$/2+E/2+x,0===E&&0!
==i\&\&(y=y-r/2-x),0===i\&\&(y=y-r/2-x)
x), Math.abs(y) < .001\&\&(y=0), a.roundLengths&&(y=Math.floo
r(y)),T%a.slidesPerGroup==0&&u.push(y),h.push(y)):(a.round
Lengths&&(y=Math.floor(y)),(T-
Math.min(e.params.slidesPerGroupSkip,T))%e.params.slidesP
erGroup==0&&u.push(y),h.push(y),y=y+$+x),e.virtualSize+=$
+x,E=$,T+=1}}if(e.virtualSize=Math.max(e.virtualSize,r)+g,n&
&I&&("slide"===a.effect||"coverflow"===a.effect)&&i.css({w
idth:`${e.virtualSize+a.spaceBetween}px`}),a.setWrapperSize
&&i.css({[t("width")]:`${e.virtualSize+a.spaceBetween}px`}),C
&&e.grid.updateWrapperSize($,u,t),!a.centeredSlides){const
t=[];for(let s=0;s<u.length;s+=1){let
i=u[s]; a.roundLengths & (i=Math.floor(i)), u[s] <= e.virtualSize-
r&&t.push(i)}u=t,Math.floor(e.virtualSize-r)-
Math.floor(u[u.length-1])>1&&u.push(e.virtualSize-
r)if(0===u.length\&\&(u=[0]),0!==a.spaceBetween){const}
s=e.isHorizontal()&&n?"marginLeft":t("marginRight");c.filter(
((e,t)=>!a.cssMode||t!==c.length-
```

```
1)).css({[s]:`${x}px`})}if(a.centeredSlides&&a.centeredSlidesB
ounds){let
e=0;m.forEach((t=>{e+=t+(a.spaceBetween?a.spaceBetween:
0)})),e-=a.spaceBetween;const t=e-r;u=u.map((e=>e<0?-
f:e>t?t+g:e))}if(a.centerInsufficientSlides){let
e=0;if(m.forEach((t=>{e+=t+(a.spaceBetween?a.spaceBetwee
n:0)})),e-=a.spaceBetween,e<r){const t=(r-
e)/2;u.forEach(((e,s)=>{u[s]=e-}
t})),h.forEach(((e,s)=>{h[s]=e+t}))}}if(Object.assign(e,{slides:c,
snapGrid:u,slidesGrid:h,slidesSizesGrid:m}),a.centeredSlides&
&a.cssMode&&!a.centeredSlidesBounds){v(e.wrapperEl,"--
swiper-centered-offset-before",-u[0]+"px"),v(e.wrapperEl,"--
swiper-centered-offset-after", e.size/2-m[m.length-
1]/2+"px");const t=-e.snapGrid[0],s=-
e.slidesGrid[0];e.snapGrid=e.snapGrid.map((e=>e+t)),e.slides
Grid=e.slidesGrid.map((e=>e+s))}if(p!==d&&e.emit("slidesLen
gthChange"), u.length!==w&&(e.params.watchOverflow&&e.
checkOverflow(), e.emit("snapGridLengthChange")), h.length!
==b&&e.emit("slidesGridLengthChange"),a.watchSlidesProgr
ess&&e.updateSlidesOffset(),!(o||a.cssMode||"slide"!==a.ef
fect&&"fade"!==a.effect)){const
t=`${a.containerModifierClass}backface-
hidden`,s=e.$el.hasClass(t);p<=a.maxBackfaceHiddenSlides?s
| | e.$el.addClass(t):s&&e.$el.removeClass(t)}},updateAutoHe
ight:function(e){const
t=this,s=[],a=t.virtual&&t.params.virtual.enabled;let
i,r=0;"number"==typeof
e?t.setTransition(e):!0===e&&t.setTransition(t.params.speed
);const
```

```
n=e=>a?t.slides.filter((t=>parseInt(t.getAttribute("data-
swiper-slide-
index"),10)===e))[0]:t.slides.eq(e)[0];if("auto"!==t.params.sli
desPerView&&t.params.slidesPerView>1)if(t.params.centere
dSlides)(t.visibleSlides||d([])).each((e=>{s.push(e)}));else
for(i=0;i<Math.ceil(t.params.slidesPerView);i+=1){const
e=t.activeIndex+i;if(e>t.slides.length&&!a)break;s.push(n(e))}
else s.push(n(t.activeIndex));for(i=0;i<s.length;i+=1)if(void
0!==s[i]){const}
e=s[i].offsetHeight;r=e>r?e:r}(r||0===r)&&t.$wrapperEl.css("
height", `${r}px`)}, updateSlidesOffset:function(){const
e=this,t=e.slides;for(let
s=0;s<t.length;s+=1)t[s].swiperSlideOffset=e.isHorizontal()?t[
s].offsetLeft:t[s].offsetTop},updateSlidesProgress:function(e){
void 0===e&&(e=this&&this.translate||0);const
t=this,s=t.params,{slides:a,rtlTranslate:i,snapGrid:r}=t;if(0===
a.length)return;void
0===a[0].swiperSlideOffset&&t.updateSlidesOffset();let n=-
e;i&&(n=e),a.removeClass(s.slideVisibleClass),t.visibleSlidesIn
dexes=[],t.visibleSlides=[];for(let e=0;e<a.length;e+=1){const
l=a[e];let
o=l.swiperSlideOffset;s.cssMode&&s.centeredSlides&&(o-
=a[0].swiperSlideOffset);const
d=(n+(s.centeredSlides?t.minTranslate():0)-
o)/(I.swiperSlideSize+s.spaceBetween),c=(n-
r[0]+(s.centeredSlides?t.minTranslate():0)-
o)/(I.swiperSlideSize+s.spaceBetween),p=-(n-
o),u=p+t.slidesSizesGrid[e];(p>=0&&p<t.size-
1||u>1&&u<=t.size||p<=0&&u>=t.size)&&(t.visibleSlides.pus
```

```
h(l),t.visibleSlidesIndexes.push(e),a.eq(e).addClass(s.slideVisi
bleClass)),l.progress=i?-d:d,l.originalProgress=i?-
c:c}t.visibleSlides=d(t.visibleSlides)},updateProgress:function(
e){const t=this;if(void 0===e){const s=t.rtlTranslate?-
1:1;e=t&&t.translate&&t.translate*s||0}const
s=t.params,a=t.maxTranslate()-
t.minTranslate();let{progress:i,isBeginning:r,isEnd:n}=t;const
l=r,o=n;0===a?(i=0,r=!0,n=!0):(i=(e-
t.minTranslate())/a,r=i<=0,n=i>=1),Object.assign(t,{progress:i,
isBeginning:r,isEnd:n}),(s.watchSlidesProgress||s.centeredSli
des&&s.autoHeight)&&t.updateSlidesProgress(e),r&&!l&&t.e
mit("reachBeginning toEdge"),n&&!o&&t.emit("reachEnd
toEdge"),(I&&!r||o&&!n)&&t.emit("fromEdge"),t.emit("prog
ress",i)},updateSlidesClasses:function(){const
e=this,{slides:t,params:s,$wrapperEl:a,activeIndex:i,realIndex
:r}=e,n=e.virtual&&s.virtual.enabled;let
l;t.removeClass(`${s.slideActiveClass} ${s.slideNextClass}
${s.slidePrevClass} ${s.slideDuplicateActiveClass}
${s.slideDuplicateNextClass}
${s.slideDuplicatePrevClass}`),l=n?e.$wrapperEl.find(`.${s.slid
eClass}[data-swiper-slide-
index="${i}"]`):t.eq(i),l.addClass(s.slideActiveClass),s.loop&&(I
.hasClass(s.slideDuplicateClass)?a.children(`.${s.slideClass}:no
t(.${s.slideDuplicateClass})[data-swiper-slide-
index="${r}"]`).addClass(s.slideDuplicateActiveClass):a.childre
n(`.${s.slideClass}.${s.slideDuplicateClass}[data-swiper-slide-
index="${r}"]`).addClass(s.slideDuplicateActiveClass));let
o=l.nextAll(`.${s.slideClass}`).eq(0).addClass(s.slideNextClass);
s.loop&&0===o.length&&(o=t.eq(0),o.addClass(s.slideNextCl
```

```
ass));let
d=I.prevAll(`.${s.slideClass}`).eq(0).addClass(s.slidePrevClass);
s.loop\&\&0===d.length\&\&(d=t.eq(-
1),d.addClass(s.slidePrevClass)),s.loop&&(o.hasClass(s.slideD
uplicateClass)?a.children(`.${s.slideClass}:not(.${s.slideDuplic
ateClass})[data-swiper-slide-index="${o.attr("data-swiper-
slide-
index")}"]`).addClass(s.slideDuplicateNextClass):a.children(`.$
{s.slideClass}.${s.slideDuplicateClass}[data-swiper-slide-
index="${o.attr("data-swiper-slide-
index")}"]`).addClass(s.slideDuplicateNextClass),d.hasClass(s.s
lideDuplicateClass)?a.children(`.${s.slideClass}:not(.${s.slideD
uplicateClass})[data-swiper-slide-index="${d.attr("data-
swiper-slide-
index")}"]`).addClass(s.slideDuplicatePrevClass):a.children(`.$
{s.slideClass}.${s.slideDuplicateClass}[data-swiper-slide-
index="${d.attr("data-swiper-slide-
index")}"]`).addClass(s.slideDuplicatePrevClass)),e.emitSlides
Classes()},updateActiveIndex:function(e){const
t=this,s=t.rtlTranslate?t.translate:-
t.translate,{slidesGrid:a,snapGrid:i,params:r,activeIndex:n,re
alIndex:1,snapIndex:0}=t;let d,c=e;if(void 0===c){for(let
e=0;e<a.length;e+=1)void 0!==a[e+1]?s>=a[e]&&s<a[e+1]-
(a[e+1]-
a[e])/2?c=e:s>=a[e]\&\&s<a[e+1]\&\&(c=e+1):s>=a[e]\&\&(c=e);r.
normalizeSlideIndex&&(c<0||void
0===c)&&(c=0)if(i.indexOf(s)>=0)d=i.indexOf(s);else{const}
e=Math.min(r.slidesPerGroupSkip,c);d=e+Math.floor((c-
e)/r.slidesPerGroup)}if(d>=i.length&&(d=i.length-
```

```
1),c===n)return
void(d!==o&&(t.snapIndex=d,t.emit("snapIndexChange")));co
nst p=parseInt(t.slides.eq(c).attr("data-swiper-slide-
index") | | c,10); Object.assign(t, {snapIndex:d, realIndex:p, previ
ousIndex:n,activeIndex:c}),t.emit("activeIndexChange"),t.emi
t("snapIndexChange"),!!==p&&t.emit("realIndexChange"),(t.i
nitialized | | t.params.runCallbacksOnInit) & & t.emit("slideChan
ge")},updateClickedSlide:function(e){const
t=this,s=t.params,a=d(e).closest(`.${s.slideClass}`)[0];let
i,r=!1;if(a)for(let
e=0;e<t.slides.length;e+=1)if(t.slides[e]===a){r=!0,i=e;break}if
(!a||!r)return t.clickedSlide=void 0,void(t.clickedIndex=void
0);t.clickedSlide=a,t.virtual&&t.params.virtual.enabled?t.click
edIndex=parseInt(d(a).attr("data-swiper-slide-
index"),10):t.clickedIndex=i,s.slideToClickedSlide&&void
0!==t.clickedIndex&&t.clickedIndex!==t.activeIndex&&t.slide
ToClickedSlide()}};var M={getTranslate:function(e){void
0===e&&(e=this.isHorizontal()?"x":"y");const{params:t,rtlTra
nslate:s,translate:a,$wrapperEl:i}=this;if(t.virtualTranslate)ret
urn s?-a:a;if(t.cssMode)return a;let r=h(i[0],e);return s&&(r=-
r),r||0},setTranslate:function(e,t){const
s=this,{rtlTranslate:a,params:i,$wrapperEl:r,wrapperEl:n,prog
ress:I}=s;let o,d=0,c=0;s.isHorizontal()?d=a?-
e:e:c=e,i.roundLengths&&(d=Math.floor(d),c=Math.floor(c)),i
.cssMode?n[s.isHorizontal()?"scrollLeft":"scrollTop"]=s.isHori
zontal()?-d:-
c:i.virtualTranslate||r.transform(`translate3d(${d}px, ${c}px,
Opx)`),s.previousTranslate=s.translate,s.translate=s.isHorizon
tal()?d:c;const p=s.maxTranslate()-
```

```
s.minTranslate();o=0===p?0:(e-
s.minTranslate())/p,o!==I&&s.updateProgress(e),s.emit("setT
ranslate",s.translate,t)},minTranslate:function(){return-
this.snapGrid[0]},maxTranslate:function(){return-
this.snapGrid[this.snapGrid.length-
1]},translateTo:function(e,t,s,a,i){void 0===e&&(e=0),void
0===t\&\&(t=this.params.speed),void 0===s\&\&(s=!0),void
0 = = a \& (a = !0); const
r=this,{params:n,wrapperEI:I}=r;if(r.animating&&n.preventInt
eractionOnTransition)return!1;const
o=r.minTranslate(),d=r.maxTranslate();let
c;if(c=a&&e>o?o:a&&e<d?d:e,r.updateProgress(c),n.cssMod
e){const
e=r.isHorizontal();if(0===t)l[e?"scrollLeft":"scrollTop"]=-
c;else{if(!r.support.smoothScroll)return
w({swiper:r,targetPosition:-
c,side:e?"left":"top"}),!0;l.scrollTo({[e?"left":"top"]:-
c,behavior:"smooth"})}return!0}return
0===t?(r.setTransition(0),r.setTranslate(c),s&&(r.emit("befor
eTransitionStart",t,i),r.emit("transitionEnd"))):(r.setTransition
(t),r.setTranslate(c),s&&(r.emit("beforeTransitionStart",t,i),r.
emit("transitionStart")),r.animating||(r.animating=!0,r.onTra
nslateToWrapperTransitionEnd||(r.onTranslateToWrapperTr
ansitionEnd=function(e){r&&!r.destroyed&&e.target===this&
&(r.$wrapperEl[0].removeEventListener("transitionend",r.on
TranslateToWrapperTransitionEnd),r.$wrapperEl[0].removeE
ventListener("webkitTransitionEnd",r.onTranslateToWrapper
TransitionEnd),r.onTranslateToWrapperTransitionEnd=null,d
elete
```

```
r.onTranslateToWrapperTransitionEnd,s&&r.emit("transition
End"))}),r.$wrapperEI[0].addEventListener("transitionend",r.
onTranslateToWrapperTransitionEnd),r.$wrapperEl[0].addEv
entListener("webkitTransitionEnd",r.onTranslateToWrapperT
ransitionEnd))),!0}};function
P(e){let{swiper:t,runCallbacks:s,direction:a,step:i}=e;const{ac
tiveIndex:r,previousIndex:n}=t;let
l=a;if(I||(l=r>n?"next":r<n?"prev":"reset"),t.emit(`transition$</pre>
{i}`),s&&r!==n){if("reset"===l)return void
t.emit(`slideResetTransition${i}`);t.emit(`slideChangeTransitio
n${i}`),"next"===l?t.emit(`slideNextTransition${i}`):t.emit(`slid
ePrevTransition${i}`)}}var k={slideTo:function(e,t,s,a,i){if(void
0 === e\&\&(e=0), void 0 === t\&\&(t=this.params.speed), void
0===s&&(s=!0),"number"!=typeof e&&"string"!=typeof
e)throw new Error('The 'index' argument cannot have type
other than 'number' or 'string'. [${typeof e}]
given.`);if("string"==typeof e){const
t=parseInt(e,10);if(!isFinite(t))throw new Error(`The passed-in
'index' (string) couldn't be converted to 'number'. [${e}]
given.`);e=t}const r=this;let
n=e;n<0&&(n=0);const{params:l,snapGrid:o,slidesGrid:d,prev
iousIndex:c,activeIndex:p,rtlTranslate:u,wrapperEl:h,enabled:
m}=r;if(r.animating&&l.preventInteractionOnTransition||!m
&&!a&&!i)return!1;const
f=Math.min(r.params.slidesPerGroupSkip,n);let
g=f+Math.floor((n-
f)/r.params.slidesPerGroup);g>=o.length&&(g=o.length-
1),(p||I.initialSlide||0)===(c||0)&&s&&r.emit("beforeSlideC")
hangeStart");const v=-
```

```
o[g];if(r.updateProgress(v),l.normalizeSlideIndex)for(let
e=0;e<d.length;e+=1){const t=-
Math.floor(100*v),s=Math.floor(100*d[e]),a=Math.floor(100
*d[e+1]);void 0!==d[e+1]?t>=s&&t<a-(a-1)
s)/2?n=e:t>=s\&t<a\&\&(n=e+1):t>=s\&\&(n=e)\}if(r.initialized\&
&n!==p){if(!r.allowSlideNext&&v<r.translate&&v<r.minTransl
ate())return!1;if(!r.allowSlidePrev&&v>r.translate&&v>r.max
Translate()&&(p||0)!==n)return!1}let
b;if(b=n>p?"next":n<p?"prev":"reset",u&&-
v===r.translate||!u&&v===r.translate)return
r.updateActiveIndex(n),l.autoHeight&&r.updateAutoHeight(),
r.updateSlidesClasses(), "slide"!==l.effect&&r.setTranslate(v),
"reset"!==b&&(r.transitionStart(s,b),r.transitionEnd(s,b)),!1;if
(l.cssMode){const e=r.isHorizontal(),s=u?v:-v;if(0===t){const
t=r.virtual&&r.params.virtual.enabled;t&&(r.wrapperEl.style.
scrollSnapType="none",r._immediateVirtual=!0),h[e?"scrollL
eft":"scrollTop"]=s,t&&requestAnimationFrame((()=>{r.wrap
perEl.style.scrollSnapType="",r. swiperImmediateVirtual=!1})
)}else{if(!r.support.smoothScroll)return
w({swiper:r,targetPosition:s,side:e?"left":"top"}),!0;h.scrollTo
({[e?"left":"top"]:s,behavior:"smooth"})}return!0}return
r.setTransition(t),r.setTranslate(v),r.updateActiveIndex(n),r.u
pdateSlidesClasses(),r.emit("beforeTransitionStart",t,a),r.tran
sitionStart(s,b),0===t?r.transitionEnd(s,b):r.animating||(r.ani
mating=!0,r.onSlideToWrapperTransitionEnd||(r.onSlideToW
rapperTransitionEnd=function(e){r&&!r.destroyed&&e.target
===this&&(r.$wrapperEl[0].removeEventListener("transition
end",r.onSlideToWrapperTransitionEnd),r.$wrapperEl[0].rem
oveEventListener("webkitTransitionEnd",r.onSlideToWrapper
```

```
TransitionEnd),r.onSlideToWrapperTransitionEnd=null,delete
r.onSlideToWrapperTransitionEnd,r.transitionEnd(s,b))}),r.$w
rapperEl[0].addEventListener("transitionend",r.onSlideToWra
pperTransitionEnd),r.$wrapperEl[0].addEventListener("webki
tTransitionEnd",r.onSlideToWrapperTransitionEnd)),!0},slideT
oLoop:function(e,t,s,a){void 0===e&&(e=0),void
0==t\&\&(t=this.params.speed),void 0===s\&\&(s=!0);const
i=this;let r=e;return
i.params.loop&&(r+=i.loopedSlides),i.slideTo(r,t,s,a)},slideNex
t:function(e,t,s){void 0===e&&(e=this.params.speed),void
0 = = t & (t = !0); const
a=this,{animating:i,enabled:r,params:n}=a;if(!r)return a;let
l=n.slidesPerGroup;"auto"===n.slidesPerView&&1===n.slides
PerGroup&&n.slidesPerGroupAuto&&(I=Math.max(a.slidesP
erViewDynamic("current",!0),1));const
o=a.activeIndex<n.slidesPerGroupSkip?1:l;if(n.loop){if(i&&n.l
oopPreventsSlide)return!1;a.loopFix(),a. clientLeft=a.$wrapp
erEl[0].clientLeft}return
n.rewind&&a.isEnd?a.slideTo(0,e,t,s):a.slideTo(a.activeIndex
+o,e,t,s)},slidePrev:function(e,t,s){void
0===e\&\&(e=this.params.speed),void 0===t\&\&(t=!0);const
a=this,{params:i,animating:r,snapGrid:n,slidesGrid:l,rtlTransla
te:o,enabled:d}=a;if(!d)return
a;if(i.loop){if(r&&i.loopPreventsSlide)return!1;a.loopFix(),a. c
lientLeft=a.$wrapperEl[0].clientLeft}function c(e){return
e<0?-Math.floor(Math.abs(e)):Math.floor(e)}const
p=c(o?a.translate:-a.translate),u=n.map((e=>c(e)));let
h=n[u.indexOf(p)-1];if(void 0===h&&i.cssMode){let
e;n.forEach(((t,s)=>\{p>=t&&(e=s)\})),void
```

```
0!==e\&\&(h=n[e>0?e-1:e])}let m=0;if(void
0!==h\&\&(m=1.indexOf(h),m<0\&\&(m=a.activeIndex-
1),"auto"===i.slidesPerView&&1===i.slidesPerGroup&&i.slid
esPerGroupAuto&&(m=m-
a.slidesPerViewDynamic("previous",!0)+1,m=Math.max(m,0))
),i.rewind&&a.isBeginning){const
i=a.params.virtual&&a.params.virtual.enabled&&a.virtual?a.
virtual.slides.length-1:a.slides.length-1;return
a.slideTo(i,e,t,s)}return
a.slideTo(m,e,t,s)},slideReset:function(e,t,s){return void
0===e&&(e=this.params.speed),void
0===t&&(t=!0),this.slideTo(this.activeIndex,e,t,s)},slideToClos
est:function(e,t,s,a){void
0 == e\&\&(e = this.params.speed), void <math>0 == t\&\&(t = !0), void
0===a&&(a=.5);const i=this;let r=i.activeIndex;const
n=Math.min(i.params.slidesPerGroupSkip,r),l=n+Math.floor((
r-n)/i.params.slidesPerGroup),o=i.rtlTranslate?i.translate:-
i.translate;if(o>=i.snapGrid[I]){const e=i.snapGrid[I];o-
e>(i.snapGrid[l+1]-
e)*a&&(r+=i.params.slidesPerGroup)}else{const
e=i.snapGrid[l-1];o-e<=(i.snapGrid[l]-e)*a&&(r-
=i.params.slidesPerGroup)}return
r=Math.max(r,0),r=Math.min(r,i.slidesGrid.length-
1),i.slideTo(r,e,t,s)},slideToClickedSlide:function(){const
e=this,{params:t,$wrapperEl:s}=e,a="auto"===t.slidesPerVie
w?e.slidesPerViewDynamic():t.slidesPerView;let
i,r=e.clickedIndex;if(t.loop){if(e.animating)return;i=parseInt(d
(e.clickedSlide).attr("data-swiper-slide-
index"),10),t.centeredSlides?r<e.loopedSlides-
```

```
a/2||r>e.slides.length-
e.loopedSlides+a/2?(e.loopFix(),r=s.children(`.${t.slideClass}[
data-swiper-slide-
index="${i}"]:not(.${t.slideDuplicateClass})`).eq(0).index(),p(((
)=>{e.slideTo(r)}))):e.slideTo(r):r>e.slides.length-
a?(e.loopFix(),r=s.children(`.${t.slideClass}[data-swiper-slide-
index="${i}"]:not(.${t.slideDuplicateClass})`).eq(0).index(),p(((
)=>{e.slideTo(r)}))):e.slideTo(r)}else e.slideTo(r)}};var
z={loopCreate:function(){const
e=this,t=a(),{params:s,$wrapperEl:i}=e,r=i.children().length>0
?d(i.children()[0].parentNode):i;r.children(`.${s.slideClass}.${s
.slideDuplicateClass}`).remove();let
n=r.children(`.${s.slideClass}`);if(s.loopFillGroupWithBlank){c
onst e=s.slidesPerGroup-
n.length%s.slidesPerGroup;if(e!==s.slidesPerGroup){for(let
a=0;a<e;a+=1){const}
e=d(t.createElement("div")).addClass(`${s.slideClass}
${s.slideBlankClass}`);r.append(e)}n=r.children(`.${s.slideClass
}`)}}"auto"!==s.slidesPerView||s.loopedSlides||(s.loopedSlid
es=n.length),e.loopedSlides=Math.ceil(parseFloat(s.loopedSli
des | | s.slidesPerView,10)),e.loopedSlides+=s.loopAdditionalSl
ides,e.loopedSlides>n.length&&(e.loopedSlides=n.length);co
nst l=[],o=[];n.each(((t,s)=>\{const
a=d(t);s<e.loopedSlides&&o.push(t),s<n.length&&s>=n.lengt
h-e.loopedSlides&&l.push(t),a.attr("data-swiper-slide-
index",s)}));for(let
e=0;e<o.length;e+=1)r.append(d(o[e].cloneNode(!0)).addClas
s(s.slideDuplicateClass));for(let e=l.length-1;e>=0;e-
=1)r.prepend(d(I[e].cloneNode(!0)).addClass(s.slideDuplicate
```

```
Class))},loopFix:function(){const
e=this;e.emit("beforeLoopFix");const{activeIndex:t,slides:s,lo
opedSlides:a,allowSlidePrev:i,allowSlideNext:r,snapGrid:n,rtl
Translate:|}=e;let
o;e.allowSlidePrev=!0,e.allowSlideNext=!0;const d=-n[t]-
e.getTranslate();if(t<a){o=s.length-
3*a+t,o+=a;e.slideTo(o,0,!1,!0)\&&0!==d\&\&e.setTranslate((!?-
e.translate:e.translate)-d)}else if(t>=s.length-a){o=-
s.length+t+a,o+=a;e.slideTo(o,0,!1,!0)\&\&0!==d\&\&e.setTransl
ate((I?-e.translate:e.translate)-
d)\e.allowSlidePrev=i,e.allowSlideNext=r,e.emit("loopFix")\},lo
opDestroy:function(){const{$wrapperEl:e,params:t,slides:s}=t
his;e.children(`.${t.slideClass}.${t.slideDuplicateClass},.${t.slid
eClass}.${t.slideBlankClass}`).remove(),s.removeAttr("data-
swiper-slide-index")}};function O(e){const
t=this,s=a(),i=r(),n=t.touchEventsData,{params:l,touches:o,en
abled:c}=t;if(!c)return;if(t.animating&&l.preventInteractionO
nTransition)return;!t.animating&&l.cssMode&&l.loop&&t.lo
opFix();let p=e;p.originalEvent&&(p=p.originalEvent);let
h=d(p.target);if("wrapper"===l.touchEventsTarget&&!h.close
st(t.wrapperEl).length)return;if(n.isTouchEvent="touchstart"
===p.type,!n.isTouchEvent&&"which"in
p&&3===p.which)return;if(!n.isTouchEvent&&"button"in
p&&p.button>0)return;if(n.isTouched&&n.isMoved)return;!!l
.noSwipingClass&&""!==I.noSwipingClass&&p.target&&p.targ
et.shadowRoot&&e.path&&e.path[0]&&(h=d(e.path[0]));con
st
m=l.noSwipingSelector?l.noSwipingSelector:`.${l.noSwipingCl
ass}`,f=!(!p.target||!p.target.shadowRoot);if(l.noSwiping&&(f
```

```
?function(e,t){return void 0===t&&(t=this),function
t(s){if(!s||s===a()||s===r())}return
null;s.assignedSlot&&(s=s.assignedSlot);const
i=s.closest(e);return
i||s.getRootNode?i||t(s.getRootNode().host):null}(t)}(m,h[0]
):h.closest(m)[0]))return
void(t.allowClick=!0);if(l.swipeHandler&&!h.closest(l.swipeHa
ndler)[0])return;o.currentX="touchstart"===p.type?p.targetT
ouches[0].pageX:p.pageX,o.currentY="touchstart"===p.type?
p.targetTouches[0].pageY:p.pageY;const
g=o.currentX,v=o.currentY,w=l.edgeSwipeDetection||I.iOSEd
geSwipeDetection,b=l.edgeSwipeThreshold||I.iOSEdgeSwipe
Threshold; if (w\&\&(g<=b||g>=i.innerWidth-
b)){if("prevent"!==w)return;e.preventDefault()}if(Object.assig
n(n,{isTouched:!0,isMoved:!1,allowTouchCallbacks:!0,isScrolli
ng:void 0,startMoving:void
0}),o.startX=g,o.startY=v,n.touchStartTime=u(),t.allowClick=!0
,t.updateSize(),t.swipeDirection=void
0,I.threshold>0&&(n.allowThresholdMove=!1),"touchstart"!=
=p.type){let
e=!0;h.is(n.focusableElements)&&(e=!1,"SELECT"===h[0].nod
eName&&(n.isTouched=!1)),s.activeElement&&d(s.activeEle
ment).is(n.focusableElements)&&s.activeElement!==h[0]&&s
.activeElement.blur();const
a=e&&t.allowTouchMove&&l.touchStartPreventDefault;!l.to
uchStartForcePreventDefault&&!a||h[0].isContentEditable||
p.preventDefault()}t.params.freeMode&&t.params.freeMode
.enabled&&t.freeMode&&t.animating&&!l.cssMode&&t.free
Mode.onTouchStart(),t.emit("touchStart",p)}function
```

```
L(e){const
t=a(),s=this,i=s.touchEventsData,{params:r,touches:n,rtlTrans
late:l,enabled:o}=s;if(!o)return;let
c=e;if(c.originalEvent&&(c=c.originalEvent),!i.isTouched)retur
void(i.startMoving&&i.isScrolling&&s.emit("touchMoveOppo
site",c));if(i.isTouchEvent&&"touchmove"!==c.type)return;co
nst
p="touchmove"===c.type&&c.targetTouches&&(c.targetTouches
hes[0]||c.changedTouches[0]),h="touchmove"===c.type?p.p
ageX:c.pageX,m="touchmove"===c.type?p.pageY:c.pageY;if(c
.preventedByNestedSwiper)return
n.startX=h,void(n.startY=m);if(!s.allowTouchMove)return
d(c.target).is(i.focusableElements)||(s.allowClick=!1),void(i.is
Touched&&(Object.assign(n,{startX:h,startY:m,currentX:h,cur
rentY:m}),i.touchStartTime=u()));if(i.isTouchEvent&&r.touchR
eleaseOnEdges&&!r.loop)if(s.isVertical()){if(m<n.startY&&s.tr
anslate<=s.maxTranslate()||m>n.startY&&s.translate>=s.min
Translate())return i.isTouched=!1,void(i.isMoved=!1)}else
if(h<n.startX&&s.translate<=s.maxTranslate()||h>n.startX&&
s.translate>=s.minTranslate())return;if(i.isTouchEvent&&t.act
iveElement&&c.target===t.activeElement&&d(c.target).is(i.fo
cusableElements))return
i. is Moved = !0, void (s. allow Click = !1); if (i. allow Touch Callbacks \& 1); if (i. allow Touch Callbacks \& 1); if (i. allow Touch Callbacks & 1); if 
&s.emit("touchMove",c),c.targetTouches&&c.targetTouches.l
ength>1)return;n.currentX=h,n.currentY=m;const
f=n.currentX-n.startX,g=n.currentY-
n.startY;if(s.params.threshold&&Math.sqrt(f**2+g**2)<s.par
ams.threshold)return;if(void 0===i.isScrolling){let
```

```
.currentX===n.startX?i.isScrolling=!1:f*f+g*g>=25&&(e=180*
Math.atan2(Math.abs(g), Math.abs(f))/Math.PI,i.isScrolling=s.i
sHorizontal()?e>r.touchAngle:90-
e>r.touchAngle)}if(i.isScrolling&&s.emit("touchMoveOpposit
e",c),void
0===i.startMoving&&(n.currentX===n.startX&&n.currentY==
=n.startY||(i.startMoving=!0)),i.isScrolling)return
void(i.isTouched=!1);if(!i.startMoving)return;s.allowClick=!1,!
r.cssMode&&c.cancelable&&c.preventDefault(),r.touchMove
StopPropagation&&!r.nested&&c.stopPropagation(),i.isMove
d||(r.loop&&!r.cssMode&&s.loopFix(),i.startTranslate=s.getT
ranslate(),s.setTransition(0),s.animating&&s.$wrapperEl.trigg
er("webkitTransitionEnd
transitionend"),i.allowMomentumBounce=!1,!r.grabCursor||
!0!==s.allowSlideNext&&!0!==s.allowSlidePrev||s.setGrabCu
rsor(!0),s.emit("sliderFirstMove",c)),s.emit("sliderMove",c),i.i
sMoved=!0;let
v=s.isHorizontal()?f:g;n.diff=v,v*=r.touchRatio,I&&(v=-
v),s.swipeDirection=v>0?"prev":"next",i.currentTranslate=v+i
.startTranslate;let
w=!0,b=r.resistanceRatio;if(r.touchReleaseOnEdges&&(b=0),
v>0&&i.currentTranslate>s.minTranslate()?(w=!1,r.resistance
&&(i.currentTranslate=s.minTranslate()-1+(-
s.minTranslate()+i.startTranslate+v)**b)):v<0&&i.currentTran
slate<s.maxTranslate()&&(w=!1,r.resistance&&(i.currentTran
slate=s.maxTranslate()+1-(s.maxTranslate()-i.startTranslate-
v)**b)),w&&(c.preventedByNestedSwiper=!0),!s.allowSlideN
ext&&"next"===s.swipeDirection&&i.currentTranslate<i.start
```

e;s.isHorizontal()&&n.currentY===n.startY||s.isVertical()&&n

Translate&&(i.currentTranslate=i.startTranslate),!s.allowSlide Prev&&"prev"===s.swipeDirection&&i.currentTranslate>i.startTranslate&&(i.currentTranslate=i.startTranslate),s.allowSlidePrev||s.allowSlideNext||(i.currentTranslate=i.startTranslate),r.threshold>0){if(!(Math.abs(v)>r.threshold||i.allowThresholdMove))return

void(i.currentTranslate=i.startTranslate);if(!i.allowThreshold
Move)return

i.allowThresholdMove=!0,n.startX=n.currentX,n.startY=n.currentY,i.currentTranslate=i.startTranslate,void(n.diff=s.isHorizontal()?n.currentX-n.startX:n.currentY-

n.startY)}r.followFinger&&!r.cssMode&&((r.freeMode&&r.fr eeMode.enabled&&s.freeMode||r.watchSlidesProgress)&&(s.updateActiveIndex(),s.updateSlidesClasses()),s.params.free Mode&&r.freeMode.enabled&&s.freeMode&&s.freeMode.o nTouchMove(),s.updateProgress(i.currentTranslate),s.setTran slate(i.currentTranslate))}function I(e){const

t=this,s=t.touchEventsData,{params:a,touches:i,rtlTranslate:r,slidesGrid:n,enabled:l}=t;if(!l)return;let

o=e;if(o.originalEvent&&(o=o.originalEvent),s.allowTouchCall backs&&t.emit("touchEnd",o),s.allowTouchCallbacks=!1,!s.is Touched)return

s.isMoved&&a.grabCursor&&t.setGrabCursor(!1),s.isMoved= !1,void(s.startMoving=!1);a.grabCursor&&s.isMoved&&s.isTo uched&&(!0===t.allowSlideNext||!0===t.allowSlidePrev)&&t .setGrabCursor(!1);const d=u(),c=d-

s.touchStartTime;if(t.allowClick){const

e=o.path||o.composedPath&&o.composedPath();t.updateClickedSlide(e&&e[0]||o.target),t.emit("tap

```
click",o),c<300&&d-s.lastClickTime<300&&t.emit("doubleTap
doubleClick'',o)if(s.lastClickTime=u(),p((()=>{t.destroyed||(t.
allowClick=!0)})),!s.isTouched||!s.isMoved||!t.swipeDirectio
n||0===i.diff||s.currentTranslate===s.startTranslate)return
s.isTouched=!1,s.isMoved=!1,void(s.startMoving=!1);let
h;if(s.isTouched=!1,s.isMoved=!1,s.startMoving=!1,h=a.follo
wFinger?r?t.translate:-t.translate:-
s.currentTranslate,a.cssMode)return;if(t.params.freeMode&
&a.freeMode.enabled)return void
t.freeMode.onTouchEnd({currentPos:h});let
m=0,f=t.slidesSizesGrid[0];for(let
e=0;e<n.length;e+=e<a.slidesPerGroupSkip?1:a.slidesPerGro
up){const t=e<a.slidesPerGroupSkip-
1?1:a.slidesPerGroup;void
0!==n[e+t]?h>=n[e]&&h<n[e+t]&&(m=e,f=n[e+t]-
n[e]):h>=n[e]&&(m=e,f=n[n.length-1]-n[n.length-2])}let
g=null,v=null;a.rewind&&(t.isBeginning?v=t.params.virtual&
&t.params.virtual.enabled&&t.virtual?t.virtual.slides.length-
1:t.slides.length-1:t.isEnd&&(g=0));const w=(h-
n[m])/f,b=m<a.slidesPerGroupSkip-
1?1:a.slidesPerGroup;if(c>a.longSwipesMs){if(!a.longSwipes)r
eturn void
t.slideTo(t.activeIndex);"next"===t.swipeDirection&&(w>=a.l
ongSwipesRatio?t.slideTo(a.rewind&&t.isEnd?g:m+b):t.slideT
o(m)),"prev"===t.swipeDirection&&(w>1-
a.longSwipesRatio?t.slideTo(m+b):null!==v&&w<0&&Math.a
bs(w)>a.longSwipesRatio?t.slideTo(v):t.slideTo(m))}else{if(!a.
shortSwipes)return void
t.slideTo(t.activeIndex);t.navigation&&(o.target===t.navigati
```

```
on.nextEl||o.target===t.navigation.prevEl)?o.target===t.navi
gation.nextEl?t.slideTo(m+b):t.slideTo(m):("next"===t.swipeD
irection&&t.slideTo(null!==g?g:m+b),"prev"===t.swipeDirecti
on&&t.slideTo(null!==v?v:m))}}function A(){const
e=this,{params:t,el:s}=e;if(s&&0===s.offsetWidth)return;t.br
eakpoints&&e.setBreakpoint();const{allowSlideNext:a,allowSl
idePrev:i,snapGrid:r}=e;e.allowSlideNext=!0,e.allowSlidePrev
=!0,e.updateSize(),e.updateSlides(),e.updateSlidesClasses(),("
auto"===t.slidesPerView||t.slidesPerView>1)&&e.isEnd&&!e
.isBeginning&&!e.params.centeredSlides?e.slideTo(e.slides.le
ngth-
1,0,!1,!0):e.slideTo(e.activeIndex,0,!1,!0),e.autoplay&&e.aut
oplay.running&&e.autoplay.paused&&e.autoplay.run(),e.allo
wSlidePrev=i,e.allowSlideNext=a,e.params.watchOverflow&&
r!==e.snapGrid&&e.checkOverflow()}function D(e){const
t=this;t.enabled&&(t.allowClick||(t.params.preventClicks&&
e.preventDefault(),t.params.preventClicksPropagation&&t.an
imating&&(e.stopPropagation(),e.stopImmediatePropagation
()))))function G(){const
e=this,{wrapperEl:t,rtlTranslate:s,enabled:a}=e;if(!a)return;le
t
i;e.previousTranslate=e.translate,e.isHorizontal()?e.translate
=-t.scrollLeft:e.translate=-
t.scrollTop,0===e.translate&&(e.translate=0),e.updateActiveI
ndex(),e.updateSlidesClasses();const r=e.maxTranslate()-
e.minTranslate();i=0===r?0:(e.translate-
e.minTranslate())/r,i!==e.progress&&e.updateProgress(s?-
e.translate:e.translate),e.emit("setTranslate",e.translate,!1)}l
et N=!1;function B(){}const H=(e,t)=>{const
```

```
s=a(),{params:i,touchEvents:r,el:n,wrapperEl:l,device:o,suppo
rt:d}=e,c=!!i.nested,p="on"===t?"addEventListener":"remove
EventListener",u=t;if(d.touch){const
t=!("touchstart"!==r.start||!d.passiveListener||!i.passiveList
eners)&&{passive:!0,capture:!1};n[p](r.start,e.onTouchStart,t
),n[p](r.move,e.onTouchMove,d.passiveListener?{passive:!1,c
apture:c}:c),n[p](r.end,e.onTouchEnd,t),r.cancel&&n[p](r.can
cel,e.onTouchEnd,t)}else
n[p](r.start,e.onTouchStart,!1),s[p](r.move,e.onTouchMove,c
),s[p](r.end,e.onTouchEnd,!1);(i.preventClicks||i.preventClick
sPropagation)&&n[p]("click",e.onClick,!0),i.cssMode&&l[p]("s
croll",e.onScroll),i.updateOnWindowResize?e[u](o.ios||o.and
roid?"resize orientationchange observerUpdate":"resize
observerUpdate",A,!0):e[u]("observerUpdate",A,!0)};var
X={attachEvents:function(){const
e=this,t=a(),{params:s,support:i}=e;e.onTouchStart=O.bind(e)
,e.onTouchMove=L.bind(e),e.onTouchEnd=I.bind(e),s.cssMod
e&&(e.onScroll=G.bind(e)),e.onClick=D.bind(e),i.touch&&!N&
&(t.addEventListener("touchstart",B),N=!0),H(e,"on")},detach
Events:function(){H(this,"off")}};const
Y=(e,t)=>e.grid&&t.grid&&t.grid.rows>1;var
R={addClasses:function(){const
e=this,{classNames:t,params:s,rtl:a,$el:i,device:r,support:n}=
e,l=function(e,t){const s=[];return
e.forEach((e=>{"object"==typeof
e?Object.keys(e).forEach((a=>{e[a]&&s.push(t+a)})):"string"=
=typeof
e&&s.push(t+e)})),s}(["initialized",s.direction,{"pointer-
events":!n.touch},{"free-
```

mode":e.params.freeMode&&s.freeMode.enabled},{autohei ght:s.autoHeight},{rtl:a},{grid:s.grid&&s.grid.rows>1},{"grid-column":s.grid&&s.grid.rows>1&&"column"===s.grid.fill},{an droid:r.android},{ios:r.ios},{"css-

mode":s.cssMode},{centered:s.cssMode&&s.centeredSlides},
{"watch-

progress":s.watchSlidesProgress}],s.containerModifierClass);t
.push(...l),i.addClass([...t].join("

- ")),e.emitContainerClasses()},removeClasses:function(){const {\$el:e,classNames:t}=this;e.removeClass(t.join("
- ")),this.emitContainerClasses()}};var

W={init:!0,direction:"horizontal",touchEventsTarget:"wrappe r",initialSlide:0,speed:300,cssMode:!1,updateOnWindowResi ze:!0,resizeObserver:!0,nested:!1,createElements:!1,enabled: !0,focusableElements:"input, select, option, textarea, button, video,

label",width:null,height:null,preventInteractionOnTransition: !1,userAgent:null,url:null,edgeSwipeDetection:!1,edgeSwipeThreshold:20,autoHeight:!1,setWrapperSize:!1,virtualTranslate:!1,effect:"slide",breakpoints:void

0,breakpointsBase:"window",spaceBetween:0,slidesPerView: 1,slidesPerGroup:1,slidesPerGroupSkip:0,slidesPerGroupAuto:!1,centeredSlides:!1,centeredSlidesBounds:!1,slidesOffsetBefore:0,slidesOffsetAfter:0,normalizeSlideIndex:!0,centerInsufficientSlides:!1,watchOverflow:!0,roundLengths:!1,touchRatio:1,touchAngle:45,simulateTouch:!0,shortSwipes:!0,longSwipes:!0,longSwipesRatio:.5,longSwipesMs:300,followFinger:!0,allowTouchMove:!0,threshold:0,touchMoveStopPropagation:!1,touchStartPreventDefault:!0,touchStartForcePreventDefault:

```
!1,touchReleaseOnEdges:!1,uniqueNavElements:!0,resistanc
e:!0,resistanceRatio:.85,watchSlidesProgress:!1,grabCursor:!
1,preventClicks:!0,preventClicksPropagation:!0,slideToClicke
dSlide: !1, preload Images: !0, updateOn Images Ready: !0, loop: !1
,loopAdditionalSlides:0,loopedSlides:null,loopFillGroupWithBl
ank: !1, loop Prevents Slide: !0, rewind: !1, allow Slide Prev: !0, allo
wSlideNext:!0,swipeHandler:null,noSwiping:!0,noSwipingClas
s:"swiper-no-
swiping",noSwipingSelector:null,passiveListeners:!0,maxBack
faceHiddenSlides:10,containerModifierClass:"swiper-
",slideClass:"swiper-slide",slideBlankClass:"swiper-slide-
invisible-blank", slideActiveClass: "swiper-slide-
active", slide Duplicate Active Class: "swiper-slide-duplicate-
active", slide Visible Class: "swiper-slide-
visible", slide Duplicate Class: "swiper-slide-
duplicate", slideNextClass: "swiper-slide-
next", slide Duplicate Next Class: "swiper-slide-duplicate-
next", slide Prev Class: "swiper-slide-
prev", slide Duplicate Prev Class: "swiper-slide-duplicate-
prev", wrapper Class: "swiper-
wrapper",runCallbacksOnInit:!0,_emitClasses:!1};function
j(e,t){return function(s){void 0===s&&(s={});const
a=Object.keys(s)[0],i=s[a];"object"==typeof
i&&null!==i?(["navigation","pagination","scrollbar"].indexOf(
a)>=0\&\&!0===e[a]\&\&(e[a]={auto:!0}),a in e&&"enabled"in
i?(!0===e[a]&&(e[a]={enabled:!0}),"object"!=typeof
e[a]||"enabled"in
e[a]||(e[a].enabled=!0),e[a]||(e[a]={enabled:!1}),g(t,s)):g(t,s)
):g(t,s)}}const
```

```
_={eventsEmitter:$,update:S,translate:M,transition:{setTrans
ition:function(e,t){const
s=this;s.params.cssMode||s.$wrapperEl.transition(e),s.emit(
"setTransition",e,t)},transitionStart:function(e,t){void
0 = = e \& (e = !0); const
s=this,{params:a}=s;a.cssMode||(a.autoHeight&&s.updateAu
toHeight(),P({swiper:s,runCallbacks:e,direction:t,step:"Start"}
))},transitionEnd:function(e,t){void 0===e&&(e=!0);const
s=this,{params:a}=s;s.animating=!1,a.cssMode||(s.setTransiti
on(0),P({swiper:s,runCallbacks:e,direction:t,step:"End"}))}},sli
de:k,loop:z,grabCursor:{setGrabCursor:function(e){const
t=this;if(t.support.touch||!t.params.simulateTouch||t.param
s.watchOverflow&&t.isLocked||t.params.cssMode)return;co
nst
s="container"===t.params.touchEventsTarget?t.el:t.wrapper
El;s.style.cursor="move",s.style.cursor=e?"grabbing":"grab"},
unsetGrabCursor:function(){const
e=this;e.support.touch||e.params.watchOverflow&&e.isLock
ed||e.params.cssMode||(e["container"===e.params.touchE
ventsTarget?"el":"wrapperEl"].style.cursor="")}},events:X,bre
akpoints:{setBreakpoint:function(){const
e=this,{activeIndex:t,initialized:s,loopedSlides:a=0,params:i,$
el:r}=e,n=i.breakpoints;if(!n||n&&0===Object.keys(n).length)
return; const
I=e.getBreakpoint(n,e.params.breakpointsBase,e.el);if(!||e.c
urrentBreakpoint===l)return;const o=(l in n?n[l]:void
0) | | e.originalParams,d=Y(e,i),c=Y(e,o),p=i.enabled;d&&!c?(r.
removeClass(`${i.containerModifierClass}grid
${i.containerModifierClass}grid-
```

```
column'), e.emitContainerClasses()):!d&&c&&(r.addClass(`${i.
containerModifierClass}grid`),(o.grid.fill&&"column"===o.gri
d.fill||!o.grid.fill&&"column"===i.grid.fill)&&r.addClass(`${i.c
ontainerModifierClass}grid-
column`),e.emitContainerClasses());const
u=o.direction&&o.direction!==i.direction,h=i.loop&&(o.slides
PerView!==i.slidesPerView||u);u&&s&&e.changeDirection(),
g(e.params,o);const
m=e.params.enabled;Object.assign(e,{allowTouchMove:e.par
ams. allow Touch Move, allow Slide Next: e. params. allow Slide Next: e.
xt,allowSlidePrev:e.params.allowSlidePrev}),p&&!m?e.disabl
e():!p&&m&&e.enable(),e.currentBreakpoint=l,e.emit(" befo
reBreakpoint",o),h&&s&&(e.loopDestroy(),e.loopCreate(),e.u
pdateSlides(),e.slideTo(t-
a+e.loopedSlides,0,!1)),e.emit("breakpoint",o)},getBreakpoin
t:function(e,t,s){if(void
0 == t\&\&(t = window), !e | | "container" == t\&\&!s) return; let
a=!1;const
i=r(),n="window"===t?i.innerHeight:s.clientHeight,l=Object.k
eys(e).map((e=>{if("string"==typeof
e&&0===e.indexOf("@")){const
t=parseFloat(e.substr(1));return{value:n*t,point:e}}return{val
ue:e,point:e}}));l.sort(((e,t)=>parseInt(e.value,10)-
parseInt(t.value,10)));for(let
e=0;e<l.length;e+=1){const{point:r,value:n}=l[e];"window"==
=t?i.matchMedia(`(min-width:
${n}px)`).matches&&(a=r):n<=s.clientWidth&&(a=r)}return
a | | "max"}},checkOverflow:{checkOverflow:function(){const
e=this,{isLocked:t,params:s}=e,{slidesOffsetBefore:a}=s;if(a){c
```

```
onst t=e.slides.length-
1,s=e.slidesGrid[t]+e.slidesSizesGrid[t]+2*a;e.isLocked=e.size
>s}else
e.isLocked=1===e.snapGrid.length;!0===s.allowSlideNext&&(
e.allowSlideNext=!e.isLocked),!0===s.allowSlidePrev&&(e.all
owSlidePrev=!e.isLocked),t&&t!==e.isLocked&&(e.isEnd=!1),t
!==e.isLocked&&e.emit(e.isLocked?"lock":"unlock")}},classes:
R,images:{loadImage:function(e,t,s,a,i,n){const l=r();let
o;function
c(){n\&&n()}d(e).parent("picture")[0]||e.complete&&i?c():t?(
o=new
I.Image,o.onload=c,o.onerror=c,a&&(o.sizes=a),s&&(o.srcset
=s),t&&(o.src=t)):c()},preloadImages:function(){const
e=this;function t(){null!=e&&e&&!e.destroyed&&(void
0!==e.imagesLoaded&&(e.imagesLoaded+=1),e.imagesLoade
d===e.imagesToLoad.length&&(e.params.updateOnImagesR
eady&&e.update(),e.emit("imagesReady")))}e.imagesToLoad
=e.$el.find("img");for(let
s=0;s<e.imagesToLoad.length;s+=1){const
a=e.imagesToLoad[s];e.loadImage(a,a.currentSrc||a.getAttri
bute("src"),a.srcset||a.getAttribute("srcset"),a.sizes||a.getAt
tribute("sizes"),!0,t)}}},q={};class V{constructor(){let
e,t;for(var s=arguments.length,a=new
Array(s), i=0; i< s; i++)a[i]=arguments[i]; if (1===a.length & a[0].c]
onstructor&&"Object"===Object.prototype.toString.call(a[0])
.slice(8,-
1)?t=a[0]:[e,t]=a,t||(t={}),t=g({},t),e&&!t.el&&(t.el=e),t.el&&
d(t.el).length>1){const e=[];return d(t.el).each((s=>{const
a=g({},t,{el:s});e.push(new V(a))})),e}const
```

```
r=this;r. swiper =!0,r.support=E(),r.device=T({userAgent:t.
userAgent}),r.browser=C(),r.eventsListeners={},r.eventsAnyLi
steners=[],r.modules=[...r.__modules__],t.modules&&Array.i
sArray(t.modules)&&r.modules.push(...t.modules);const
n={};r.modules.forEach((e=>{e({swiper:r,extendParams:j(t,n),
on:r.on.bind(r),once:r.once.bind(r),off:r.off.bind(r),emit:r.emi
t.bind(r)})));const l=g({},W,n);return
r.params=g({},l,q,t),r.originalParams=g({},r.params),r.passedP
arams=g({},t),r.params&&r.params.on&&Object.keys(r.para
ms.on).forEach((e=>{r.on(e,r.params.on[e])})),r.params&&r.p
arams.onAny&&r.onAny(r.params.onAny),r.$=d,Object.assig
n(r,{enabled:r.params.enabled,el:e,classNames:[],slides:d(),sli
desGrid:[],snapGrid:[],slidesSizesGrid:[],isHorizontal:()=>"hori
zontal"===r.params.direction,isVertical:()=>"vertical"===r.par
ams.direction,activeIndex:0,realIndex:0,isBeginning:!0,isEnd:!
1,translate:0,previousTranslate:0,progress:0,velocity:0,anima
ting:!1,allowSlideNext:r.params.allowSlideNext,allowSlidePre
v:r.params.allowSlidePrev,touchEvents:function(){const
e=["touchstart","touchmove","touchend","touchcancel"],t=["
pointerdown", "pointermove", "pointerup"]; return
r.touchEventsTouch={start:e[0],move:e[1],end:e[2],cancel:e[
3]},r.touchEventsDesktop={start:t[0],move:t[1],end:t[2]},r.su
pport.touch||!r.params.simulateTouch?r.touchEventsTouch:
r.touchEventsDesktop}(),touchEventsData:{isTouched:void
0,isMoved:void 0,allowTouchCallbacks:void
O,touchStartTime:void O,isScrolling:void
0,currentTranslate:void 0,startTranslate:void
0,allowThresholdMove:void
O, focusable Elements: r. params. focus able Elements, last Click Ti
```

```
me:u(),clickTimeout:void
0,velocities:[],allowMomentumBounce:void
O,isTouchEvent:void O,startMoving:void
0},allowClick:!0,allowTouchMove:r.params.allowTouchMove,
touches:{startX:0,startY:0,currentX:0,currentY:0,diff:0},image
sToLoad:[],imagesLoaded:0}),r.emit("_swiper"),r.params.init
&&r.init(),r}enable(){const
e=this;e.enabled||(e.enabled=!0,e.params.grabCursor&&e.s
etGrabCursor(),e.emit("enable"))}disable(){const
e=this;e.enabled&&(e.enabled=!1,e.params.grabCursor&&e.
unsetGrabCursor(), e.emit("disable"))}setProgress(e,t){const
s=this;e=Math.min(Math.max(e,0),1);const
a=s.minTranslate(),i=(s.maxTranslate()-
a)*e+a;s.translateTo(i,void
0===t?0:t),s.updateActiveIndex(),s.updateSlidesClasses()}emi
tContainerClasses(){const
e=this;if(!e.params._emitClasses||!e.el)return;const
t=e.el.className.split("
").filter((t=>0===t.indexOf("swiper")||0===t.indexOf(e.para
ms.containerModifierClass)));e.emit(" containerClasses",t.joi
n(" "))}getSlideClasses(e){const t=this;return
t.destroyed?"":e.className.split("
").filter((e=>0===e.indexOf("swiper-
slide") | | 0===e.indexOf(t.params.slideClass))).join("
")}emitSlidesClasses(){const
e=this;if(!e.params._emitClasses||!e.el)return;const
t=[];e.slides.each((s=>{const
a=e.getSlideClasses(s);t.push({slideEl:s,classNames:a}),e.emit
(" slideClass",s,a)})),e.emit(" slideClasses",t)}slidesPerViewD
```

```
ynamic(e,t){void 0===e&&(e="current"),void
0===t&&(t=!1);const{params:s,slides:a,slidesGrid:i,slidesSizes
Grid:r,size:n,activeIndex:l}=this;let
o=1;if(s.centeredSlides){let e,t=a[l].swiperSlideSize;for(let
s=l+1;s<a.length;s+=1)a[s]&&!e&&(t+=a[s].swiperSlideSize,o+
=1,t>n\&\&(e=!0));for(let s=l-1;s>=0;s-1);for(let s=l-1;s-1);for(let s=l-1;s-1);fo
=1)a[s]&\&!e\&\&(t+=a[s].swiperSlideSize,o+=1,t>n\&\&(e=!0))}el
se if("current"===e)for(let
i[l] < n) & (o+=1) else for(let e=l-1;e>=0;e-=1) {i[l]-
i[e]<n&&(o+=1)}return o}update(){const
e=this;if(!e||e.destroyed)return;const{snapGrid:t,params:s}=
e;function a(){const t=e.rtlTranslate?-
1*e.translate:e.translate,s=Math.min(Math.max(t,e.maxTran
slate()),e.minTranslate());e.setTranslate(s),e.updateActiveInd
ex(),e.updateSlidesClasses()}let
i;s.breakpoints&&e.setBreakpoint(),e.updateSize(),e.updateSl
ides(), e.updateProgress(), e.updateSlidesClasses(), e.params.fr
eeMode&&e.params.freeMode.enabled?(a(),e.params.autoH
eight&&e.updateAutoHeight()):(i=("auto"===e.params.slides
PerView | | e.params.slidesPerView > 1) & & e.isEnd & & !e.params
.centeredSlides?e.slideTo(e.slides.length-
1,0,!1,!0):e.slideTo(e.activeIndex,0,!1,!0),i||a()),s.watchOverf
low&&t!==e.snapGrid&&e.checkOverflow(),e.emit("update")
}changeDirection(e,t){void 0===t&&(t=!0);const
s=this,a=s.params.direction;return
e | | (e="horizontal"===a?"vertical": "horizontal"), e===a | | "hori
zontal"!==e&&"vertical"!==e||(s.$el.removeClass(`${s.param
s.containerModifierClass\$\{a\}`).addClass(`$\{s.params.contain
```

```
erModifierClass\$\{e\}`),s.emitContainerClasses(),s.params.dire
ction=e,s.slides.each((t=>{"vertical"===e?t.style.width="":t.st
yle.height=""})),s.emit("changeDirection"),t&&s.update()),s}
mount(e){const t=this;if(t.mounted)return!0;const
s=d(e||t.params.el);if(!(e=s[0]))return!1;e.swiper=t;const
i=()=>`.${(t.params.wrapperClass||"").trim().split("
").join(".")}`;let
r=(()=>{if(e&&e.shadowRoot&&e.shadowRoot.querySelector)
{const t=d(e.shadowRoot.querySelector(i()));return
t.children=e=>s.children(e),t}return
s.children?s.children(i()):d(s).children(i())})();if(0===r.length&
&t.params.createElements){const
e=a().createElement("div");r=d(e),e.className=t.params.wra
pperClass, s.append(e), s.children(`.${t.params.slideClass}`).ea
ch((e=>{r.append(e)}))}return
Object.assign(t,{$el:s,el:e,$wrapperEl:r,wrapperEl:r[0],mount
ed:!0,rtl:"rtl"===e.dir.toLowerCase()||"rtl"===s.css("direction
"),rtlTranslate:"horizontal"===t.params.direction&&("rtl"===
e.dir.toLowerCase()||"rtl"===s.css("direction")),wrongRTL:"-
webkit-box"===r.css("display")}),!0}init(e){const
t=this;if(t.initialized)return
t;return!1===t.mount(e)||(t.emit("beforeInit"),t.params.brea
kpoints&&t.setBreakpoint(),t.addClasses(),t.params.loop&&t.
loopCreate(),t.updateSize(),t.updateSlides(),t.params.watchO
verflow&&t.checkOverflow(),t.params.grabCursor&&t.enable
d&&t.setGrabCursor(),t.params.preloadImages&&t.preloadI
mages(),t.params.loop?t.slideTo(t.params.initialSlide+t.loope
dSlides,0,t.params.runCallbacksOnInit,!1,!0):t.slideTo(t.para
ms.initialSlide,0,t.params.runCallbacksOnInit,!1,!0),t.attachEv
```

```
ents(),t.initialized=!0,t.emit("init"),t.emit("afterInit")),t}destr
oy(e,t){void 0===e&&(e=!0),void 0===t&&(t=!0);const
s=this,{params:a,$el:i,$wrapperEl:r,slides:n}=s;return void
0===s.params||s.destroyed||(s.emit("beforeDestroy"),s.initi
alized=!1,s.detachEvents(),a.loop&&s.loopDestroy(),t&&(s.re
moveClasses(),i.removeAttr("style"),r.removeAttr("style"),n&
&n.length&&n.removeClass([a.slideVisibleClass,a.slideActive
Class, a. slideNextClass, a. slidePrevClass].join("
")).removeAttr("style").removeAttr("data-swiper-slide-
index")),s.emit("destroy"),Object.keys(s.eventsListeners).forE
ach((e=>\{s.off(e)\})),!1!==e\&\&(s.$el[0].swiper=null,function(e))
{const
t=e;Object.keys(t).forEach((e=>{try{t[e]=null}catch(e){}try{del
ete t[e]}catch(e){}}))}(s)),s.destroyed=!0),null}static
extendDefaults(e){g(q,e)}static get extendedDefaults(){return
q}static get defaults(){return W}static
installModule(e){V.prototype.__modules__||(V.prototype.__
modules =[]);const
t=V.prototype.__modules__;"function"==typeof
e&&t.indexOf(e)<0&&t.push(e)}static use(e){return
Array.isArray(e)?(e.forEach((e=>V.installModule(e))),V):(V.ins
tallModule(e),V)}}function F(e,t,s,i){const r=a();return
e.params.createElements&&Object.keys(i).forEach((a=>{if(!s[
a]&&!0===s.auto){let}
n=e.$el.children(`.${i[a]}`)[0];n||(n=r.createElement("div"),n.
className=i[a],e.$el.append(n)),s[a]=n,t[a]=n}})),s}function
U(e){return void
0 == e\&\&(e = ""), `.${e.trim().replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace(/([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace([\.:!\/])/g,"\\$1").replace
e(//g,".")}`}function K(e){const
```

```
t=this,{$wrapperEl:s,params:a}=t;if(a.loop&&t.loopDestroy(),
"object"==typeof e&&"length"in e)for(let
t=0;t<e.length;t+=1)e[t]&&s.append(e[t]);else
s.append(e);a.loop&&t.loopCreate(),a.observer||t.update()}f
unction Z(e){const
t=this,{params:s,$wrapperEl:a,activeIndex:i}=t;s.loop&&t.loo
pDestroy();let r=i+1;if("object"==typeof e&&"length"in
e){for(let
t=0;t<e.length;t+=1)e[t]&&a.prepend(e[t]);r=i+e.length}else
a.prepend(e);s.loop&&t.loopCreate(),s.observer||t.update(),
t.slideTo(r,0,!1)}function Q(e,t){const
s=this,{$wrapperEl:a,params:i,activeIndex:r}=s;let
n=r;i.loop&&(n-
=s.loopedSlides,s.loopDestroy(),s.slides=a.children(`.${i.slideC
lass}`));const l=s.slides.length;if(e<=0)return void
s.prependSlide(t);if(e>=I)return void s.appendSlide(t);let
o=n>e?n+1:n;const d=[];for(let t=l-1;t>=e;t-=1){const}
e=s.slides.eq(t);e.remove(),d.unshift(e)}if("object"==typeof
t&&"length"in t){for(let
e=0;e<t.length;e+=1)t[e]\&\&a.append(t[e]);o=n>e?n+t.length:
n}else a.append(t);for(let
e=0;e<d.length;e+=1)a.append(d[e]);i.loop&&s.loopCreate(),i
.observer||s.update(),i.loop?s.slideTo(o+s.loopedSlides,0,!1):
s.slideTo(o,0,!1)}function J(e){const
t=this,{params:s,$wrapperEl:a,activeIndex:i}=t;let
r=i;s.loop&&(r-
=t.loopedSlides,t.loopDestroy(),t.slides=a.children(`.${s.slideC
lass}`));let n,l=r;if("object"==typeof e&&"length"in e){for(let
s=0;s<e.length;s+=1)n=e[s],t.slides[n]&&t.slides.eq(n).remov
```

```
e(),n<1&&(1-=1);l=Math.max(1,0)}else
n=e,t.slides[n]&&t.slides.eq(n).remove(),n<l&&(l-
=1),I=Math.max(I,0);s.loop&&t.loopCreate(),s.observer||t.up
date(),s.loop?t.slideTo(l+t.loopedSlides,0,!1):t.slideTo(l,0,!1)}f
unction ee(){const e=this,t=[];for(let
s=0;s<e.slides.length;s+=1)t.push(s);e.removeSlide(t)}functio
n
te(e){const{effect:t,swiper:s,on:a,setTranslate:i,setTransition:
r,overwriteParams:n,perspective:l,recreateShadows:o,getEffe
ctParams:d}=e;let
c;a("beforeInit",(()=>{if(s.params.effect!==t)return;s.classNa
&s.classNames.push(`${s.params.containerModifierClass}3d`)
;const
e=n?n():{};Object.assign(s.params,e),Object.assign(s.originalP
arams,e)})),a("setTranslate",(()=>{s.params.effect===t&&i()}))
a("setTransition",((e,a)=>\{s.params.effect===t&&r(a)\})),a("transition",((e,a)=>\{s.params.effect===t&&r(a)\}))
ansitionEnd",(()=>{if(s.params.effect===t&&o){if(!d||!d().slid
eShadows)return;s.slides.each((e=>{s.$(e).find(".swiper-slide-
shadow-top, .swiper-slide-shadow-right, .swiper-slide-
shadow-bottom, .swiper-slide-shadow-
left").remove()})),o()}})),a("virtualUpdate",(()=>{s.params.effe
ct===t&&(s.slides.length||(c=!0),requestAnimationFrame((()
=>{c&&s.slides&&s.slides.length&&(i(),c=!1)})))}))}function
se(e,t){return
e.transformEI?t.find(e.transformEI).css({"backface-
visibility": "hidden", "-webkit-backface-
visibility":"hidden"}):t}function
ae(e){let{swiper:t,duration:s,transformEl:a,allSlides:i}=e;const
```

```
{slides:r,activeIndex:n,$wrapperEl:I}=t;if(t.params.virtualTran
slate & 0! == s){let}
e,s=!1;e=i?a?r.find(a):r:a?r.eq(n).find(a):r.eq(n),e.transitionE
nd((()=>{if(s)return;if(!t||t.destroyed)return;s=!0,t.animating
=!1;const e=["webkitTransitionEnd","transitionend"];for(let
t=0;t<e.length;t+=1)l.trigger(e[t])}))}}function ie(e,t,s){const
a="swiper-slide-shadow"+(s?`-
${s}`:""),i=e.transformEl?t.find(e.transformEl):t;let
r=i.children(`.${a}`);return r.length||(r=d(`<div class="swiper-
slide-shadow${s?`-
\{s\}':""\}"></div>'),i.append(r)),r}Object.keys( ).forEach((e=>{
Object.keys( [e]).forEach((t=>{V.prototype[t]= [e][t]}))})),V.u
se([function(e){let{swiper:t,on:s,emit:a}=e;const i=r();let
n=null,l=null;const
o=()=>{t&&!t.destroyed&&t.initialized&&(a("beforeResize"),a
("resize"))},d=()=>{t&&!t.destroyed&&t.initialized&&a("orien
tationchange")};s("init",(()=>{t.params.resizeObserver&&void
0!==i.ResizeObserver?t&&!t.destroyed&&t.initialized&&(n=n
ew
ResizeObserver((e=>{l=i.requestAnimationFrame((()=>{const{
width:s,height:a}=t;let
i=s,r=a;e.forEach((e=>{let{contentBoxSize:s,contentRect:a,tar
get:n}=e;n\&\&n!==t.el||(i=a?a.width:(s[0]||s).inlineSize,r=a?a
.height:(s[0]||s).blockSize)))),i===s&&r===a||o())))),n.obser
ve(t.el)):(i.addEventListener("resize",o),i.addEventListener("o
```

rientationchange",d))})),s("destroy",(()=>{I&&i.cancelAnimati

onFrame(I),n&&n.unobserve&&t.el&&(n.unobserve(t.el),n=n

ull),i.removeEventListener("resize",o),i.removeEventListener(

"orientationchange",d)}))},function(e){let{swiper:t,extendPar

```
ams:s,on:a,emit:i}=e;const n=[],l=r(),o=function(e,t){void
0 = = t & (t = {}); const
s=new(I.MutationObserver||I.WebkitMutationObserver)((e=
>{if(1===e.length)return void i("observerUpdate",e[0]);const
t=function(){i("observerUpdate",e[0])};l.requestAnimationFra
me?l.requestAnimationFrame(t):l.setTimeout(t,0)}));s.observ
e(e,{attributes:void
0===t.attributes||t.attributes,childList:void
0===t.childList||t.childList,characterData:void
0===t.characterData||t.characterData}),n.push(s)};s({observe
r:!1,observeParents:!1,observeSlideChildren:!1}),a("init",(()=>
{if(t.params.observer){if(t.params.observeParents){const
e=t.$el.parents();for(let
t=0;t<e.length;t+=1)o(e[t])}o(t.$el[0],{childList:t.params.obse
rveSlideChildren}),o(t.$wrapperEl[0],{attributes:!1})}})),a("de
stroy",(()=>{n.forEach((e=>{e.disconnect()})),n.splice(0,n.leng
th)}))}]);const re=[function(e){let
t,{swiper:s,extendParams:a,on:i,emit:r}=e;function
n(e,t){const
a=s.params.virtual;if(a.cache&&s.virtual.cache[t])return
s.virtual.cache[t];const
i=a.renderSlide?d(a.renderSlide.call(s,e,t)):d(`<div
class="${s.params.slideClass}" data-swiper-slide-
index="${t}">${e}</div>`);return i.attr("data-swiper-slide-
index")||i.attr("data-swiper-slide-
index",t),a.cache&&(s.virtual.cache[t]=i),i}function
I(e){const{slidesPerView:t,slidesPerGroup:a,centeredSlides:i}
=s.params,{addSlidesBefore:l,addSlidesAfter:o}=s.params.virt
ual,{from:d,to:c,slides:p,slidesGrid:u,offset:h}=s.virtual;s.para
```

```
ms.cssMode||s.updateActiveIndex();const
m=s.activeIndex||0;let
f,g,v;f=s.rtlTranslate?"right":s.isHorizontal()?"left":"top",i?(g=
Math.floor(t/2)+a+o,v=Math.floor(t/2)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(g=t+(a-b)+a+l):(
1)+o,v=a+l; const w=Math.max((m||0)-
v,0),b=Math.min((m|0)+g,p.length-
1),x=(s.slidesGrid[w]||0)-(s.slidesGrid[0]||0);function
y(){s.updateSlides(),s.updateProgress(),s.updateSlidesClasses(
),s.lazy&&s.params.lazy.enabled&&s.lazy.load(),r("virtualUpd
ate")}if(Object.assign(s.virtual,{from:w,to:b,offset:x,slidesGri
d:s.slidesGrid}),d===w&&c===b&&!e)return
s.slidesGrid!==u&&x!==h&&s.slides.css(f,`${x}px`),s.updatePr
ogress(), void
r("virtualUpdate");if(s.params.virtual.renderExternal)return
s.params.virtual.renderExternal.call(s,{offset:x,from:w,to:b,sli
des:function(){const e=[];for(let
t=w;t<=b;t+=1)e.push(p[t]);return
e}()}),void(s.params.virtual.renderExternalUpdate?y():r("virtu
alUpdate"));const
E=[],T=[];if(e)s.$wrapperEl.find(`.${s.params.slideClass}`).rem
ove();else for(let
e=d;e<=c;e+=1)(e<w||e>b)&&s.$wrapperEl.find(`.${s.params}
.slideClass}[data-swiper-slide-index="${e}"]`).remove();for(let
t=0;t<p.length;t+=1)t>=w&&t<=b&&(void)
0===c||e?T.push(t):(t>c&&T.push(t),t<d&&E.push(t)));T.forE
ach((e=>\{s.\$wrapperEl.append(n(p[e],e))\})),E.sort(((e,t)=>t-
e)).forEach((e=>{s.$wrapperEl.prepend(n(p[e],e))})),s.$wrapp
erEl.children(".swiper-
slide").css(f,`${x}px`),y()}a({virtual:{enabled:!1,slides:[],cache:
```

```
!0,renderSlide:null,renderExternal:null,renderExternalUpdate
:!0,addSlidesBefore:0,addSlidesAfter:0}}),s.virtual={cache:{},fr
om:void 0,to:void
O,slides:[],offset:0,slidesGrid:[]},i("beforeInit",(()=>{s.params.
virtual.enabled&&(s.virtual.slides=s.params.virtual.slides,s.cl
assNames.push(`${s.params.containerModifierClass}virtual`),
s.params.watchSlidesProgress=!0,s.originalParams.watchSlid
esProgress=!0,s.params.initialSlide||I())})),i("setTranslate",(()
=>{s.params.virtual.enabled&&(s.params.cssMode&&!s._im
mediateVirtual?(clearTimeout(t),t=setTimeout((()=>{I()}),100)
):l())})),i("init update
resize",(()=>{s.params.virtual.enabled&&s.params.cssMode&
&v(s.wrapperEl,"--swiper-virtual-
size", `${s.virtualSize}px`)})),Object.assign(s.virtual,{appendSli
de:function(e){if("object"==typeof e&&"length"in e)for(let
t=0;t<e.length;t+=1)e[t]&&s.virtual.slides.push(e[t]);else
s.virtual.slides.push(e);I(!0)},prependSlide:function(e){const
t=s.activeIndex;let a=t+1,i=1;if(Array.isArray(e)){for(let
t=0;t<e.length;t+=1)e[t]&&s.virtual.slides.unshift(e[t]);a=t+e.l
ength,i=e.length}else
s.virtual.slides.unshift(e);if(s.params.virtual.cache){const
e=s.virtual.cache,t={};Object.keys(e).forEach((s=>{const
a=e[s],r=a.attr("data-swiper-slide-index");r&&a.attr("data-
swiper-slide-
index",parseInt(r,10)+i),t[parseInt(s,10)+i]=a})),s.virtual.cache
=t}l(!0),s.slideTo(a,0)},removeSlide:function(e){if(null==e)retu
rn; let t=s.activeIndex; if(Array.isArray(e)) for(let a=e.length-
1;a>=0;a-
```

=1)s.virtual.slides.splice(e[a],1),s.params.virtual.cache&&dele

```
te s.virtual.cache[e[a]],e[a]<t&&(t-=1),t=Math.max(t,0);else
s.virtual.slides.splice(e,1),s.params.virtual.cache&&delete
s.virtual.cache[e],e<t&&(t-
=1),t=Math.max(t,0);l(!0),s.slideTo(t,0)},removeAllSlides:func
tion(){s.virtual.slides=[],s.params.virtual.cache&&(s.virtual.ca
che={}),I(!0),s.slideTo(0,0)},update:I})},function(e){let{swiper:
t,extendParams:s,on:i,emit:n}=e;const l=a(),o=r();function
c(e){if(!t.enabled)return;const{rtlTranslate:s}=t;let
a=e;a.originalEvent&&(a=a.originalEvent);const
i=a.keyCode||a.charCode,r=t.params.keyboard.pageUpDown
,d=r&&33===i,c=r&&34===i,p=37===i,u=39===i,h=38===i,m=
40===i;if(!t.allowSlideNext&&(t.isHorizontal()&&u||t.isVertic
al()&&m||c))return!1;if(!t.allowSlidePrev&&(t.isHorizontal()
&&p||t.isVertical()&&h||d))return!1;if(!(a.shiftKey||a.altKey
||a.ctrlKey||a.metaKey||l.activeElement&&l.activeElement.
nodeName&&("input"===I.activeElement.nodeName.toLowe
rCase()||"textarea"===l.activeElement.nodeName.toLowerC
ase()))){if(t.params.keyboard.onlyInViewport&&(d||c||p||u
||h||m)){let
e=!1;if(t.$el.parents(`.${t.params.slideClass}`).length>0&&0=
==t.$el.parents(`.${t.params.slideActiveClass}`).length)return;
const
a=t.$el,i=a[0].clientWidth,r=a[0].clientHeight,n=o.innerWidth
,l=o.innerHeight,d=t.$el.offset();s&&(d.left-
=t.$el[0].scrollLeft);const
c=[[d.left,d.top],[d.left+i,d.top],[d.left,d.top+r],[d.left+i,d.top]
+r]];for(let t=0;t<c.length;t+=1){const
0===s[1])continue;e=[0]if([e])return[t.isHorizontal()]?([d]]c
```

```
||p||u)&&(a.preventDefault?a.preventDefault():a.returnVal
ue=!1),((c||u)\&\&!s||(d||p)\&\&s)\&\&t.slideNext(),((d||p)\&\&!s)
||(c||u)\&\&s)\&\&t.slidePrev()):((d||c||h||m)\&\&(a.preventDe)
fault?a.preventDefault():a.returnValue=!1),(c||m)&&t.slideN
ext(),(d||h)&&t.slidePrev()),n("keyPress",i)}}function
p(){t.keyboard.enabled||(d(l).on("keydown",c),t.keyboard.en
abled=!0)}function
u(){t.keyboard.enabled&&(d(l).off("keydown",c),t.keyboard.e
nabled=!1)}t.keyboard={enabled:!1},s({keyboard:{enabled:!1,
onlyInViewport:!0,pageUpDown:!0}}),i("init",(()=>{t.params.k
eyboard.enabled&&p()})),i("destroy",(()=>{t.keyboard.enable
d&&u()})),Object.assign(t.keyboard,{enable:p,disable:u})},fun
ction(e){let{swiper:t,extendParams:s,on:a,emit:i}=e;const
n=r();let
l;s({mousewheel:{enabled:!1,releaseOnEdges:!1,invert:!1,for
ceToAxis:!1,sensitivity:1,eventsTarget:"container",thresholdD
elta:null,thresholdTime:null}}),t.mousewheel={enabled:!1};le
t o,c=u();const h=[];function
m(){t.enabled&&(t.mouseEntered=!0)}function
f(){t.enabled&&(t.mouseEntered=!1)}function
g(e){return!(t.params.mousewheel.thresholdDelta&&e.delta
<t.params.mousewheel.thresholdDelta)&&(!(t.params.mous
ewheel.thresholdTime&&u()-
c<t.params.mousewheel.thresholdTime)&&(e.delta>=6&&u()
c<60||(e.direction<0?t.isEnd&&!t.params.loop||t.animating
| | (t.slideNext(),i("scroll",e.raw)):t.isBeginning&&!t.params.lo
op||t.animating||(t.slidePrev(),i("scroll",e.raw)),c=(new
n.Date).getTime(),!1)))}function v(e){let
```

```
s=e,a=!0;if(!t.enabled)return;const
r=t.params.mousewheel;t.params.cssMode&&s.preventDefa
ult();let
n=t.$el;if("container"!==t.params.mousewheel.eventsTarget
&&(n=d(t.params.mousewheel.eventsTarget)),!t.mouseEnter
ed&&!n[0].contains(s.target)&&!r.releaseOnEdges)return!0;s
.originalEvent&&(s=s.originalEvent);let c=0;const
m=t.rtlTranslate?-1:1,f=function(e){let
t=0,s=0,a=0,i=0;return"detail"in
e&&(s=e.detail),"wheelDelta"in e&&(s=-
e.wheelDelta/120),"wheelDeltaY"in e&&(s=-
e.wheelDeltaY/120),"wheelDeltaX"in e&&(t=-
e.wheelDeltaX/120),"axis"in
e\&\&e.axis===e.HORIZONTAL\ AXIS\&\&(t=s,s=0),a=10*t,i=10*s
,"deltaY"in e&&(i=e.deltaY),"deltaX"in
e\&\&(a=e.deltaX),e.shiftKey\&\&!a\&\&(a=i,i=0),(a||i)\&\&e.delta
Mode\&\&(1===e.deltaMode?(a*=40,i*=40):(a*=800,i*=800)),
a&&!t&&(t=a<1?-1:1),i&&!s&&(s=i<1?-
1:1),{spinX:t,spinY:s,pixelX:a,pixelY:i}}(s);if(r.forceToAxis)if(t.is
Horizontal()){if(!(Math.abs(f.pixelX)>Math.abs(f.pixelY)))retur
n!0;c=-
f.pixelX*m}else{if(!(Math.abs(f.pixelY)>Math.abs(f.pixelX)))re
turn!0;c=-f.pixelY}else
c=Math.abs(f.pixelX)>Math.abs(f.pixelY)?-f.pixelX*m:-
f.pixelY;if(0===c)return!0;r.invert&&(c=-c);let
v=t.getTranslate()+c*r.sensitivity;if(v>=t.minTranslate()&&(v=
t.minTranslate()),v<=t.maxTranslate()&&(v=t.maxTranslate()),
a=!!t.params.loop||!(v===t.minTranslate()||v===t.maxTransl
ate()),a&&t.params.nested&&s.stopPropagation(),t.params.fr
```

```
eeMode&&t.params.freeMode.enabled){const
e={time:u(),delta:Math.abs(c),direction:Math.sign(c)},a=o&&
e.time<o.time+500&&e.delta<=o.delta&&e.direction===o.dir
ection;if(!a){o=void 0,t.params.loop&&t.loopFix();let
n=t.getTranslate()+c*r.sensitivity;const
d=t.isBeginning,u=t.isEnd;if(n>=t.minTranslate()&&(n=t.minT
ranslate()),n<=t.maxTranslate()&&(n=t.maxTranslate()),t.setT
ransition(0),t.setTranslate(n),t.updateProgress(),t.updateActi
veIndex(),t.updateSlidesClasses(),(!d&&t.isBeginning||!u&&t
.isEnd)&&t.updateSlidesClasses(),t.params.freeMode.sticky){
clearTimeout(I),I=void 0,h.length>=15&&h.shift();const
s=h.length?h[h.length-1]:void
0,a=h[0];if(h.push(e),s&&(e.delta>s.delta||e.direction!==s.dir
ection))h.splice(0);else if(h.length>=15&&e.time-
a.time<500&&a.delta-e.delta>=1&&e.delta<=6){const
s=c>0?.8:.2;o=e,h.splice(0),l=p((()=>\{t.slideToClosest(t.param
s.speed,!0,void
(0,s)),0)}|||((1=p((()=>\{o=e,h.splice(0),t.slideToClosest(t.param),s)\}),0)}|
s.speed,!0,void
0,.5)}),500))}if(a||i("scroll",s),t.params.autoplay&&t.params.
autoplayDisableOnInteraction&&t.autoplay.stop(),n===t.min
Translate() | | n===t.maxTranslate())return!0}}else{const
s={time:u(),delta:Math.abs(c),direction:Math.sign(c),raw:e};h
.length>=2&&h.shift();const a=h.length?h[h.length-1]:void
0;if(h.push(s),a?(s.direction!==a.direction||s.delta>a.delta||s
.time>a.time+150)&&g(s):g(s),function(e){const
s=t.params.mousewheel;if(e.direction<0){if(t.isEnd&&!t.para
ms.loop&&s.releaseOnEdges)return!0}else
if(t.isBeginning&&!t.params.loop&&s.releaseOnEdges)return
```

```
!0;return!1}(s))return!0}return
s.preventDefault?s.preventDefault():s.returnValue=!1,!1}func
tion w(e){let
s=t.$el;"container"!==t.params.mousewheel.eventsTarget&&
(s=d(t.params.mousewheel.eventsTarget)),s[e]("mouseenter"
,m),s[e]("mouseleave",f),s[e]("wheel",v)}function b(){return
t.params.cssMode?(t.wrapperEl.removeEventListener("wheel
",v),!0):!t.mousewheel.enabled&&(w("on"),t.mousewheel.en
abled=!0,!0)}function x(){return
t.params.cssMode?(t.wrapperEl.addEventListener(event,v),!0
):!!t.mousewheel.enabled&&(w("off"),t.mousewheel.enabled
=!1,!0)}a("init",(()=>{!t.params.mousewheel.enabled&&t.par
ams.cssMode&&x(),t.params.mousewheel.enabled&&b()})),a
("destroy",(()=>{t.params.cssMode&&b(),t.mousewheel.enab
led&&x()})),Object.assign(t.mousewheel,{enable:b,disable:x})
},function(e){let{swiper:t,extendParams:s,on:a,emit:i}=e;func
tion r(e){let s;return
e&&(s=d(e),t.params.uniqueNavElements&&"string"==typeof
e\&\&s.length>1\&\&1==t.\$el.find(e).length\&\&(s=t.\$el.find(e)))
,s}function n(e,s){const
a=t.params.navigation;e&&e.length>0&&(e[s?"addClass":"re
moveClass"](a.disabledClass),e[0]&&"BUTTON"===e[0].tagNa
me&&(e[0].disabled=s),t.params.watchOverflow&&t.enabled
&&e[t.isLocked?"addClass":"removeClass"](a.lockClass))}func
tion
I(){if(t.params.loop)return;const{$nextEl:e,$prevEl:s}=t.navig
ation;n(s,t.isBeginning&&!t.params.rewind),n(e,t.isEnd&&!t.
params.rewind)}function
```

o(e){e.preventDefault(),(!t.isBeginning||t.params.loop||t.par

```
ams.rewind)&&t.slidePrev()}function
c(e){e.preventDefault(),(!t.isEnd||t.params.loop||t.params.r
ewind)&&t.slideNext()}function p(){const
e=t.params.navigation;if(t.params.navigation=F(t,t.originalPa
rams.navigation,t.params.navigation,{nextEl:"swiper-button-
next",prevEl:"swiper-button-
prev"}),!e.nextEl&&!e.prevEl)return;const
s=r(e.nextEl),a=r(e.prevEl);s&&s.length>0&&s.on("click",c),a
&&a.length>0&&a.on("click",o),Object.assign(t.navigation,{$
nextEl:s,nextEl:s&&s[0],$prevEl:a,prevEl:a&&a[0]}),t.enabled
| | (s&&s.addClass(e.lockClass),a&&a.addClass(e.lockClass))}fu
nction
u(){const{$nextEl:e,$prevEl:s}=t.navigation;e&&e.length&&(e
.off("click",c),e.removeClass(t.params.navigation.disabledCla
ss)),s&&s.length&&(s.off("click",o),s.removeClass(t.params.n
avigation.disabledClass)))s({navigation:{nextEl:null,prevEl:null
,hideOnClick: !1, disabledClass: "swiper-button-
disabled", hidden Class: "swiper-button-
hidden",lockClass:"swiper-button-
lock"}}),t.navigation={nextEl:null,$nextEl:null,prevEl:null,$pre
vEl:null},a("init",(()=>{p(),l()})),a("toEdge fromEdge lock
unlock",(()=>{I()})),a("destroy",(()=>{u()})),a("enable
disable",(()=>{const{$nextEl:e,$prevEl:s}=t.navigation;e&&e[t
.enabled?"removeClass":"addClass"](t.params.navigation.loc
kClass),s&&s[t.enabled?"removeClass":"addClass"](t.params.
navigation.lockClass)})),a("click",((e,s)=>{const{$nextEl:a,$pre}
vEl:r}=t.navigation,n=s.target;if(t.params.navigation.hideOnCl
ick&&!d(n).is(r)&&!d(n).is(a)){if(t.pagination&&t.params.pagi
nation&&t.params.pagination.clickable&&(t.pagination.el===
```

```
n||t.pagination.el.contains(n)))return;let
e;a?e=a.hasClass(t.params.navigation.hiddenClass):r&&(e=r.
hasClass(t.params.navigation.hiddenClass)),i(!0===e?"navigat
ionShow": "navigationHide"), a & & a.toggleClass(t.params.navi
gation.hiddenClass),r&&r.toggleClass(t.params.navigation.hid
denClass)}})),Object.assign(t.navigation,{update:l,init:p,destr
oy:u})},function(e){let{swiper:t,extendParams:s,on:a,emit:i}=
e;const r="swiper-pagination";let
n;s({pagination:{el:null,bulletElement:"span",clickable:!1,hide
OnClick: !1, renderBullet: null, renderProgressbar: null, renderFr
action:null,renderCustom:null,progressbarOpposite:!1,type:"
bullets",dynamicBullets:!1,dynamicMainBullets:1,formatFract
ionCurrent:e=>e,formatFractionTotal:e=>e,bulletClass:`${r}-
bullet`,bulletActiveClass:`${r}-bullet-
active`,modifierClass:`${r}-`,currentClass:`${r}-
current`,totalClass:`${r}-total`,hiddenClass:`${r}-
hidden`,progressbarFillClass:`${r}-progressbar-
fill',progressbarOppositeClass:'${r}-progressbar-
opposite`,clickableClass:`${r}-clickable`,lockClass:`${r}-
lock`,horizontalClass:`${r}-horizontal`,verticalClass:`${r}-
vertical`}}),t.pagination={el:null,$el:null,bullets:[]};let
I=0;function
o(){return!t.params.pagination.el||!t.pagination.el||!t.pagin
ation.$el||0===t.pagination.$el.length}function
c(e,s){const{bulletActiveClass:a}=t.params.pagination;e[s]().a
ddClass(`${a}-${s}`)[s]().addClass(`${a}-${s}`)}function
p(){const e=t.rtl,s=t.params.pagination;if(o())return;const
a=t.virtual&&t.params.virtual.enabled?t.virtual.slides.length:
t.slides.length,r=t.pagination.$el;let p;const
```

```
u=t.params.loop?Math.ceil((a-
2*t.loopedSlides)/t.params.slidesPerGroup):t.snapGrid.lengt
h;if(t.params.loop?(p=Math.ceil((t.activeIndex-
t.loopedSlides)/t.params.slidesPerGroup),p>a-1-
2*t.loopedSlides&&(p-=a-2*t.loopedSlides),p>u-1&&(p-
=u),p<0&&"bullets"!==t.params.paginationType&&(p=u+p)):
p=void
0!==t.snapIndex?t.snapIndex:t.activeIndex||0,"bullets"===s.t
ype&&t.pagination.bullets&&t.pagination.bullets.length>0){c
onst a=t.pagination.bullets;let
i,o,u;if(s.dynamicBullets&&(n=a.eq(0)[t.isHorizontal()?"outer
Width":"outerHeight"](!0),r.css(t.isHorizontal()?"width":"heig
ht",n*(s.dynamicMainBullets+4)+"px"),s.dynamicMainBullets
>1&&void 0!==t.previousIndex&&(I+=p-(t.previousIndex-
t.loopedSlides | | 0), l>s.dynamicMainBullets-
1?l=s.dynamicMainBullets-1:l<0&&(l=0)),i=Math.max(p-
I,0),o=i+(Math.min(a.length,s.dynamicMainBullets)-
1),u=(o+i)/2),a.removeClass(["","-next","-next-next","-
prev","-prev-prev","-
main"].map((e=>`${s.bulletActiveClass}${e}`)).join("
")),r.length>1)a.each((e=>{const
t=d(e),a=t.index();a===p&&t.addClass(s.bulletActiveClass),s.d
ynamicBullets&&(a>=i&&a<=o&&t.addClass(`${s.bulletActive}
Class}-
main'),a===i\&\&c(t,"prev"),a===o\&\&c(t,"next"))\}));else{const}
e=a.eq(p),r=e.index();if(e.addClass(s.bulletActiveClass),s.dyna
micBullets){const e=a.eq(i),n=a.eq(o);for(let
e=i;e<=o;e+=1)a.eq(e).addClass(`${s.bulletActiveClass}-
main`);if(t.params.loop)if(r>=a.length){for(let
```

```
e=s.dynamicMainBullets;e>=0;e-=1)a.eq(a.length-
e).addClass(`${s.bulletActiveClass}-main`);a.eq(a.length-
s.dynamicMainBullets-1).addClass(`${s.bulletActiveClass}-
prev`)}else c(e,"prev"),c(n,"next");else
c(e,"prev"),c(n,"next")}}if(s.dynamicBullets){const
i=Math.min(a.length,s.dynamicMainBullets+4),r=(n*i-n)/2-
u*n,l=e?"right":"left";a.css(t.isHorizontal()?l:"top",`${r}px`)}}if
("fraction"===s.type&&(r.find(U(s.currentClass)).text(s.forma
tFractionCurrent(p+1)), r.find(U(s.totalClass)).text(s.formatFractionCurrent(p+1)), r.find(U(s.totalClass)).text(s.formatFractionCurrent(p+1)), r.find(U(s.totalClass)).text(s.formatFractionCurrent(p+1)), r.find(U(s.totalClass)).text(s.formatFractionCurrent(p+1)), r.find(U(s.totalClass))).text(s.formatFractionCurrent(p+1)), r.find(U(s.totalClass))), r.find(U(s.totalClass)), r.find(
ctionTotal(u))),"progressbar"===s.type){let
e;e=s.progressbarOpposite?t.isHorizontal()?"vertical":"horizo
ntal":t.isHorizontal()?"horizontal":"vertical";const
a=(p+1)/u;let
i=1,n=1;"horizontal"===e?i=a:n=a,r.find(U(s.progressbarFillCl
ass)).transform(`translate3d(0,0,0) scaleX(${i})
scaleY(${n})`).transition(t.params.speed)}"custom"===s.type
&&s.renderCustom?(r.html(s.renderCustom(t,p+1,u)),i("pagi
nationRender",r[0])):i("paginationUpdate",r[0]),t.params.wat
chOverflow&&t.enabled&&r[t.isLocked?"addClass":"remove
Class"](s.lockClass))function u(){const
e=t.params.pagination;if(o())return;const
s=t.virtual&&t.params.virtual.enabled?t.virtual.slides.length:t
.slides.length,a=t.pagination.$el;let
r="";if("bullets"===e.type){let i=t.params.loop?Math.ceil((s-
2*t.loopedSlides)/t.params.slidesPerGroup):t.snapGrid.lengt
h;t.params.freeMode&&t.params.freeMode.enabled&&!t.pa
rams.loop&&i>s&&(i=s);for(let
s=0;s<i;s+=1)e.renderBullet?r+=e.renderBullet.call(t,s,e.bullet
Class):r+=`<${e.bulletElement}
```

```
class="${e.bulletClass}"></${e.bulletElement}>`;a.html(r),t.pa
gination.bullets=a.find(U(e.bulletClass))}"fraction"===e.type
&&(r=e.renderFraction?e.renderFraction.call(t,e.currentClass
,e.totalClass):`<span class="${e.currentClass}"></span> /
<span
class="${e.totalClass}"></span>`,a.html(r)),"progressbar"===
e.type&&(r=e.renderProgressbar?e.renderProgressbar.call(t,
e.progressbarFillClass):`<span
class="${e.progressbarFillClass}"></span>`,a.html(r)),"custom
"!==e.type&&i("paginationRender",t.pagination.$el[0])}functi
on
h(){t.params.pagination=F(t,t.originalParams.pagination,t.par
ams.pagination,{el:"swiper-pagination"});const
e=t.params.pagination;if(!e.el)return;let
s=d(e.el);0!==s.length&&(t.params.uniqueNavElements&&"st
ring"==typeof
e.el&&s.length>1&&(s=t.$el.find(e.el),s.length>1&&(s=s.filter
((e=>d(e).parents(".swiper")[0]===t.el)))),"bullets"===e.type
&&e.clickable&&s.addClass(e.clickableClass),s.addClass(e.mo
difierClass+e.type), s.addClass(t.isHorizontal()?e.horizontalCla
ss:e.verticalClass),"bullets"===e.type&&e.dynamicBullets&&(
s.addClass(`${e.modifierClass}${e.type}-
dynamic`), I=0, e. dynamicMainBullets < 1&& (e. dynamicMainBul
lets=1)),"progressbar"===e.type&&e.progressbarOpposite&&
s.addClass(e.progressbarOppositeClass), e.clickable&&s.on("cl
ick",U(e.bulletClass),(function(e){e.preventDefault();let
s=d(this).index()*t.params.slidesPerGroup;t.params.loop&&(
s+=t.loopedSlides),t.slideTo(s)})),Object.assign(t.pagination,{$
el:s,el:s[0]}),t.enabled||s.addClass(e.lockClass))}function
```

```
m(){const e=t.params.pagination;if(o())return;const
s=t.pagination.$el;s.removeClass(e.hiddenClass),s.removeCla
ss(e.modifierClass+e.type), s.removeClass(t.isHorizontal()?e.h
orizontalClass:e.verticalClass),t.pagination.bullets&&t.pagina
tion.bullets.removeClass&&t.pagination.bullets.removeClass(
e.bulletActiveClass), e.clickable&&s.off("click", U(e.bulletClass)
)}a("init",(()=>{h(),u(),p()})),a("activeIndexChange",(()=>{(t.par
ams.loop||void
0===t.snapIndex)&&p()})),a("snapIndexChange",(()=>{t.para
ms.loop||p()})),a("slidesLengthChange",(()=>{t.params.loop&
u(),p())),a("snapGridLengthChange",(()=>{t.params.loop})
|(u(),p())|),a("destroy",(()=>\{m()\})),a("enable
disable",(()=>{const{$el:e}=t.pagination;e&&e[t.enabled?"re
moveClass": "addClass"](t.params.pagination.lockClass)})),a("l
ock unlock",(()=>\{p()\})),a("click",((e,s)=>\{const
a=s.target,{$el:r}=t.pagination;if(t.params.pagination.el&&t.p
arams.pagination.hideOnClick&&r.length>0&&!d(a).hasClass(
t.params.pagination.bulletClass)){if(t.navigation&&(t.navigati
on.nextEl&&a===t.navigation.nextEl||t.navigation.prevEl&&
a===t.navigation.prevEl))return;const
e=r.hasClass(t.params.pagination.hiddenClass);i(!0===e?"pag
inationShow": "paginationHide"), r.toggleClass(t.params.pagin
ation.hiddenClass)}})),Object.assign(t.pagination,{render:u,up
date:p,init:h,destroy:m})},function(e){let{swiper:t,extendPara
ms:s,on:i,emit:r}=e;const n=a();let
l,o,c,u,h=!1,m=null,f=null;function
g(){if(!t.params.scrollbar.el||!t.scrollbar.el)return;const{scroll
bar:e,rtlTranslate:s,progress:a}=t,{$dragEl:i,$el:r}=e,n=t.para
ms.scrollbar;let l=o,d=(c-o)*a;s?(d=-d,d>0?(l=o-d,d=0):-
```

```
d),t.isHorizontal()?(i.transform(`translate3d(${d}px, 0,
0)`),i[0].style.width=`${I}px`):(i.transform(`translate3d(0px,
${d}px,
0)`),i[0].style.height=`${I}px`),n.hide&&(clearTimeout(m),r[0].
style.opacity=1,m=setTimeout((()=>{r[0].style.opacity=0,r.tra
nsition(400)}),1e3))}function
v(){if(!t.params.scrollbar.el||!t.scrollbar.el)return;const{scroll
bar:e}=t,{$dragEl:s,$el:a}=e;s[0].style.width="",s[0].style.heig
ht="",c=t.isHorizontal()?a[0].offsetWidth:a[0].offsetHeight,u=
t.size/(t.virtualSize+t.params.slidesOffsetBefore-
(t.params.centeredSlides?t.snapGrid[0]:0)),o="auto"===t.par
ams.scrollbar.dragSize?c*u:parseInt(t.params.scrollbar.dragSi
ze,10),t.isHorizontal()?s[0].style.width=`${o}px`:s[0].style.hei
ght=`${o}px`,a[0].style.display=u>=1?"none":"",t.params.scro
Ilbar.hide&&(a[0].style.opacity=0),t.params.watchOverflow&
&t.enabled&&e.$el[t.isLocked?"addClass":"removeClass"](t.p
arams.scrollbar.lockClass)}function w(e){return
t.isHorizontal()?"touchstart"===e.type||"touchmove"===e.ty
pe?e.targetTouches[0].clientX:e.clientX:"touchstart"===e.typ
e | | "touchmove" == = e.type?e.targetTouches[0].clientY:e.clien
tY}function b(e){const{scrollbar:s,rtlTranslate:a}=t,{$el:i}=s;let
r;r=(w(e)-i.offset()[t.isHorizontal()?"left":"top"]-
(null!==|?|:o/2))/(c-o),r=Math.max(Math.min(r,1),0),a&&(r=1-i)
r);const n=t.minTranslate()+(t.maxTranslate()-
t.minTranslate())*r;t.updateProgress(n),t.setTranslate(n),t.up
dateActiveIndex(),t.updateSlidesClasses()}function x(e){const
s=t.params.scrollbar,{scrollbar:a,$wrapperEl:i}=t,{$el:n,$drag
El:o}=a;h=!0,l=e.target===o[0]||e.target===o?w(e)-
```

```
e.target.getBoundingClientRect()[t.isHorizontal()?"left":"top"
]:null,e.preventDefault(),e.stopPropagation(),i.transition(100)
,o.transition(100),b(e),clearTimeout(f),n.transition(0),s.hide&
&n.css("opacity",1),t.params.cssMode&&t.$wrapperEl.css("s
croll-snap-type", "none"), r("scrollbarDragStart", e)} function
y(e){const{scrollbar:s,$wrapperEl:a}=t,{$el:i,$dragEl:n}=s;h&
&(e.preventDefault?e.preventDefault():e.returnValue=!1,b(e)
,a.transition(0),i.transition(0),n.transition(0),r("scrollbarDrag
Move",e))}function E(e){const
s=t.params.scrollbar,{scrollbar:a,$wrapperEl:i}=t,{$el:n}=a;h&
&(h=!1,t.params.cssMode&&(t.$wrapperEl.css("scroll-snap-
type",""),i.transition("")),s.hide&&(clearTimeout(f),f=p((()=>{
n.css("opacity",0),n.transition(400)}),1e3)),r("scrollbarDragEn
d",e),s.snapOnRelease&&t.slideToClosest())}function
T(e){const{scrollbar:s,touchEventsTouch:a,touchEventsDeskt
op:i,params:r,support:|}=t,o=s.$el[0],d=!(!l.passiveListener||!
r.passiveListeners)&&{passive:!1,capture:!1},c=!(!l.passiveList
ener | | !r.passiveListeners) & & {passive: !0, capture: !1}; if (!o) ret
urn;const
p="on"===e?"addEventListener":"removeEventListener";l.to
uch?(o[p](a.start,x,d),o[p](a.move,y,d),o[p](a.end,E,c)):(o[p](i
.start,x,d),n[p](i.move,y,d),n[p](i.end,E,c))}function
C(){const{scrollbar:e,$el:s}=t;t.params.scrollbar=F(t,t.original
Params.scrollbar,t.params.scrollbar,{el:"swiper-
scrollbar"});const a=t.params.scrollbar;if(!a.el)return;let
i=d(a.el);t.params.uniqueNavElements&&"string"==typeof
a.el\&\&i.length>1\&\&1==s.find(a.el).length\&\&(i=s.find(a.el));l
et
r=i.find(`.${t.params.scrollbar.dragClass}`);0===r.length&&(r=
```

d(`<div class="\${t.params.scrollbar.dragClass}"></div>`),i.append(r)), Object.assign(e,{\$el:i,el:i[0],\$dragEl:r,dragEl:r[0]}),a.draggabl e&&t.params.scrollbar.el&&T("on"),i&&i[t.enabled?"remove Class": "addClass"](t.params.scrollbar.lockClass))function \$()\{t.params.scrollbar.el&&T("off")\}s(\{scrollbar:\{el:null,dragSi ze:"auto",hide:!1,draggable:!1,snapOnRelease:!0,lockClass:"s wiper-scrollbar-lock",dragClass:"swiper-scrollbardrag"}}),t.scrollbar={el:null,dragEl:null,\$el:null,\$dragEl:null},i("init",(()=>{C(),v(),g()})),i("update resize observerUpdate lock unlock", $(()=>\{v()\})$), $i("setTranslate",(()=>\{g()\}))$,i("setTransition")",((e,s)=>{!function(e){t.params.scrollbar.el&&t.scrollbar.el& &t.scrollbar.\$dragEl.transition(e)}(s)})),i("enable disable",(()=>{const{\$el:e}=t.scrollbar;e&&e[t.enabled?"remo veClass": "addClass"](t.params.scrollbar.lockClass)})),i("destro y",(()=>{\$()})),Object.assign(t.scrollbar,{updateSize:v,setTrans late:g,init:C,destroy:\$})},function(e){let{swiper:t,extendPara ms:s,on:a}=e;s({parallax:{enabled:!1}});const i=(e,s)=>{const{rtl:a}=t,i=d(e),r=a?-1:1,n=i.attr("data-swiperparallax")||"0";let l=i.attr("data-swiper-parallaxx"),o=i.attr("data-swiper-parallax-y");const c=i.attr("dataswiper-parallax-scale"),p=i.attr("data-swiper-parallaxopacity");if(|||o?(|=|||"0",o=o||"0"):t.isHorizontal()?(|=n,o=" 0"):(o=n,l="0"),l=l.indexOf("%")>=0?parseInt(l,10)*s*r+"%":l* s*r+"px",o=o.indexOf("%")>=0?parseInt(o,10)*s+"%":o*s+"px ",null!=p){const e=p-(p-1)*(1-Math.abs(s));i[0].style.opacity=e}if(null==c)i.transform(`transl ate3d($\{I\}$, $\{o\}$, 0px)`);else{const e=c-(c-1)*(1-Math.abs(s));i.transform(`translate3d(\${I}, \${o}, 0px)

```
scale(${e})`)}},r=()=>{const{$el:e,slides:s,progress:a,snapGrid:
r}=t;e.children("[data-swiper-parallax], [data-swiper-parallax-
x], [data-swiper-parallax-y], [data-swiper-parallax-opacity],
[data-swiper-parallax-
scale]").each((e=>{i(e,a)})),s.each(((e,s)=>{let
n=e.progress;t.params.slidesPerGroup>1&&"auto"!==t.para
ms.slidesPerView&&(n+=Math.ceil(s/2)-a*(r.length-
1)),n=Math.min(Math.max(n,-1),1),d(e).find("[data-swiper-
parallax], [data-swiper-parallax-x], [data-swiper-parallax-y],
[data-swiper-parallax-opacity], [data-swiper-parallax-
scale]").each((e=>\{i(e,n)\}))\}));a("beforeInit",(()=>\{t.params.p.each(e=>\{i(e,n)\}))\}))
arallax.enabled&&(t.params.watchSlidesProgress=!0,t.origina
IParams.watchSlidesProgress=!0)})),a("init",(()=>{t.params.pa
rallax.enabled&&r()})),a("setTranslate",(()=>{t.params.paralla
x.enabled&&r()})),a("setTransition",((e,s)=>\{t.params.parallax\}
.enabled&&function(e){void
0===e&&(e=t.params.speed);const{$el:s}=t;s.find("[data-
swiper-parallax], [data-swiper-parallax-x], [data-swiper-
parallax-y], [data-swiper-parallax-opacity], [data-swiper-
parallax-scale]").each((t=>{const s=d(t);let
a=parseInt(s.attr("data-swiper-parallax-
duration''),10)||e;0===e&&(a=0),s.transition(a)}))}(s)}))},func
tion(e){let{swiper:t,extendParams:s,on:a,emit:i}=e;const
n=r();s({zoom:{enabled:!1,maxRatio:3,minRatio:1,toggle:!0,c
ontainerClass:"swiper-zoom-
container", zoomed Slide Class: "swiper-slide-
zoomed"}}),t.zoom={enabled:!1};let l,o,c,p=1,u=!1;const
m={$slideEl:void 0,slideWidth:void 0,slideHeight:void
0,$imageEl:void 0,$imageWrapEl:void
```

0,maxRatio:3},f={isTouched:void 0,isMoved:void O,currentX:void O,currentY:void O,minX:void O,minY:void 0,maxX:void 0,maxY:void 0,width:void 0,height:void O,startX:void O,startY:void O,touchesStart:{},touchesCurrent:{}},g={x:void 0,y:void O,prevPositionX:void O,prevPositionY:void O,prevTime:void 0};let v=1;function w(e){if(e.targetTouches.length<2)return 1;const t=e.targetTouches[0].pageX,s=e.targetTouches[0].pageY,a=e. targetTouches[1].pageX,i=e.targetTouches[1].pageY;return Math.sqrt((a-t)**2+(i-s)**2)}function b(e){const s=t.support,a=t.params.zoom;if(o=!1,c=!1,!s.gestures){if("tou chstart"!==e.type||"touchstart"===e.type&&e.targetTouche s.length<2)return;o=!0,m.scaleStart=w(e)}m.\$slideEl&&m.\$sli deEl.length||(m.\$slideEl=d(e.target).closest(`.\${t.params.slid eClass}`),0===m.\$slideEl.length&&(m.\$slideEl=t.slides.eq(t.ac tiveIndex)),m.\$imageEl=m.\$slideEl.find(`.\${a.containerClass}`) .eq(0).find("picture, img, svg, canvas, .swiper-zoomtarget").eq(0),m.\$imageWrapEl=m.\$imageEl.parent(`.\${a.con tainerClass}`),m.maxRatio=m.\$imageWrapEl.attr("dataswiperzoom")||a.maxRatio,0!==m.\$imageWrapEl.length)?(m.\$imag eEI&&m.\$imageEl.transition(0),u=!0):m.\$imageEl=void O\function x(e)\functionst s=t.support,a=t.params.zoom,i=t.zoom;if(!s.gestures){if("touc hmove"!==e.type||"touchmove"===e.type&&e.targetTouche s.length<2)return;c=!0,m.scaleMove=w(e)}m.\$imageEl&&0!= =m.\$imageEl.length?(s.gestures?i.scale=e.scale*p:i.scale=m.s

caleMove/m.scaleStart*p,i.scale>m.maxRatio&&(i.scale=m.m

```
axRatio-1+(i.scale-
m.maxRatio+1)**.5),i.scale<a.minRatio&&(i.scale=a.minRatio
+1-(a.minRatio-
i.scale+1)**.5),m.$imageEl.transform(`translate3d(0,0,0)
scale(${i.scale})`)):"gesturechange"===e.type&&b(e)}function
y(e){const
s=t.device,a=t.support,i=t.params.zoom,r=t.zoom;if(!a.gestur
es){if(!o||!c)return;if("touchend"!==e.type||"touchend"===e
.type&&e.changedTouches.length<2&&!s.android)return;o=!
1,c=!1}m.$imageEl&&0!==m.$imageEl.length&&(r.scale=Mat
h.max(Math.min(r.scale,m.maxRatio),i.minRatio),m.$imageEl
.transition(t.params.speed).transform(`translate3d(0,0,0)
scale(${r.scale})`),p=r.scale,u=!1,1===r.scale&&(m.$slideEl=v
oid 0))}function E(e){const
s=t.zoom;if(!m.$imageEl||0===m.$imageEl.length)return;if(t.
allowClick=!1,!f.isTouched||!m.$slideEl)return;f.isMoved||(f.
width=m.$imageEl[0].offsetWidth,f.height=m.$imageEl[0].off
setHeight,f.startX=h(m.$imageWrapEl[0],"x")||0,f.startY=h(
m.$imageWrapEl[0],"y")||0,m.slideWidth=m.$slideEl[0].offs
etWidth,m.slideHeight=m.$slideEl[0].offsetHeight,m.$image
WrapEl.transition(0));const
a=f.width*s.scale,i=f.height*s.scale;if(!(a<m.slideWidth&&i<
m.slideHeight)){if(f.minX=Math.min(m.slideWidth/2-
a/2,0),f.maxX=-f.minX,f.minY=Math.min(m.slideHeight/2-
i/2,0),f.maxY=-
f.minY,f.touchesCurrent.x="touchmove"===e.type?e.targetT
ouches[0].pageX:e.pageX,f.touchesCurrent.y="touchmove"==
=e.type?e.targetTouches[0].pageY:e.pageY,!f.isMoved&&!u){
if(t.isHorizontal()&&(Math.floor(f.minX)===Math.floor(f.start
```

```
X)&&f.touchesCurrent.x<f.touchesStart.x||Math.floor(f.max
X)===Math.floor(f.startX)&&f.touchesCurrent.x>f.touchesSta
rt.x))return
void(f.isTouched=!1);if(!t.isHorizontal()&&(Math.floor(f.minY
)===Math.floor(f.startY)&&f.touchesCurrent.y<f.touchesStart
.y||Math.floor(f.maxY)===Math.floor(f.startY)&&f.touchesCu
rrent.y>f.touchesStart.y))return
void(f.isTouched=!1)}e.cancelable&&e.preventDefault(),e.sto
pPropagation(),f.isMoved=!0,f.currentX=f.touchesCurrent.x-
f.touchesStart.x+f.startX,f.currentY=f.touchesCurrent.y-
f.touchesStart.y+f.startY,f.currentX<f.minX&&(f.currentX=f.m
inX+1-(f.minX-
f.currentX+1)**.8),f.currentX>f.maxX&&(f.currentX=f.maxX-
1+(f.currentX-
f.maxX+1)**.8),f.currentY<f.minY&&(f.currentY=f.minY+1-
(f.minY-
f.currentY+1)**.8),f.currentY>f.maxY&&(f.currentY=f.maxY-
1+(f.currentY-
f.maxY+1)**.8),g.prevPositionX||(g.prevPositionX=f.touches
Current.x), g.prevPositionY | | (g.prevPositionY=f.touchesCurre
nt.y),g.prevTime||(g.prevTime=Date.now()),g.x=(f.touchesCu
rrent.x-g.prevPositionX)/(Date.now()-
g.prevTime)/2,g.y=(f.touchesCurrent.y-
g.prevPositionY)/(Date.now()-
g.prevTime)/2,Math.abs(f.touchesCurrent.x-
g.prevPositionX)<2&&(g.x=0),Math.abs(f.touchesCurrent.y-
g.prevPositionY)<2&&(g.y=0),g.prevPositionX=f.touchesCurre
nt.x,g.prevPositionY=f.touchesCurrent.y,g.prevTime=Date.no
w(),m.$imageWrapEl.transform(`translate3d(${f.currentX}px,
```

```
${f.currentY}px,0)`)}}function T(){const
e=t.zoom;m.$slideEl&&t.previousIndex!==t.activeIndex&&(m
.$imageEl&&m.$imageEl.transform("translate3d(0,0,0)
scale(1)"),m.$imageWrapEl&&m.$imageWrapEl.transform("t
ranslate3d(0,0,0)"),e.scale=1,p=1,m.$slideEl=void
0,m.$imageEl=void 0,m.$imageWrapEl=void 0)}function
C(e){const
s=t.zoom,a=t.params.zoom;if(m.$slideEl||(e&&e.target&&(
m.$slideEl=d(e.target).closest(`.${t.params.slideClass}`)),m.$s
lideEl||(t.params.virtual&&t.params.virtual.enabled&&t.virt
ual?m.$slideEl=t.$wrapperEl.children(`.${t.params.slideActive
Class}`):m.$slideEl=t.slides.eq(t.activeIndex)),m.$imageEl=m.
$slideEl.find(`.${a.containerClass}`).eq(0).find("picture, img,
svg, canvas, .swiper-zoom-
target").eq(0),m.$imageWrapEl=m.$imageEl.parent(`.${a.con
tainerClass}`)),!m.$imageEl||0===m.$imageEl.length||!m.$i
mageWrapEl||0===m.$imageWrapEl.length)return;let
i,r,l,o,c,u,h,g,v,w,b,x,y,E,T,C,$,S;t.params.cssMode&&(t.wrap
perEl.style.overflow="hidden",t.wrapperEl.style.touchAction
="none"),m.$slideEl.addClass(`${a.zoomedSlideClass}`),void
0===f.touchesStart.x&&e?(i="touchend"===e.type?e.change
dTouches[0].pageX:e.pageX,r="touchend"===e.type?e.chang
edTouches[0].pageY:e.pageY):(i=f.touchesStart.x,r=f.touches
Start.y), s. scale=m.$imageWrapEl.attr("data-swiper-
zoom")||a.maxRatio,p=m.$imageWrapEl.attr("data-swiper-
zoom")||a.maxRatio,e?($=m.$slideEl[0].offsetWidth,S=m.$sli
deEl[0].offsetHeight,l=m.$slideEl.offset().left+n.scrollX,o=m.$
slideEl.offset().top+n.scrollY,c=l+$/2-i,u=o+S/2-
r,v=m.$imageEl[0].offsetWidth,w=m.$imageEl[0].offsetHeigh
```

```
t,b=v*s.scale,x=w*s.scale,y=Math.min($/2-
b/2,0),E=Math.min(S/2-x/2,0),T=-y,C=-
E,h=c*s.scale,g=u*s.scale,h<y&&(h=y),h>T&&(h=T),g<E&&(g=x)
E),g>C&&(g=C)):(h=0,g=0),m.$imageWrapEl.transition(300).tr
ansform(`translate3d(${h}px,
${g}px,0)`),m.$imageEl.transition(300).transform(`translate3
d(0,0,0) scale(${s.scale})`)}function $(){const
e=t.zoom,s=t.params.zoom;m.$slideEl||(t.params.virtual&&t
.params.virtual.enabled&&t.virtual?m.$slideEl=t.$wrapperEl.
children(`.${t.params.slideActiveClass}`):m.$slideEl=t.slides.e
q(t.activeIndex),m.$imageEl=m.$slideEl.find(`.${s.containerCl
ass}`).eq(0).find("picture, img, svg, canvas, .swiper-zoom-
target").eq(0),m.$imageWrapEl=m.$imageEl.parent(`.${s.con
tainerClass}`)),m.$imageEl&&0!==m.$imageEl.length&&m.$i
mageWrapEl&&0!==m.$imageWrapEl.length&&(t.params.css
Mode&&(t.wrapperEl.style.overflow="",t.wrapperEl.style.tou
chAction=""),e.scale=1,p=1,m.$imageWrapEl.transition(300).
transform("translate3d(0,0,0)"),m.$imageEl.transition(300).tr
ansform("translate3d(0,0,0)
scale(1)"),m.$slideEl.removeClass(`${s.zoomedSlideClass}`),m
.$slideEl=void 0)}function S(e){const
s=t.zoom;s.scale&&1!==s.scale?$():C(e)}function M(){const
e=t.support;return{passiveListener:!("touchstart"!==t.touchE
vents.start | | !e.passiveListener | | !t.params.passiveListeners)
&&{passive:!0,capture:!1},activeListenerWithCapture:!e.passi
veListener | | {passive: !1, capture: !0}}}function
P(){return`.${t.params.slideClass}`}function
k(e){const{passiveListener:s}=M(),a=P();t.$wrapperEl[e]("gest
urestart",a,b,s),t.$wrapperEl[e]("gesturechange",a,x,s),t.$wra
```

```
pperEl[e]("gestureend",a,y,s)}function
z()\{|||(|=!0,k("on"))\}function O()\{|\&\&(|=!1,k("off"))\}function
L(){const e=t.zoom;if(e.enabled)return;e.enabled=!0;const
s=t.support,{passiveListener:a,activeListenerWithCapture:i}=
M(),r=P();s.gestures?(t.$wrapperEl.on(t.touchEvents.start,z,a
),t.$wrapperEl.on(t.touchEvents.end,O,a)):"touchstart"===t.t
ouchEvents.start&&(t.$wrapperEl.on(t.touchEvents.start,r,b,
a),t.$wrapperEl.on(t.touchEvents.move,r,x,i),t.$wrapperEl.on
(t.touchEvents.end,r,y,a),t.touchEvents.cancel&&t.$wrapper
El.on(t.touchEvents.cancel,r,y,a)),t.$wrapperEl.on(t.touchEve
nts.move,`.${t.params.zoom.containerClass}`,E,i)}function
I(){const e=t.zoom;if(!e.enabled)return;const
s=t.support;e.enabled=!1;const{passiveListener:a,activeListe
nerWithCapture:i}=M(),r=P();s.gestures?(t.$wrapperEl.off(t.t
ouchEvents.start,z,a),t.$wrapperEl.off(t.touchEvents.end,O,a)
):"touchstart"===t.touchEvents.start&&(t.$wrapperEl.off(t.to
uchEvents.start,r,b,a),t.$wrapperEl.off(t.touchEvents.move,r,
x,i),t.$wrapperEl.off(t.touchEvents.end,r,y,a),t.touchEvents.c
ancel&&t.$wrapperEl.off(t.touchEvents.cancel,r,y,a)),t.$wrap
perEl.off(t.touchEvents.move,`.${t.params.zoom.containerCla
ss}`,E,i)}Object.defineProperty(t.zoom,"scale",{get:()=>v,set(e
){if(v!==e){const t=m.$imageEl?m.$imageEl[0]:void
0,s=m.$slideEl?m.$slideEl[0]:void
0;i("zoomChange",e,t,s)\}v=e\}\}),a("init",(()=>\{t.params.zoom.e)
nabled&&L()})),a("destroy",(()=>{I()})),a("touchStart",((e,s)=>{
t.zoom.enabled&&function(e){const
s=t.device;m.$imageEl&&0!==m.$imageEl.length&&(f.isTouc
hed||(s.android&&e.cancelable&&e.preventDefault(),f.isTou
ched=!0,f.touchesStart.x="touchstart"===e.type?e.targetTou
```

```
ches[0].pageX:e.pageX,f.touchesStart.y="touchstart"===e.typ
e?e.targetTouches[0].pageY:e.pageY))}(s)})),a("touchEnd",((e,
s)=>{t.zoom.enabled&&function(){const
e=t.zoom;if(!m.$imageEl||0===m.$imageEl.length)return;if(!
f.isTouched||!f.isMoved)return
f.isTouched=!1,void(f.isMoved=!1);f.isTouched=!1,f.isMoved=
!1;let s=300,a=300;const
i=g.x*s,r=f.currentX+i,n=g.y*a,l=f.currentY+n;0!==g.x&&(s=M
ath.abs((r-f.currentX)/g.x)),0!==g.y&&(a=Math.abs((I-
f.currentY)/g.y));const
o=Math.max(s,a);f.currentX=r,f.currentY=l;const
d=f.width*e.scale,c=f.height*e.scale;f.minX=Math.min(m.slid
eWidth/2-d/2,0),f.maxX=-
f.minX,f.minY=Math.min(m.slideHeight/2-c/2,0),f.maxY=-
f.minY,f.currentX=Math.max(Math.min(f.currentX,f.maxX),f.
minX),f.currentY=Math.max(Math.min(f.currentY,f.maxY),f.m
inY),m.$imageWrapEl.transition(o).transform(`translate3d(${
f.currentX}px,
f(e,s)=>{t.animating}
&t.params.zoom.enabled&&t.params.zoo
m.toggle\&\&S(s)\})),a("transitionEnd",(()=>\{t.zoom.enabled\&\&
t.params.zoom.enabled&&T()})),a("slideChange",(()=>{t.zoom
.enabled&&t.params.zoom.enabled&&t.params.cssMode&&
T()})),Object.assign(t.zoom,{enable:L,disable:I,in:C,out:$,toggl
e:S})},function(e){let{swiper:t,extendParams:s,on:a,emit:i}=e;
s({lazy:{checkInView:!1,enabled:!1,loadPrevNext:!1,loadPrev
NextAmount:1,loadOnTransitionStart:!1,scrollingElement:"",
elementClass:"swiper-lazy",loadingClass:"swiper-lazy-
loading",loadedClass:"swiper-lazy-
```

```
loaded",preloaderClass:"swiper-lazy-
preloader"}}),t.lazy={};let n=!1,l=!1;function o(e,s){void
0===s&&(s=!0);const a=t.params.lazy;if(void
0===e)return;if(0===t.slides.length)return;const
r=t.virtual&&t.params.virtual.enabled?t.$wrapperEl.children(
`.${t.params.slideClass}[data-swiper-slide-
index="${e}"]`):t.slides.eq(e),n=r.find(`.${a.elementClass}:not
(.${a.loadedClass}):not(.${a.loadingClass})`);!r.hasClass(a.ele
mentClass) | | r.hasClass(a.loadedClass) | | r.hasClass(a.loadingC
lass) | | n.push(r[0]), 0! == n.length & n.each((e=> {const})) | n.push(r[0]), 0! == n.each((e=> {const})) |
n=d(e);n.addClass(a.loadingClass);const l=n.attr("data-
background"),c=n.attr("data-src"),p=n.attr("data-
srcset"),u=n.attr("data-
sizes"),h=n.parent("picture");t.loadImage(n[0],c||I,p,u,!1,(()=
>{if(null!=t&&t&&(!t||t.params)&&!t.destroyed){if(I?(n.css("
background-image", `url("${I}")`), n. remove Attr("data-
background")):(p&&(n.attr("srcset",p),n.removeAttr("data-
srcset")),u&&(n.attr("sizes",u),n.removeAttr("data-
sizes")),h.length&&h.children("source").each((e=>{const
t=d(e);t.attr("data-srcset")&&(t.attr("srcset",t.attr("data-
srcset")),t.removeAttr("data-
srcset"))})),c&&(n.attr("src",c),n.removeAttr("data-
src"))),n.addClass(a.loadedClass).removeClass(a.loadingClass)
,r.find(`.${a.preloaderClass}`).remove(),t.params.loop&&s){co
nst e=r.attr("data-swiper-slide-
index");if(r.hasClass(t.params.slideDuplicateClass)){o(t.$wrap
perEl.children(`[data-swiper-slide-
index="${e}"]:not(.${t.params.slideDuplicateClass})`).index(),!
1)}else{o(t.$wrapperEl.children(`.${t.params.slideDuplicateCl
```

```
ass}[data-swiper-slide-
index="${e}"]`).index(),!1)}}i("lazyImageReady",r[0],n[0]),t.pa
rams.autoHeight&&t.updateAutoHeight()}})),i("lazyImageLoa
d",r[0],n[0])}))}function
c(){const{$wrapperEl:e,params:s,slides:a,activeIndex:i}=t,r=t.
virtual&&s.virtual.enabled,n=s.lazy;let
c=s.slidesPerView;function
p(t){if(r){if(e.children(`.${s.slideClass}[data-swiper-slide-
index="${t}"]`).length)return!0}else
if(a[t])return!0;return!1}function u(e){return
r?d(e).attr("data-swiper-slide-
index''):d(e).index()}if("auto"===c&&(c=0),|||(l=!0),t.params.
watchSlidesProgress)e.children(`.${s.slideVisibleClass}`).each(
(e=>{o(r?d(e).attr("data-swiper-slide-
index"):d(e).index())}));else if(c>1)for(let
e=i;e<i+c;e+=1)p(e)\&\&o(e);else
o(i);if(n.loadPrevNext)if(c>1||n.loadPrevNextAmount&&n.lo
adPrevNextAmount>1){const
e=n.loadPrevNextAmount,t=c,s=Math.min(i+t+Math.max(e,t)
,a.length),r=Math.max(i-Math.max(t,e),0);for(let
e=i+c;e<s;e+=1)p(e)\&\&o(e);for(let
e=r;e<i;e+=1)p(e)\&\&o(e)\}else\{const
t=e.children(`.${s.slideNextClass}`);t.length>0&&o(u(t));const
a=e.children(`.${s.slidePrevClass}`);a.length>0&&o(u(a))}}func
tion p(){const e=r();if(!t||t.destroyed)return;const
s=t.params.lazy.scrollingElement?d(t.params.lazy.scrollingEle
ment):d(e),a=s[0]===e,i=a?e.innerWidth:s[0].offsetWidth,l=a
?e.innerHeight:s[0].offsetHeight,o=t.$el.offset(),{rtlTranslate:
u}=t;let h=!1;u&&(o.left-=t.$el[0].scrollLeft);const
```

```
m=[[o.left,o.top],[o.left+t.width,o.top],[o.left,o.top+t.height],
[o.left+t.width,o.top+t.height]];for(let
e=0;e<m.length;e+=1){const
t=m[e];if(t[0]>=0\&\&t[0]<=i\&\&t[1]>=0\&\&t[1]<=I)\{if(0===t[0]\&
\&0===t[1])continue;h=!0}}const
f=!("touchstart"!==t.touchEvents.start||!t.support.passiveLis
tener | | !t.params.passiveListeners) & & {passive:!0, capture:!1};
h?(c(),s.off("scroll",p,f)):n||(n=!0,s.on("scroll",p,f))}a("beforeI
nit",(()=>{t.params.lazy.enabled&&t.params.preloadImages&
&(t.params.preloadImages=!1)})),a("init",(()=>{t.params.lazy.
enabled&&(t.params.lazy.checkInView?p():c())})),a("scroll",(()
=>{t.params.freeMode&&t.params.freeMode.enabled&&!t.p
arams.freeMode.sticky&&c()})),a("scrollbarDragMove resize
_freeModeNoMomentumRelease",(()=>{t.params.lazy.enable
d&&(t.params.lazy.checkInView?p():c())})),a("transitionStart",
(()=>{t.params.lazy.enabled&&(t.params.lazy.loadOnTransitio
nStart | | !t.params.lazy.loadOnTransitionStart&&!I)&&(t.para
ms.lazy.checkInView?p():c())})),a("transitionEnd",(()=>{t.para
ms.lazy.enabled&&!t.params.lazy.loadOnTransitionStart&&(t
.params.lazy.checkInView?p():c())})),a("slideChange",(()=>{co
nst{lazy:e,cssMode:s,watchSlidesProgress:a,touchReleaseOn
Edges:i,resistanceRatio:r}=t.params;e.enabled&&(s||a&&(i||
0===r))&&c()})),Object.assign(t.lazy,{load:c,loadInSlide:o})},fu
nction(e){let{swiper:t,extendParams:s,on:a}=e;function
i(e,t){const s=function(){let e,t,s;return(a,i)=>{for(t=-
1,e=a.length;e-t>1;)s=e+t>>1,a[s]<=i?t=s:e=s;return e}}();let
a,i;return this.x=e,this.y=t,this.lastIndex=e.length-
1,this.interpolate=function(e){return e?(i=s(this.x,e),a=i-1,(e-
this.x[a])*(this.y[i]-this.y[a])/(this.x[i]-
```

```
this.x[a])+this.y[a]):0},this}function
r(){t.controller.controller.spline&&(t.controller.sp
line=void 0,delete
t.controller.spline)}s({controller:{control:void
O,inverse:!1,by:"slide"}}),t.controller={control:void
0},a("beforeInit",(()=>{t.controller.control=t.params.controlle
r.control})),a("update",(()=>{r()})),a("resize",(()=>{r()})),a("obs
erverUpdate",(()=>{r()})),a("setTranslate",((e,s,a)=>{t.controll
er.control&&t.controller.setTranslate(s,a)})),a("setTransition"
((e,s,a)=>\{t.controller.control\&\&t.controller.setTransition(s,a)\}
)})),Object.assign(t.controller,{setTranslate:function(e,s){cons
t a=t.controller.control;let r,n;const l=t.constructor;function
o(e){const s=t.rtlTranslate?-
t.translate:t.translate;"slide"===t.params.controller.by&&(!fu
nction(e){t.controller.spline||(t.controller.spline=t.params.lo
op?new i(t.slidesGrid,e.slidesGrid):new
i(t.snapGrid,e.snapGrid))}(e),n=-
t.controller.spline.interpolate(-
s)),n&&"container"!==t.params.controller.by||(r=(e.maxTran
slate()-e.minTranslate())/(t.maxTranslate()-
t.minTranslate()),n=(s-
t.minTranslate())*r+e.minTranslate()),t.params.controller.inv
erse&&(n=e.maxTranslate()-
n),e.updateProgress(n),e.setTranslate(n,t),e.updateActiveInd
ex(),e.updateSlidesClasses()}if(Array.isArray(a))for(let
e=0;e<a.length;e+=1)a[e]!==s&&a[e]instanceof
I&&o(a[e]);else a instanceof
I&&s!==a&&o(a)},setTransition:function(e,s){const
a=t.constructor,i=t.controller.control;let r;function
```

```
n(s){s.setTransition(e,t),0!==e&&(s.transitionStart(),s.params.
autoHeight&&p((()=>{s.updateAutoHeight()})),s.$wrapperEl.t
ransitionEnd((()=>{i&&(s.params.loop&&"slide"===t.params.
controller.by&&s.loopFix(),s.transitionEnd())})))}if(Array.isArr
ay(i))for(r=0;r<i.length;r+=1)i[r]!==s&&i[r]instanceof
a&&n(i[r]);else i instanceof
a&&s!==i&&n(i)}})},function(e){let{swiper:t,extendParams:s,o
n:a}=e;s({a11y:{enabled:!0,notificationClass:"swiper-
notification",prevSlideMessage:"Previous
slide",nextSlideMessage:"Next slide",firstSlideMessage:"This
is the first slide", lastSlideMessage: "This is the last
slide",paginationBulletMessage:"Go to slide
{{index}}",slideLabelMessage:"{{index}} /
{{slidesLength}}",containerMessage:null,containerRoleDescri
ptionMessage:null,itemRoleDescriptionMessage:null,slideRol
e:"group",id:null}});let i=null;function r(e){const
t=i;0!==t.length&&(t.html(""),t.html(e))}function
n(e){e.attr("tabIndex","0")}function l(e){e.attr("tabIndex","-
1")}function o(e,t){e.attr("role",t)}function c(e,t){e.attr("aria-
roledescription",t)}function p(e,t){e.attr("aria-
label",t)}function u(e){e.attr("aria-disabled",!0)}function
h(e){e.attr("aria-disabled",!1)}function
m(e){if(13!==e.keyCode&&32!==e.keyCode)return;const
s=t.params.a11y,a=d(e.target);t.navigation&&t.navigation.$n
extEl&&a.is(t.navigation.$nextEl)&&(t.isEnd&&!t.params.loo
p||t.slideNext(),t.isEnd?r(s.lastSlideMessage):r(s.nextSlideM
essage)),t.navigation&&t.navigation.$prevEl&&a.is(t.navigati
on.$prevEl)&&(t.isBeginning&&!t.params.loop||t.slidePrev(),
t.isBeginning?r(s.firstSlideMessage):r(s.prevSlideMessage)),t.
```

```
pagination&&a.is(U(t.params.pagination.bulletClass))&&a[0].
click()}function f(){return
t.pagination&&t.pagination.bullets&&t.pagination.bullets.len
gth}function g(){return
f()&&t.params.pagination.clickable}const
v=(e,t,s)=>\{n(e),"BUTTON"!==e[0].tagName&&(o(e,"button"),
e.on("keydown",m)),p(e,s),function(e,t){e.attr("aria-
controls",t)}(e,t)},w=e=>{const
s=e.target.closest(`.${t.params.slideClass}`);if(!s||!t.slides.incl
udes(s))return;const
a=t.slides.indexOf(s)===t.activeIndex,i=t.params.watchSlides
Progress&&t.visibleSlides&&t.visibleSlides.includes(s);a||i||t
.slideTo(t.slides.indexOf(s),0)};function b(){const
e=t.params.a11y;t.$el.append(i);const
s=t.$el;e.containerRoleDescriptionMessage&&c(s,e.container
RoleDescriptionMessage), e. container Message & & p(s, e. contai
nerMessage);const
a=t.$wrapperEl,r=e.id||a.attr("id")||`swiper-wrapper-
${n=16,void
0===n\&\&(n=16),"x".repeat(n).replace(/x/g,(()=>Math.round(
16*Math.random()).toString(16)))}`;var n;const
I=t.params.autoplay&t.params.autoplay.enabled?"off":"poli
te";var u;u=r,a.attr("id",u),function(e,t){e.attr("aria-
live",t)}(a,l),e.itemRoleDescriptionMessage&&c(d(t.slides),e.i
temRoleDescriptionMessage),o(d(t.slides),e.slideRole);const
h=t.params.loop?t.slides.filter((e=>!e.classList.contains(t.par
ams.slideDuplicateClass))).length:t.slides.length;let
f,b;t.slides.each(((s,a)=>{const
i=d(s),r=t.params.loop?parseInt(i.attr("data-swiper-slide-
```

```
index"),10):a;p(i,e.slideLabelMessage.replace(/\{\\index\}\}/,
r+1).replace(/\{\{slidesLength\}\}/,h))})),t.navigation&&t.navi
gation.$nextEl&&(f=t.navigation.$nextEl),t.navigation&&t.na
vigation.$prevEl&&(b=t.navigation.$prevEl),f&&f.length&&v(
f,r,e.nextSlideMessage),b&&b.length&&v(b,r,e.prevSlideMes
sage),g()&&t.pagination.$el.on("keydown",U(t.params.pagin
ation.bulletClass),m),t.$el.on("focus",w,!0)}a("beforeInit",(()=
>{i=d(`<span class="${t.params.a11y.notificationClass}" aria-
live="assertive" aria-
atomic="true"></span>`)})),a("afterInit",(()=>{t.params.a11y.
enabled&&b()})),a("fromEdge toEdge afterInit lock
unlock",(()=>{t.params.a11y.enabled&&function(){if(t.params
.loop||t.params.rewind||!t.navigation)return;const{$nextEl:
e,$prevEl:s}=t.navigation;s&&s.length>0&&(t.isBeginning?(u(
s),l(s)):(h(s),n(s))),e\&\&e.length>0\&\&(t.isEnd?(u(e),l(e)):(h(e),n(e)))
(e)))}()})),a("paginationUpdate",(()=>{t.params.a11y.enabled
&&function(){const
e=t.params.a11y;f()&&t.pagination.bullets.each((s=>{const
a=d(s);t.params.pagination.clickable&&(n(a),t.params.pagina
tion.renderBullet | | (o(a,"button"),p(a,e.paginationBulletMess
age.replace(/{\{(index)\}}/,a.index()+1)))),a.is((.$\{t.params.pa
gination.bulletActiveClass}`)?a.attr("aria-
current","true"):a.removeAttr("aria-
current")}))}()})),a("destroy",(()=>{t.params.a11y.enabled&&f
unction(){let
e,s;i&&i.length>0&&i.remove(),t.navigation&&t.navigation.$
nextEl&&(e=t.navigation.$nextEl),t.navigation&&t.navigation
.$prevEI&&(s=t.navigation.$prevEI),e&&e.off("keydown",m),
s&&s.off("keydown",m),g()&&t.pagination.$el.off("keydown"
```

```
,U(t.params.pagination.bulletClass),m),t.$el.off("focus",w,!0)}
()}))},function(e){let{swiper:t,extendParams:s,on:a}=e;s({histo
ry:{enabled:!1,root:"",replaceState:!1,key:"slides",keepQuery
:!1});let i=!1,n={};const l=e=>e.toString().replace(/\s+/g,"-
").replace(/[^\w-]+/g,"").replace(/--+/g,"-").replace(/^-
+/,"").replace(/-+$/,""),o=e=>{const t=r();let s;s=e?new
URL(e):t.location;const
a=s.pathname.slice(1).split("/").filter((e=>""!==e)),i=a.length;
return{key:a[i-2],value:a[i-1]}},d=(e,s)=>{const
a=r();if(!i||!t.params.history.enabled)return;let
n;n=t.params.url?new URL(t.params.url):a.location;const
o=t.slides.eq(s);let d=l(o.attr("data-
history"));if(t.params.history.root.length>0){let
s=t.params.history.root;"/"===s[s.length-
1]&&(s=s.slice(0,s.length-1)),d=`${s}/${e}/${d}`}else
n.pathname.includes(e)||(d=`${e}/${d}`);t.params.history.ke
epQuery&&(d+=n.search);const
c=a.history.state;c&&c.value===d||(t.params.history.replace
State?a.history.replaceState({value:d},null,d):a.history.pushSt
ate({value:d},null,d))},c=(e,s,a)=>{if(s)for(let
i=0,r=t.slides.length;i<r;i+=1){const
r=t.slides.eq(i);if(l(r.attr("data-
history"))===s&&!r.hasClass(t.params.slideDuplicateClass)){c
onst s=r.index();t.slideTo(s,e,a)}}else
t.slideTo(0,e,a)},p=()=>{n=o(t.params.url),c(t.params.speed,n.
value,!1)};a("init",(()=>{t.params.history.enabled&&(()=>{con
st
e=r();if(t.params.history){if(!e.history||!e.history.pushState)r
eturn
```

```
t.params.history.enabled=!1,void(t.params.hashNavigation.e
nabled=!0; i=!0, n=o(t.params.url), (n.key | | n.value) & & (c(0,n.v.url))
alue, t.params.run Callbacks On Init), t.params.history.replace St
ate | | e.addEventListener("popstate",p))}})()})),a("destroy",(()
=>{t.params.history.enabled&&(()=>{const
e=r();t.params.history.replaceState||e.removeEventListener(
"popstate",p)})()})),a("transitionEnd
_freeModeNoMomentumRelease",(()=>{i&&d(t.params.histo
ry.key,t.activeIndex)})),a("slideChange",(()=>{i&&t.params.css
Mode&&d(t.params.history.key,t.activeIndex)}))},function(e){
let{swiper:t,extendParams:s,emit:i,on:n}=e,l=!1;const
o=a(),c=r();s({hashNavigation:{enabled:!1,replaceState:!1,wat
chState:!1}});const p=()=>{i("hashChange");const
e=o.location.hash.replace("#","");if(e!==t.slides.eq(t.activeIn
dex).attr("data-hash")){const
s=t.$wrapperEl.children(`.${t.params.slideClass}[data-
hash="${e}"]`).index();if(void
0===s)return;t.slideTo(s)}},u=()=>{if(l&&t.params.hashNaviga
tion.enabled)if(t.params.hashNavigation.replaceState&&c.his
tory&&c.history.replaceState)c.history.replaceState(null,null,
`#${t.slides.eq(t.activeIndex).attr("data-
hash")}`||""),i("hashSet");else{const
e=t.slides.eq(t.activeIndex),s=e.attr("data-
hash")||e.attr("data-
history");o.location.hash=s||"",i("hashSet")}};n("init",(()=>{t.
params.hashNavigation.enabled&&(()=>{if(!t.params.hashNa
vigation.enabled||t.params.history&&t.params.history.enabl
ed)return;l=!0;const
e=o.location.hash.replace("#","");if(e){const s=0;for(let
```

```
a=0,i=t.slides.length;a<i;a+=1){const
i=t.slides.eq(a);if((i.attr("data-hash")||i.attr("data-
history"))===e&&!i.hasClass(t.params.slideDuplicateClass)){c
onst
e=i.index();t.slideTo(e,s,t.params.runCallbacksOnInit,!0)}}}t.p
arams.hashNavigation.watchState&&d(c).on("hashchange",p
)})()})),n("destroy",(()=>{t.params.hashNavigation.enabled&&
t.params.hashNavigation.watchState&&d(c).off("hashchange
",p)})),n("transitionEnd
_freeModeNoMomentumRelease",(()=>{I&&u()})),n("slideCh
ange",(()=>{I&&t.params.cssMode&&u()}))},function(e){let
t,{swiper:s,extendParams:i,on:r,emit:n}=e;function I(){const
e=s.slides.eq(s.activeIndex);let
a=s.params.autoplay.delay;e.attr("data-swiper-
autoplay")&&(a=e.attr("data-swiper-
autoplay")||s.params.autoplay.delay),clearTimeout(t),t=p((()
=>{let
e;s.params.autoplay.reverseDirection?s.params.loop?(s.loop
Fix(),e=s.slidePrev(s.params.speed,!0,!0),n("autoplay")):s.isBe
ginning?s.params.autoplay.stopOnLastSlide?d():(e=s.slideTo(
s.slides.length-
1,s.params.speed,!0,!0),n("autoplay")):(e=s.slidePrev(s.para
ms.speed,!0,!0),n("autoplay")):s.params.loop?(s.loopFix(),e=s
.slideNext(s.params.speed,!0,!0),n("autoplay")):s.isEnd?s.par
ams.autoplay.stopOnLastSlide?d():(e=s.slideTo(0,s.params.sp
eed,!0,!0),n("autoplay")):(e=s.slideNext(s.params.speed,!0,!0
),n("autoplay")),(s.params.cssMode&&s.autoplay.running||!
1===e)&&l()}),a)}function o(){return void
0===t&&(!s.autoplay.running&&(s.autoplay.running=!0,n("au
```

```
toplayStart"),I(),!0))}function
d(){return!!s.autoplay.running&&(void
0!==t&&(t&&(clearTimeout(t),t=void
0),s.autoplay.running=!1,n("autoplayStop"),!0))}function
c(e){s.autoplay.running&&(s.autoplay.paused||(t&&clearTim
eout(t),s.autoplay.paused=!0,0!==e&&s.params.autoplay.wai
tForTransition?["transitionend","webkitTransitionEnd"].forEa
ch((e=>{s.$wrapperEl[0].addEventListener(e,h)})):(s.autoplay.
paused=!1,I())))}function u(){const
e=a();"hidden"===e.visibilityState&&s.autoplay.running&&c()
,"visible"===e.visibilityState&&s.autoplay.paused&&(I(),s.aut
oplay.paused=!1)}function
h(e){s&&!s.destroyed&&s.$wrapperEl&&e.target===s.$wrap
perEI[0]&&(["transitionend","webkitTransitionEnd"].forEach(
(e=>{s.$wrapperEl[0].removeEventListener(e,h)})),s.autoplay.
paused=!1,s.autoplay.running?I():d())}function
m(){s.params.autoplay.disableOnInteraction?d():(n("autoplay
Pause"),c()),["transitionend","webkitTransitionEnd"].forEach(
(e=>{s.$wrapperEl[0].removeEventListener(e,h)}))}function
f(){s.params.autoplay.disableOnInteraction||(s.autoplay.pau
sed=!1,n("autoplayResume"),l())}s.autoplay={running:!1,paus
ed:!1},i({autoplay:{enabled:!1,delay:3e3,waitForTransition:!0,
disableOnInteraction:!0,stopOnLastSlide:!1,reverseDirection:
!1,pauseOnMouseEnter:!1}}),r("init",(()=>{if(s.params.autopla
y.enabled){o();a().addEventListener("visibilitychange",u),s.par
ams.autoplay.pauseOnMouseEnter&&(s.$el.on("mouseenter
",m),s.$el.on("mouseleave",f))}})),r("beforeTransitionStart",((
e,t,a)=>{s.autoplay.running&&(a||!s.params.autoplay.disable
OnInteraction?s.autoplay.pause(t):d())})),r("sliderFirstMove",
```

```
(()=>{s.autoplay.running&&(s.params.autoplay.disableOnInte
raction?d():c())})),r("touchEnd",(()=>{s.params.cssMode&&s.a
utoplay.paused&&!s.params.autoplay.disableOnInteraction&
(0)),r("destroy",(()=>{s.$el.off("mouseenter",m),s.$el.off("
mouseleave",f),s.autoplay.running&&d();a().removeEventList
ener("visibilitychange",u)})),Object.assign(s.autoplay,{pause:c
,run:l,start:o,stop:d})},function(e){let{swiper:t,extendParams:
s,on:a}=e;s({thumbs:{swiper:null,multipleActiveThumbs:!0,au
toScrollOffset:0,slideThumbActiveClass:"swiper-slide-thumb-
active",thumbsContainerClass:"swiper-thumbs"}});let
i=!1,r=!1;function n(){const
e=t.thumbs.swiper;if(!e||e.destroyed)return;const
s=e.clickedIndex,a=e.clickedSlide;if(a&&d(a).hasClass(t.para
ms.thumbs.slideThumbActiveClass))return;if(null==s)return;l
et i;if(i=e.params.loop?parseInt(d(e.clickedSlide).attr("data-
swiper-slide-index"),10):s,t.params.loop){let
e=t.activeIndex;t.slides.eq(e).hasClass(t.params.slideDuplicat
eClass)&&(t.loopFix(),t. clientLeft=t.$wrapperEl[0].clientLeft,
e=t.activeIndex);const s=t.slides.eq(e).prevAll(`[data-swiper-
slide-
index="${i}"]`).eq(0).index(),a=t.slides.eq(e).nextAll(`[data-
swiper-slide-index="${i}"]`).eq(0).index();i=void 0===s?a:void
0===a?s:a-e<e-s?a:s}t.slideTo(i)}function</pre>
I(){const{thumbs:e}=t.params;if(i)return!1;i=!0;const
s=t.constructor;if(e.swiper instanceof
s)t.thumbs.swiper=e.swiper,Object.assign(t.thumbs.swiper.or
iginalParams,{watchSlidesProgress:!0,slideToClickedSlide:!1})
,Object.assign(t.thumbs.swiper.params,{watchSlidesProgress:
!0,slideToClickedSlide:!1});else if(m(e.swiper)){const
```

```
a=Object.assign({},e.swiper);Object.assign(a,{watchSlidesProg
ress:!0,slideToClickedSlide:!1}),t.thumbs.swiper=new
s(a),r=!0}return
t. thumbs. swiper. \\ \$el. add Class \\ (t. params. thumbs. thumbs Contain the contain the
inerClass),t.thumbs.swiper.on("tap",n),!0}function o(e){const
s=t.thumbs.swiper;if(!s||s.destroyed)return;const
a="auto"===s.params.slidesPerView?s.slidesPerViewDynamic
():s.params.slidesPerView,i=t.params.thumbs.autoScrollOffse
t,r=i&&!s.params.loop;if(t.realIndex!==s.realIndex||r){let
n,l,o=s.activeIndex;if(s.params.loop){s.slides.eq(o).hasClass(s.
params.slideDuplicateClass)&&(s.loopFix(),s._clientLeft=s.$w
rapperEl[0].clientLeft,o=s.activeIndex);const
e=s.slides.eq(o).prevAll(`[data-swiper-slide-
index="${t.realIndex}"]`).eq(0).index(),a=s.slides.eq(o).nextAll
(`[data-swiper-slide-
index="${t.realIndex}"]`).eq(0).index();n=void 0===e?a:void
0===a?e:a-o==o-e?s.params.slidesPerGroup>1?a:o:a-o<o-
e?a:e,l=t.activeIndex>t.previousIndex?"next":"prev"}else
n=t.realIndex,l=n>t.previousIndex?"next":"prev";r&&(n+="ne
xt''===1?i:-
1*i), s. visible Slides Indexes & & s. visible Slides Indexes. index Of(n)
<0&&(s.params.centeredSlides?n=n>o?n-
Math.floor(a/2)+1:n+Math.floor(a/2)-
1:n>o&&s.params.slidesPerGroup,s.slideTo(n,e?0:void 0))}let
n=1;const
I=t.params.thumbs.slideThumbActiveClass;if(t.params.slidesP
erView>1&&!t.params.centeredSlides&&(n=t.params.slidesP
erView),t.params.thumbs.multipleActiveThumbs||(n=1),n=M
ath.floor(n),s.slides.removeClass(l),s.params.loop||s.params.
```

```
virtual&&s.params.virtual.enabled)for(let
e=0;e<n;e+=1)s.$wrapperEl.children(`[data-swiper-slide-
index="${t.realIndex+e}"]`).addClass(I);else for(let
e=0;e<n;e+=1)s.slides.eq(t.realIndex+e).addClass(l)}t.thumbs
={swiper:null},a("beforeInit",(()=>{const{thumbs:e}=t.params;
e&&e.swiper&&(I(),o(!0))})),a("slideChange update resize
observerUpdate",(()=>{o()})),a("setTransition",((e,s)=>{const
a=t.thumbs.swiper;a&&!a.destroyed&&a.setTransition(s)})),a
("beforeDestroy",(()=>{const
e=t.thumbs.swiper;e&&!e.destroyed&&r&&e.destroy()})),Obj
ect.assign(t.thumbs,{init:l,update:o})},function(e){let{swiper:t
,extendParams:s,emit:a,once:i}=e;s({freeMode:{enabled:!1,m
omentum:!0,momentumRatio:1,momentumBounce:!0,mom
entumBounceRatio:1,momentumVelocityRatio:1,sticky:!1,mi
nimumVelocity:.02}}),Object.assign(t,{freeMode:{onTouchSta
rt:function(){const
e=t.getTranslate();t.setTranslate(e),t.setTransition(0),t.touch
EventsData.velocities.length=0,t.freeMode.onTouchEnd({curr
entPos:t.rtl?t.translate:-
t.translate})},onTouchMove:function(){const{touchEventsDat
a:e,touches:s}=t;0===e.velocities.length&&e.velocities.push({
position:s[t.isHorizontal()?"startX":"startY"],time:e.touchStar
tTime}),e.velocities.push({position:s[t.isHorizontal()?"current
X":"currentY"],time:u()})},onTouchEnd:function(e){let{current
Pos:s}=e;const{params:r,$wrapperEl:n,rtlTranslate:l,snapGrid
:o,touchEventsData:d}=t,c=u()-d.touchStartTime;if(s<-
t.minTranslate())t.slideTo(t.activeIndex);else if(s>-
t.maxTranslate())t.slides.length<o.length?t.slideTo(o.length-
1):t.slideTo(t.slides.length-
```

```
1);else{if(r.freeMode.momentum){if(d.velocities.length>1){co
nst e=d.velocities.pop(),s=d.velocities.pop(),a=e.position-
s.position, i=e.time-
s.time;t.velocity=a/i,t.velocity/=2,Math.abs(t.velocity)<r.free
Mode.minimumVelocity&&(t.velocity=0),(i>150||u()-
e.time>300)&&(t.velocity=0)}else
t.velocity=0;t.velocity*=r.freeMode.momentumVelocityRatio
,d.velocities.length=0;let
e=1e3*r.freeMode.momentumRatio;const s=t.velocity*e;let
c=t.translate+s;l&&(c=-c);let p,h=!1;const
m=20*Math.abs(t.velocity)*r.freeMode.momentumBounceR
atio;let
f;if(c<t.maxTranslate())r.freeMode.momentumBounce?(c+t.
maxTranslate()<-m&&(c=t.maxTranslate()-
m),p=t.maxTranslate(),h=!0,d.allowMomentumBounce=!0):c
=t.maxTranslate(),r.loop&&r.centeredSlides&&(f=!0);else
if(c>t.minTranslate())r.freeMode.momentumBounce?(c-
t.minTranslate()>m&&(c=t.minTranslate()+m),p=t.minTransla
te(),h=!0,d.allowMomentumBounce=!0):c=t.minTranslate(),r.
loop&&r.centeredSlides&&(f=!0);else
if(r.freeMode.sticky){let e;for(let t=0;t<o.length;t+=1)if(o[t]>-
c){e=t;break}c=Math.abs(o[e]-c)<Math.abs(o[e-1]-
c)||"next"===t.swipeDirection?o[e]:o[e-1],c=-
c}if(f&&i("transitionEnd",(()=>{t.loopFix()})),0!==t.velocity){if(
e=I?Math.abs((-c-t.translate)/t.velocity):Math.abs((c-
t.translate)/t.velocity),r.freeMode.sticky){const
s=Math.abs((I?-c:c)-
t.translate),a=t.slidesSizesGrid[t.activeIndex];e=s<a?r.speed:s
<2*a?1.5*r.speed:2.5*r.speed}}else
```

```
if(r.freeMode.sticky)return void
t.slideToClosest();r.freeMode.momentumBounce&&h?(t.upd
ateProgress(p),t.setTransition(e),t.setTranslate(c),t.transition
Start(!0,t.swipeDirection),t.animating=!0,n.transitionEnd((()=
>{t&&!t.destroyed&&d.allowMomentumBounce&&(a("mom
entumBounce"),t.setTransition(r.speed),setTimeout((()=>{t.s
etTranslate(p),n.transitionEnd((()=>{t&&!t.destroyed&&t.tra
nsitionEnd()}))}),0))}))):t.velocity?(a("_freeModeNoMomentu
mRelease"),t.updateProgress(c),t.setTransition(e),t.setTransl
ate(c),t.transitionStart(!0,t.swipeDirection),t.animating||(t.a
nimating=!0,n.transitionEnd((()=>{t&&!t.destroyed&&t.transi
tionEnd()})))):t.updateProgress(c),t.updateActiveIndex(),t.upd
ateSlidesClasses()}else{if(r.freeMode.sticky)return void
t.slideToClosest();r.freeMode&&a("_freeModeNoMomentum
Release")}(!r.freeMode.momentum||c>=r.longSwipesMs)&&
(t.updateProgress(),t.updateActiveIndex(),t.updateSlidesClass
es())}}}})},function(e){let
t,s,a,{swiper:i,extendParams:r}=e;r({grid:{rows:1,fill:"column"
}}),i.grid={initSlides:e=>{const{slidesPerView:r}=i.params,{row
s:n,fill:|}=i.params.grid;s=t/n,a=Math.floor(e/n),t=Math.floor(
e/n)===e/n?e:Math.ceil(e/n)*n,"auto"!==r&&"row"===l&&(t
=Math.max(t,r*n))},updateSlide:(e,r,n,l)=>{const{slidesPerGr
oup:o,spaceBetween:d}=i.params,{rows:c,fill:p}=i.params.gri
d;let u,h,m;if("row"===p\&\&o>1){const
s=Math.floor(e/(o*c)),a=e-
c*o*s,i=0===s?o:Math.min(Math.ceil((n-
s*c*o)/c),o);m=Math.floor(a/i),h=a-
m*i+s*o,u=h+m*t/c,r.css({"-webkit-
order":u,order:u})}else"column"===p?(h=Math.floor(e/c),m=
```

```
e-h*c,(h>a||h===a\&\&m===c-
1)&&(m+=1,m>=c&&(m=0,h+=1))):(m=Math.floor(e/s),h=e-
m*s);r.css(l("margin-
top"),0!==m?d\&\&`${d}px`:"")},updateWrapperSize:(e,s,a)=>{c}
onst{spaceBetween:r,centeredSlides:n,roundLengths:l}=i.par
ams,{rows:o}=i.params.grid;if(i.virtualSize=(e+r)*t,i.virtualSiz
e=Math.ceil(i.virtualSize/o)-
r,i.$wrapperEl.css({[a("width")]:`${i.virtualSize+r}px`}),n){s.spl
ice(0,s.length);const e=[];for(let t=0;t<s.length;t+=1){let</pre>
a=s[t];l\&\&(a=Math.floor(a)),s[t]<i.virtualSize+s[0]\&\&e.push(a)
)}s.push(...e)}}}},function(e){let{swiper:t}=e;Object.assign(t,{a
ppendSlide:K.bind(t),prependSlide:Z.bind(t),addSlide:Q.bind(t
),removeSlide:J.bind(t),removeAllSlides:ee.bind(t)})},function
(e){let{swiper:t,extendParams:s,on:a}=e;s({fadeEffect:{crossF
ade:!1,transformEl:null}}),te({effect:"fade",swiper:t,on:a,setT
ranslate:()=>{const{slides:e}=t,s=t.params.fadeEffect;for(let
a=0;a<e.length;a+=1){const e=t.slides.eq(a);let i=-
e[0].swiperSlideOffset;t.params.virtualTranslate||(i-
=t.translate);let r=0;t.isHorizontal()||(r=i,i=0);const
n=t.params.fadeEffect.crossFade?Math.max(1-
Math.abs(e[0].progress),0):1+Math.min(Math.max(e[0].progr
ess,-
1),0);se(s,e).css({opacity:n}).transform(`translate3d(${i}px,
${r}px,
Opx)`)}},setTransition:e=>{const{transformEl:s}=t.params.fade
Effect;(s?t.slides.find(s):t.slides).transition(e),ae({swiper:t,dur
ation:e,transformEl:s,allSlides:!0})},overwriteParams:()=>({sli
desPerView:1,slidesPerGroup:1,watchSlidesProgress:!0,space
Between:0,virtualTranslate:!t.params.cssMode})})},function(e
```

```
){let{swiper:t,extendParams:s,on:a}=e;s({cubeEffect:{slideSha
dows:!0,shadow:!0,shadowOffset:20,shadowScale:.94}});cons
t i=(e,t,s)=>{let a=s?e.find(".swiper-slide-shadow-
left"):e.find(".swiper-slide-shadow-top"),i=s?e.find(".swiper-
slide-shadow-right"):e.find(".swiper-slide-shadow-
bottom");0===a.length&&(a=d(`<div class="swiper-slide-
shadow-
${s?"left":"top"}"></div>`),e.append(a)),0===i.length&&(i=d(`
<div class="swiper-slide-shadow-
${s?"right":"bottom"}"></div>`),e.append(i)),a.length&&(a[0]
.style.opacity=Math.max(-
t,0)),i.length&&(i[0].style.opacity=Math.max(t,0))};te({effect:
"cube",swiper:t,on:a,setTranslate:()=>{const{$el:e,$wrapperE
l:s,slides:a,width:r,height:n,rtlTranslate:l,size:o,browser:c}=t,
p=t.params.cubeEffect,u=t.isHorizontal(),h=t.virtual&&t.para
ms.virtual.enabled;let
m,f=0;p.shadow&&(u?(m=s.find(".swiper-cube-
shadow"),0===m.length&&(m=d('<div class="swiper-cube-
shadow"></div>'),s.append(m)),m.css({height:`${r}px`})):(m=
e.find(".swiper-cube-shadow"),0===m.length&&(m=d('<div
class="swiper-cube-shadow"></div>'),e.append(m))));for(let
e=0;e<a.length;e+=1){const t=a.eq(e);let
s=e;h&&(s=parseInt(t.attr("data-swiper-slide-index"),10));let
r=90*s,n=Math.floor(r/360);l&&(r=-r,n=Math.floor(-
r/360));const d=Math.max(Math.min(t[0].progress,1),-1);let
c=0,m=0,g=0;s%4==0?(c=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(c=0,g=4*-n*o,g=0):(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4==0?(s-1)%4=0?(s-1)%4=0?(s-1)%4=0?(s-1)%4=0?(s-1)%4=0?(s-1)%4=0?(s-1)%4=0?(s-1)%4=0?(s-1)%4=0?(s-1)%4=0?(s-1)%4=0?(s-1)%4=0?(s-1)%4=0?(s-1)%4=0?(s-1)%4=0?(s-1)%4=0?(s-1)%4=0?(s-1)%4=0?(s-1)%4=0?(s-1)%4=0?
n*o:(s-2)%4==0?(c=o+4*n*o,g=o):(s-3)%4==0&&(c=-
o,g=3*o+4*o*n),l&&(c=-c),u||(m=c,c=0);const
v=\text{rotateX}(\$\{u?0:-r\}\deg) \text{ rotateY}(\$\{u?r:0\}\deg)
```

```
translate3d(\{c\}px, \{m\}px, \{g\}px)';d<=1&&d>-
1&&(f=90*s+90*d,I&&(f=90*-s-
90*d)),t.transform(v),p.slideShadows&&i(t,d,u)}if(s.css({"-
webkit-transform-origin": `50% 50% -${o/2}px`,"transform-
origin": 50% 50% -
${o/2}px`}),p.shadow)if(u)m.transform(`translate3d(0px,
${r/2+p.shadowOffset}px, ${-r/2}px) rotateX(90deg)
rotateZ(Odeg) scale(${p.shadowScale})`);else{const
e=Math.abs(f)-90*Math.floor(Math.abs(f)/90),t=1.5-
(Math.sin(2*e*Math.PI/360)/2+Math.cos(2*e*Math.PI/360)/
2),s=p.shadowScale,a=p.shadowScale/t,i=p.shadowOffset;m.t
ransform(\scale3d(\$\{s\}, 1, \$\{a\})\) translate3d(0px, \$\{n/2+i\}px,
${-n/2/a}px) rotateX(-90deg)`)}const
g=c.isSafari||c.isWebView?-
o/2:0;s.transform(`translate3d(0px,0,${g}px)
rotateX(${t.isHorizontal()?0:f}deg) rotateY(${t.isHorizontal()?-
f:0}deg)`),s[0].style.setProperty("--swiper-cube-translate-
z",`${g}px`)},setTransition:e=>{const{$el:s,slides:a}=t;a.transit
ion(e).find(".swiper-slide-shadow-top, .swiper-slide-shadow-
right, .swiper-slide-shadow-bottom, .swiper-slide-shadow-
left").transition(e),t.params.cubeEffect.shadow&&!t.isHorizo
ntal()&&s.find(".swiper-cube-
shadow").transition(e)},recreateShadows:()=>{const
e=t.isHorizontal();t.slides.each((t=>{const
s=Math.max(Math.min(t.progress,1),-
1);i(d(t),s,e)}))},getEffectParams:()=>t.params.cubeEffect,pers
pective:()=>!0,overwriteParams:()=>({slidesPerView:1,slidesP
erGroup:1,watchSlidesProgress:!0,resistanceRatio:0,spaceBet
ween:0,centeredSlides:!1,virtualTranslate:!0})})},function(e){l
```

```
et{swiper:t,extendParams:s,on:a}=e;s({flipEffect:{slideShado
ws:!0,limitRotation:!0,transformEl:null}});const i=(e,s,a)=>{let
i=t.isHorizontal()?e.find(".swiper-slide-shadow-
left"):e.find(".swiper-slide-shadow-
top"),r=t.isHorizontal()?e.find(".swiper-slide-shadow-
right"):e.find(".swiper-slide-shadow-
bottom");0===i.length&&(i=ie(a,e,t.isHorizontal()?"left":"top
")),0===r.length&&(r=ie(a,e,t.isHorizontal()?"right":"bottom"
)),i.length&&(i[0].style.opacity=Math.max(-
s,0)),r.length&&(r[0].style.opacity=Math.max(s,0))};te({effect
:"flip",swiper:t,on:a,setTranslate:()=>{const{slides:e,rtlTransla
te:s}=t,a=t.params.flipEffect;for(let
r=0;r<e.length;r+=1){const n=e.eq(r);let
l=n[0].progress;t.params.flipEffect.limitRotation&&(l=Math.
max(Math.min(n[0].progress,1),-1));const
o=n[0].swiperSlideOffset;let d=-
180*l,c=0,p=t.params.cssMode?-o-t.translate:-
o_u=0;t.isHorizontal()?s\&\&(d=-d):(u=p,p=0,c=-
d,d=0),n[0].style.zIndex=-
Math.abs(Math.round(I))+e.length,a.slideShadows&&i(n,I,a);
const h=`translate3d(${p}px, ${u}px, 0px) rotateX(${c}deg)
rotateY(${d}deg)`;se(a,n).transform(h)}},setTransition:e=>{co
nst{transformEl:s}=t.params.flipEffect;(s?t.slides.find(s):t.slid
es).transition(e).find(".swiper-slide-shadow-top, .swiper-
slide-shadow-right, .swiper-slide-shadow-bottom, .swiper-
slide-shadow-
left").transition(e),ae({swiper:t,duration:e,transformEl:s})},re
createShadows:()=>{const
e=t.params.flipEffect;t.slides.each((s=>{const a=d(s);let
```

```
r=a[0].progress;t.params.flipEffect.limitRotation&&(r=Math.
max(Math.min(s.progress,1),-
1)),i(a,r,e)}))},getEffectParams:()=>t.params.flipEffect,perspec
tive:()=>!0,overwriteParams:()=>({slidesPerView:1,slidesPerG
roup:1,watchSlidesProgress:!0,spaceBetween:0,virtualTransl
ate:!t.params.cssMode})))),function(e){let{swiper:t,extendPa
rams:s,on:a}=e;s({coverflowEffect:{rotate:50,stretch:0,depth:
100, scale: 1, modifier: 1, slide Shadows: !0, transform El: null }}), te(
{effect:"coverflow",swiper:t,on:a,setTranslate:()=>{const{wid
th:e,height:s,slides:a,slidesSizesGrid:i}=t,r=t.params.coverflo
wEffect,n=t.isHorizontal(),l=t.translate,o=n?e/2-l:s/2-
I,d=n?r.rotate:-r.rotate,c=r.depth;for(let
e=0,t=a.length;e<t;e+=1){const t=a.eq(e),s=i[e],l=(o-a)}
t[0].swiperSlideOffset-s/2)/s,p="function"==typeof
r.modifier?r.modifier(I):I*r.modifier;let
u=n?d*p:0,h=n?0:d*p,m=-
c*Math.abs(p),f=r.stretch;"string"==typeof f&&-
1!==f.indexOf("%")&&(f=parseFloat(r.stretch)/100*s);let
g=n?0:f*p,v=n?f*p:0,w=1-(1-
r.scale)*Math.abs(p);Math.abs(v)<.001&&(v=0),Math.abs(g)<
.001\&\&(g=0), Math.abs(m)<.001\&\&(m=0), Math.abs(u)<.001\&
&(u=0),Math.abs(h)<.001&&(h=0),Math.abs(w)<.001&&(w=0
);const b=translate3d(\{v\}px,\{g\}px,\{m\}px)
rotateX(${h}deg) rotateY(${u}deg)
scale(${w})`;if(se(r,t).transform(b),t[0].style.zIndex=1-
Math.abs(Math.round(p)),r.slideShadows){let
e=n?t.find(".swiper-slide-shadow-left"):t.find(".swiper-slide-
shadow-top"),s=n?t.find(".swiper-slide-shadow-
right"):t.find(".swiper-slide-shadow-
```

```
bottom");0===e.length\&\&(e=ie(r,t,n?"left":"top")),0===s.leng
th&&(s=ie(r,t,n?"right":"bottom")),e.length&&(e[0].style.opa
city=p>0?p:0),s.length&&(s[0].style.opacity=-p>0?-
p:0)}}},setTransition:e=>{const{transformEl:s}=t.params.cover
flowEffect;(s?t.slides.find(s):t.slides).transition(e).find(".swip
er-slide-shadow-top, .swiper-slide-shadow-right, .swiper-
slide-shadow-bottom, .swiper-slide-shadow-
left").transition(e)},perspective:()=>!0,overwriteParams:()=>({
watchSlidesProgress: !0})})},function(e){let{swiper:t,extendPa
rams:s,on:a}=e;s({creativeEffect:{transformEl:null,limitProgre
ss:1,shadowPerProgress:!1,progressMultiplier:1,perspective:!
0,prev:{translate:[0,0,0],rotate:[0,0,0],opacity:1,scale:1},next:
{translate:[0,0,0],rotate:[0,0,0],opacity:1,scale:1}}});const
i=e=>"string"==typeof
e?e:`${e}px`;te({effect:"creative",swiper:t,on:a,setTranslate:()
=>{const{slides:e,$wrapperEl:s,slidesSizesGrid:a}=t,r=t.param
s.creativeEffect,{progressMultiplier:n}=r,l=t.params.centered
Slides; if (I) \{const e=a[0]/2-a[0]/2-a[0]\}
t.params.slidesOffsetBefore | | 0;s.transform(`translateX(calc(
50% - ${e}px))`)}for(let s=0;s<e.length;s+=1){const
a=e.eq(s),o=a[0].progress,d=Math.min(Math.max(a[0].progre
ss,-r.limitProgress),r.limitProgress);let
c=d;|||(c=Math.min(Math.max(a[0].originalProgress,-
r.limitProgress),r.limitProgress));const
p=a[0].swiperSlideOffset,u=[t.params.cssMode?-p-
t.translate:-p,0,0],h=[0,0,0];let
m=!1;t.isHorizontal()||(u[1]=u[0],u[0]=0);let
f={translate:[0,0,0],rotate:[0,0,0],scale:1,opacity:1};d<0?(f=r.
next,m=!0:d>0&&(f=r.prev,m=!0),u.forEach(((e,t)=>{u[t]=`cal})
```

```
c(\{e\}px + (\{i(f.translate[t])\} *
{\mathcal H}_{n}(((e,t)=>{h[t]=f.rotate[t]*Mat})
h.abs(d*n)})),a[0].style.zIndex=-
Math.abs(Math.round(o))+e.length;const g=u.join(",
"),v=rotateX(\{h[0]\}deg) rotateY(\{h[1]\}deg)
rotateZ(${h[2]}deg)`,w=c<0?`scale(${1+(1-
f.scale)*c*n})`:`scale(\{1-(1-f.scale)*c*n\})`,b=c<0?1+(1-
f.opacity)*c*n:1-(1-f.opacity)*c*n,x=`translate3d(${g}) ${v}
${w}`;if(m&&f.shadow||!m){let e=a.children(".swiper-slide-
shadow");if(0===e.length&&f.shadow&&(e=ie(r,a)),e.length){
const
t=r.shadowPerProgress?d*(1/r.limitProgress):d;e[0].style.opa
city=Math.min(Math.max(Math.abs(t),0),1)}}const
y=se(r,a);y.transform(x).css({opacity:b}),f.origin&&y.css("tran
sform-
origin",f.origin)}},setTransition:e=>{const{transformEl:s}=t.pa
rams.creativeEffect;(s?t.slides.find(s):t.slides).transition(e).fin
d(".swiper-slide-
shadow").transition(e),ae({swiper:t,duration:e,transformEl:s,
allSlides:!0})},perspective:()=>t.params.creativeEffect.perspe
ctive,overwriteParams:()=>({watchSlidesProgress:!0,virtualTr
anslate:!t.params.cssMode})})},function(e){let{swiper:t,exten
dParams:s,on:a}=e;s({cardsEffect:{slideShadows:!0,transform
El:null,rotate:!0}}),te({effect:"cards",swiper:t,on:a,setTranslat
e:()=>{const{slides:e,activeIndex:s}=t,a=t.params.cardsEffect,
{startTranslate:i,isTouched:r}=t.touchEventsData,n=t.translat
e;for(let l=0;l<e.length;l+=1){const
o=e.eq(l),d=o[0].progress,c=Math.min(Math.max(d,-4),4);let
p=o[0].swiperSlideOffset;t.params.centeredSlides&&!t.para
```

```
ms.cssMode&&t.$wrapperEl.transform(`translateX(${t.minTr
anslate()}px)`),t.params.centeredSlides&&t.params.cssMode
&&(p-=e[0].swiperSlideOffset);let u=t.params.cssMode?-p-
t.translate:-p,h=0;const m=-100*Math.abs(c);let f=1,g=-
2*c,v=8-.75*Math.abs(c);const
w=t.virtual&&t.params.virtual.enabled?t.virtual.from+l:l,b=(
w===s \mid |w===s-
1)&&c>0&&c<1&&(r||t.params.cssMode)&&n<i,x=(w===s||
w = = s + 1) \& c < 0 \& c > -
1\&\&(r||t.params.cssMode)\&\&n>i;if(b||x){const e=(1-
Math.abs((Math.abs(c)-.5)/.5))**.5;g+=-28*c*e,f+=-
.5*e,v+=96*e,h=-
25*e*Math.abs(c)+"%"}if(u=c<0?`calc(${u}px +
(${v*Math.abs(c)}%))`:c>0?`calc(${u}px + (-
${v*Math.abs(c)}%))`:`${u}px`,!t.isHorizontal()){const
e=h;h=u,u=e\}const\ y=c<0?""+(1+(1-f)*c):""+(1-(1-f)*c),E=`\n
translate3d(\{u\}, \{h\}, \{m\}px)\n
rotateZ(${a.rotate?g:0}deg)\n
                               scale(${v})\n
`;if(a.slideShadows){let e=o.find(".swiper-slide-
shadow");0===e.length\&\&(e=ie(a,o)),e.length\&\&(e[0].style.o
pacity=Math.min(Math.max((Math.abs(c)-
.5)/.5,0),1))}o[0].style.zIndex=-
Math.abs(Math.round(d))+e.length;se(a,o).transform(E)}},set
Transition:e=>{const{transformEl:s}=t.params.cardsEffect;(s?t
.slides.find(s):t.slides).transition(e).find(".swiper-slide-
shadow").transition(e),ae({swiper:t,duration:e,transformEl:s}
)},perspective:()=>!0,overwriteParams:()=>({watchSlidesProgr
ess:!0,virtualTranslate:!t.params.cssMode})})}];return
V.use(re),V}));
```