EMERGING METHODS FOR EARLY DETECTION OF FOREST FIRE

PROBLEM STATEMENT:

The most common hazard in forests is forests fire. Forests fires are as old as the forests themselves. They pose a threat not only to the forest wealth but also to the entire regime to fauna and flora seriously disturbing the bio-diversity and the ecology and environment of a region. During summer, when there is no rain for months, the forests become littered with dry senescent leaves and twinges, which could burst into flames ignited by the slightest spark. The Himalayan forests, particularly, Garhwal Himalayas have been burning regularly during the last few summers, with colossal loss of vegetation cover of that region.

Forest fires are increased due to deforestation and global warming. Many trees and animals in the forest are affected by forest fires. Technology can be efficiently utilized to solve this problem. Forest fire detection is inevitable for forest fire management.

EFFECT OF FOREST FIRE

Fires are a major cause of forest degradation and have wide ranging adverse ecological, economic and social impacts, including:

- loss of valuable timber resources
- degradation of catchment areas
- loss of biodiversity and extinction of plants and animals
- loss of wildlife habitat and depletion of wildlife
- loss of natural regeneration and reduction in forest cover
- loss of carbon sink resource and increase in percentage of CO2 in atmosphere
- change in the microclimate of the area with unhealthy living conditions
- soil erosion affecting productivity of soils and production
- ozone layer depletion
- health problems leading to diseases

CAUSES OF FOREST FIRE

Forest fires are caused by Natural causes as well as Man made causes.

- Natural causes- Many forest fires start from natural causes such as lightning which set trees on fire. However, rain extinguishes such fires without causing much damage. High atmospheric temperatures and dryness (low humidity) offer favorable circumstance for a fire to start.
- Man made causes- Fire is caused when a source of fire like naked flame, cigarette or bidi, electric spark or any source of ignition comes into contact with inflammable material.

Traditionally Indian forests have been affected by fires. Themenace has been aggravated with rising human and cattle population and the consequent increase in demand for Forest products by individuals and communities. Causes of forest fires can be divided into two broad categories: environmental (which are beyond control) and human related (which are controllable).

Environmental causes are largely related to climatic conditions such as temperature, wind speed and direction, level of moisture in soil and atmosphere and duration of dry spells. Other natural causes are the friction of bamboos swaying due to high wind velocity and rolling stones that result in sparks setting off fires in highly inflammable leaf litter on the forest floor.

Vulnerability:

The youngest mountain ranges of Himalayas are the most vulnerable stretches of the world susceptible to forest fires. The forests of Western are more frequently vulnerable to forest fires as compared to those in Eastern Himalayas. This is because forests of Eastern Himalayas grow in high rain density. With large scale expansion of chirr (Pine) forests in many areas of the Himalayas the frequency and intensity of forest fires has increased.