Project Report

Project Name: SMART SOLUTIONS FOR RAILWAYS

Team ID: **PNT2022TMID37262**

Team: M Gokul- TEAM LEAD

M Kasinathan

S Bhuvaneshwar

B Lakshmana shankar

1. INTRODUCTION

1.1 Project Overview

As trains are one of the most preferred modes of transportation among middle class and impoverished people as it attracts for its amenities. Simultaneously there is an increase at risk from thefts and accidents like chain snatching, derailment, fire accident. In order to avoid or in better words to stop all such brutality we came up with a solution by providing an application which can be accessed by the user after booking their tickets. With a single click this app addresses issues by sending a text message to TC and RPF as an alert. In our project we use Node-Red service, app-development, IBM cloud platform to store passenger data. **1.2 Purpose**

The purpose of this project is to report and get relived from the issues related to trains.

2. LITERATURE SURVEY

2.1 Existing problem

- A Web page is designed for the public where they can book tickets by seeing the available seats.
- After booking the train, the person will get a QR code which has to be shown to the Ticket Collector while boarding the train.
- The ticket collectors can scan the QR code to identify the personal details.
- A GPS module is present in the train to track it. The live status of the journey is updated in the Web app continuously
- All the booking details of the customers will be stored in the database with a unique ID and they can be retrieved back when the Ticket Collector scans the QR Code.

2.2 References


S.N	O TITLE	AUTHOR	YEAR	KEY TECHNOLOGY
1	Main geotechnical problems of railways and roads in kriolitozone and their solutions.	Kondratiev, Valentin G	2017	Main problems in railways
2	Construction and Building Materials	Sañudo, Roberto, Marina Miranda, Carlos García, and David García- Sanchez	2019	Drainage in railways
3	Problems of Indian Railways	Benjamin	2021	Common problems in Indian railways
4	A comparative study of Indian and worldwide railways.	Sharma, Sunil Kumar, and Anil Kumar	2014	Study of Indian railways
5	Ticketing solutions for Indian railways using RFID technology	Prasanth, Venugopal, and K.P. Soman	2009	Solution for ticketing using RFID

2.3 Problem Statement Definition


Smart Solutions for railways are designed to reduce the work load of the user and the use of paper.

3. IDEATION & PROPOSED SOLUTION

3.1 Empathy Map Canvas



3.2 Ideation & Brainstorming




3.3 Proposed Solution

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	Problems in the railways like robbery, fire accidents etc
2.	Idea / Solution description	Developing an app for the passengers.
3.	Novelty / Uniqueness	The passengers can send an alert to the respective officials during the travel time through the app when they are in trouble so that they can easily solve it.
4.	Social Impact / Customer Satisfaction	Usage of this app can be a great relief to the passengers, so that they can travel without any fear.
5.	Business Model (Revenue Model)	5000

	6.	Scalability of the Solution	This solution will be useful for passengers while travelling. They can use the app between the time of their travel. The users will fell more secured, in-case of an emergency by simply clicking on a button the alert signal will be sent to the respective officials and the corresponding
l measures will he taken			to the respective officials and the corresponding measures will be taken.

3.4 Problem Solution fit



4. **REQUIREMENT ANALYSIS**

4.1 Functional requirement


FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Online Registration through Gmail
FR-2	User Confirmation	Confirmation via Email Confirmation via OTP
FR-3	Application installation	The application is installed through the given link
FR-4	User access	Access the app requirements

4.2 Non-Functional requirement

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	 The app can be used during the travelling time Easy and simple Efficiency is high
NFR-2	Security	By clicking on the icon, the alert will be given to the respective officials
NFR-3	Reliability	Highly reliable to use
NFR-4	Performance	Low error rate
NFR-5	Availability	Free source
NFR-6	Scalability	It is scalable enough to support many users at the same time

5. PROJECT DESIGN

5.1 Data Flow Diagrams



5.2 Solution Architecture

As trains are one of the most preferred modes of transportation among middle class and impoverished people as it attracts for its amenities. Simultaneously there is an increase at risk from thefts and accidents like chain-snatching, derailment, fire accident. In order to avoid or in better words to stop all such brutality we came up with a solution by providing an application which can be accessed by the user after booking their tickets. With a single click this app addresses issues by sending a text message to TC and RPF as an alert. In our project we use Node-Red service, app-development, IBM cloud platform to store passenger data.

5.3 User Stories


User Type	Functional Requirement (Epic)	User Story Num ber	User Story / Task	Acceptance criteria	Priority	Release
PASSENGER (Mobile user)	Booking registrat ion	USN-1	As a passenger, I book the ticket for the journey by entering my personal information.	I can access the web link to install the application.	High	Sprint-1
	Confirmation	USN-2	As a passenger, I will receive confirmation of the booking once I have	I can receive confirmation email & click confirm.	High	Sprint-1

		registered for the application			
Applicat ion registrat ion	USN-3	As a passenger, I can register for the application through the weblink.	I can register & access the application through google login.	Low	Sprint-2
Application access	USN-4	As a passenger, I can access the application during my travel for resolving my issues.		Medium	Sprint-1

6. PROJECT PLANNING & SCHEDULING


6.1 Sprint Planning & Estimation

STEP 1	Identify the problem
STEP 2	Prepare an abstract, problem statement
STEP 3	List required objects needed
STEP 4	Create a code and run it
STEP 5	Make a prototype




6.2 Reports from JIRA


SPRINT 1




SPRINT 2



SPRINT 3



SPRINT 4



7. CODING & SOLUTIONING

7.1 Feature 1

- IoT device
- IBM Watson Platform
- Node red
- Cloudant DB
- Web UI
- MIT App Inventor
- Python code


7.2 Feature 2

- Login
- Verification
- Ticket Booking
- Adding rating


8. TESTING AND RESULTS

8.1 Test Cases


Test case 1




Test case 2



Test case 3



Test case 4



9. ADVANTAGES

- The passengers can use this application, while they are travelling alone to ensure their safety.
- It is easy to use.
- It has minimized error rate.

10. DISADVANTAGES

☐ Network issues may arise.

11. CONCLUSION

Almost all the countries across the globe strive to meet the demand for safe, fast, and reliable rail services. Lack of operational efficiency and reliability, safety, and security issues, besides aging railway systems and practices are haunting various countries to bring about a change in their existing rail infrastructure. The global rail industry struggles to meet the increasing demand for freight and passenger transportation due to lack of optimized use of rail network and inefficient use of rail assets. Often, they suffer from the lack in smart technologies and latest technological updates to provide the most efficient passenger services. This is expected to induce rail executives to build rail systems that are smarter and more efficient. The passenger reservation system of Indian Railways is one of the world's largest reservation models. Daily about one million passengers travel in reserved accommodation with Indian Railways. Another sixteen million travel with unreserved tickets in Indian Railways. In this vast system, it is a herculean task to efficiently handle the passenger data, which is a key point of consideration now-a-days. But the implementation of the latest technological updates in this system gradually turns inevitable due to increasing demand for providing the most efficient passenger services. Handling the passenger data efficiently backed by intelligent processing and timely retrieval would help backing up the security breaches. Here we've explored different issues of implementing smart computing in railway systems pertaining to reservation models besides pointing out some future scopes of advancement. Most significant improvements have been evidenced by more informative and userfriendly websites, mobile applications for real-time information about vehicles in motion, and eticket purchases and timetable information implemented at stations and stops. With the rise of Industry, railway companies can now ensure that they are prepared to avoid the surprise of equipment downtime. Like above mentioned, the developed application of our project can lead the passenger who travel can travel safely without any fear.

12. FUTURE SCOPE

This application is ensured for safety for the passengers while they are travelling alone as well as they travel with their family or friends.

In future, this application may also be used by passengers who travel through bus. By further enhancement of the application the passengers can explore more features regarding their safety.

13. APPENDIX

13.1 **Source Code**

sticky="e") lbl text = Label(Form) lbl_text.grid(row=2, columnspan=2)

```
LOGIN
from tkinter import *
import sqlite3
root = Tk()
root.title("Python: Simple Login Application")
width = 400 height = 280 screen_width =
root.winfo_screenwidth() screen_height =
root.winfo screenheight() x =
(screen width/2) - (width/2) y =
(screen height/2) - (height/2)
root.geometry("%dx%d+%d+%d" % (width, height, x, y)) root.resizable(0,
0)
_____
USERNAME = StringVar()
PASSWORD = StringVar()
===========
Top = Frame(root, bd=2, relief=RIDGE)
Top.pack(side=TOP, fill=X)
Form = Frame(root, height=200)
Form.pack(side=TOP, pady=20)
#=====================LABELS=================================
lbl_title = Label(Top, text = "Python: Simple Login Application", font=('arial', 15))
lbl_title.pack(fill=X)
lbl_username = Label(Form,
                          text = "Username:",
                                               font=('arial', 14),
                                                               bd = 15)
lbl username.grid(row=0, sticky="e")
```

lbl password = Label(Form, text = "Password:", font=('arial', 14), bd=15) lbl password.grid(row=1,

```
username = Entry(Form, textvariable=USERNAME, font=(14)) username.grid(row=0,
column=1)
                                                     show="*",
password
               Entry(Form,
                            textvariable=PASSWORD,
                                                                 font=(14)
password.grid(row=1, column=1)
======= def
Database():
  global conn, cursor
             sqlite3.connect("pythontut.db")
 conn
cursor = conn.cursor()
  cursor.execute("CREATE TABLE IF NOT EXISTS `member` (mem_id INTEGER NOT
NULL PRIMARY KEY
                       AUTOINCREMENT, username TEXT, password TEXT)")
cursor.execute("SELECT * FROM `member` WHERE `username` = 'admin' AND
`password` = 'admin'")
                      if
cursor.fetchone() is None:
   cursor.execute("INSERT INTO `member` (username, password) VALUES('admin',
              conn.commit() def Login(event=None):
'admin')")
Database()
                 if USERNAME.get() == "" or
PASSWORD.get() == "":
   lbl_text.config(text="Please complete the required field!", fg="red")
else:
   cursor.execute("SELECT * FROM `member` WHERE `username` = ? AND `password`
= ?", (USERNAME.get(), PASSWORD.get()))
if cursor.fetchone() is not None:
     HomeWindow()
     USERNAME.set("")
PASSWORD.set("")
lbl_text.config(text="")
                      else:
     lbl text.config(text="Invalid username or password", fg="red")
     USERNAME.set("")
PASSWORD.set("")
 cursor.close()
 conn.close()
```

```
WIDGETS====
btn login
                    Button(Form,
                                      text="Login",
                                                        width=45,
                                                                      command=Login)
btn_login.grid(pady=25, row=3, columnspan=2)
btn_login.bind('<Return>', Login)
def HomeWindow():
global
              Home
root.withdraw()
Home = Toplevel()
  Home.title("Python: Simple Login Application")
width = 600 height = 500
                            screen_width =
root.winfo_screenwidth()
                          screen_height =
root.winfo_screenheight()
                          x = (screen_width/2)
- (width/2) y = (screen\_height/2) - (height/2)
  root.resizable(0, 0)
  Home.geometry("%dx%d+%d+%d" % (width, height, x, y))
  lbl_home = Label(Home, text="Successfully Login!", font=('times new roman',
20)).pack()
  btn_back = Button(Home, text='Back', command=Back).pack(pady=20, fill=X)
def Back():
Home.destroy()
root.deiconify()
REGISTRATION
from tkinter import* base
                     Tk()
base.geometry("500x500")
base.title("registration
form")
labl 0
                              text="Registration
                                                   form", width=20, font=("bold",
               Label(base,
                                                                                    20))
labl_0.place(x=90,y=53)
lb1= Label(base, text="Enter Name", width=10, font=("arial",12))
lb1.place(x=20, y=120) en1= Entry(base)
en1.place(x=200, y=120)
```

```
lb3= Label(base, text="Enter Email", width=10, font=("arial",12))
lb3.place(x=19, y=160) en3= Entry(base)
en3.place(x=200, y=160)
lb4= Label(base, text="Contact Number", width=13,font=("arial",12))
lb4.place(x=19, y=200) en4= Entry(base)
en4.place(x=200, y=200)
lb5= Label(base, text="Select Gender", width=15, font=("arial",12))
lb5.place(x=5, y=240) var = IntVar()
Radiobutton(base, text="Male", padx=5,variable=var, value=1).place(x=180, y=240)
Radiobutton(base, text="Female", padx =10,variable=var, value=2).place(x=240,y=240)
Radiobutton(base, text="others", padx=15, variable=var, value=3).place(x=310,y=240)
list of cntry = ("United States", "India", "Nepal", "Germany") cv
= StringVar()
drplist= OptionMenu(base, cv, *list_of_cntry)
drplist.config(width=15) cv.set("United
States")
lb2= Label(base, text="Select Country", width=13,font=("arial",12)) lb2.place(x=14,y=280)
drplist.place(x=200, y=275)
lb6= Label(base, text="Enter Password", width=13,font=("arial",12))
lb6.place(x=19,
                  y=320)
                                 en6=
                                         Entry(base,
                                                        show='*')
en6.place(x=200, y=320)
lb7= Label(base, text="Re-Enter Password", width=15,font=("arial",12))
lb7.place(x=21, y=360) en7 =Entry(base, show='*') en7.place(x=200,
y = 360)
Button(base, text="Register", width=10).place(x=200,y=400) base.mainloop()
START AND DESTINATION
# import module import
requests
from bs4 import BeautifulSoup
# user define function
# Scrape the data def
getdata(url):
                 r =
```

```
requests.get(url)
return r.text
# input by geek from_Station_code
= "GAYA"
from_Station_name = "GAYA"
To_station_code = "PNBE"
To station name = "PATNA"
# url
                                         "https://www.railyatri.in/booking/trains-between-
url
stations?from_code="+from_Station_code+"&from_name="+from_Station_name+"+JN+&j
ourney_date=+Wed&src=tbs&to_code=" + \
  To_station_code+"&to_name="+To_station_name + \
  "+JN+&user id=-
1603228437&user token=355740&utm source=dwebsearch tbs search trains"
# pass the url # into
getdata function
htmldata = getdata(url)
soup = BeautifulSoup(htmldata, 'html.parser')
# find the Html tag
# with find() # and convert into string data_str = "" for item in
soup.find_all("div", class_="col-xs-12 TrainSearchSection"):
                                                            data_str
= data_str + item.get_text() result = data_str.split("\n")
print("Train between "+from_Station_name+" and "+To_station_name) print("")
# Display the result
for item in result:
if item != "":
print(item)
TICKET BOOKING
print("\n\nTicket Booking System\n")
restart = ('Y')
while restart != ('N','NO','n','no'):
print("1.Check PNR status")
print("2.Ticket Reservation")
```

```
option = int(input("\nEnter your option : "))
if option == 1:
                   print("Your
PNR status is t3")
 exit(0)
elif option == 2: people = int(input("\nEnter no. of
Ticket you want : ")) name_l = [] age_l = [] sex_l = []
[] for p in range(people): name = str(input("\nName :
")) name_l.append(name) age = int(input("\nAge :
")) age_l.append(age)
 sex
        =
              str(input("\nMale
                                        Female
                                                        "))
                                   or
sex_l.append(sex)
 restart = str(input("\nDid you forgot someone? y/n: "))
if restart in ('y', 'YES', 'yes', 'Yes'): restart = ('Y') else:
x = 0 print("\nTotal Ticket: ",people) for p in
range(1,people+1): print("Ticket: ",p)
print("Name : ", name_l[x]) print("Age : ", age_l[x])
print("Sex : ", sex_l[x])  x += 1
SEATS BOOKING def
berth_type(s):
                        if s \% 8 ==
  if s>0 and s<73:
1 or s \% 8 == 4:
                        print (s), "is
lower berth"
                  elif s \% 8 == 2 or
s % 8 == 5:
                   print (s), "is
middle berth"
                   elif s \% 8 == 3 or
s % 8 == 6:
                   print (s), "is
upper berth"
                  elif s \% 8 == 7:
print (s), "is side lower berth"
else:
       print (s), "is side upper berth"
else:
    print (s), "invalid seat number"
# Driver code s
= 10
berth type(s) # fxn call for berth type
s = 7
```

```
berth_type(s) # fxn call for berth type
s = 0
                # fxn call for berth type CONFIRMATION
berth_type(s)
# import module import
requests from bs4 import
BeautifulSoup import pandas
as pd
# user define function
# Scrape the data def
getdata(url):
               r
requests.get(url)
return r.text
# input by geek
train_name = "03391-rajgir-new-delhi-clone-special-rgd-to-ndls"
# url
url = "https://www.railyatri.in/live-train-status/"+train_name
# pass the url # into
getdata function
htmldata = getdata(url)
soup = BeautifulSoup(htmldata, 'html.parser')
# traverse the live status from # this Html code data = [] for
item in soup.find_all('script', type="application/ld+json"):
data.append(item.get_text())
# convert into dataframe
df = pd.read_json(data[2])
# display this column of #
dataframe
print(df["mainEntity"][0]['name'])
print(df["mainEntity"][0]['acceptedAnswer']['text'])
```

TICKET GENERATION

class Ticket: counter=0

```
def
                                          __init__(self,passenger_name,source,destination):
self.__passenger_name=passenger_name
    self. source=source
self.__destination=destination
self.Counter=Ticket.counter
Ticket.counter+=1
                     def
validate_source_destination(self):
             (self. source=="Delhi"
                                                      (self. destination=="Pune"
                                            and
                                                                                         or
                                                  self. destination=="Chennai"
self. destination=="Mumbai"
                                       or
                                                                                         or
self. destination=="Kolkata")):
                                       return True
                                                        else:
       return False
  def generate_ticket(self ):
if True:
       __ticket_id=self.__source[0]+self.__destination[0]+"0"+str(self.Counter)
print( "Ticket id will be:",__ticket_id)
                                          else:
       return False
                     def
get_ticket_id(self):
                       return
self.ticket_id
               def
get_passenger_name(self):
return self.__passenger_name
def get source(self):
self. source=="Delhi":
       return
                  self. source
else:
       print("you have written invalid soure option")
return None
              def get_destination(self):
                                            if
self.__destination=="Pune":
                                   return
self. destination
self. destination=="Mumbai":
       return self. destination
                                    elif
self.__destination=="Chennai":
       return self.__destination
                                    elif
self. destination=="Kolkata":
       return self.__destination
    else:
       return None
```

```
OTP GENERATION
```

```
import
            os
import
         math
import random
import smtplib
digits = "0123456789"
OTP = ""
for i in range (6):
  OTP += digits[math.floor(random.random()*10)]
otp = OTP + " is your OTP" message
= otp
s = smtplib.SMTP('smtp.gmail.com', 587)
s.starttls()
emailid = input("Enter your email: ")
s.login("YOUR Gmail ID", "YOUR APP PASSWORD")
s.sendmail('&&&&&',emailid,message)
a = input("Enter your OTP >>: ") if
a == OTP:
  print("Verified") else:
  print("Please Check your OTP again")
OTP VERIFICATION
import
            OS
import
         math
import random
import smtplib
digits = "0123456789"
OTP = ""
for i in range (6):
  OTP += digits[math.floor(random.random()*10)]
otp = OTP + " is your OTP" message
```

s = smtplib.SMTP('smtp.gmail.com', 587)

```
s.starttls()
emailid = input("Enter your email: ")
s.login("YOUR Gmail ID", "YOUR APP PASSWORD")
s.sendmail('&&&&&',emailid,message)

a = input("Enter your OTP >>: ") if
a == OTP:
    print("Verified") else:
    print("Please Check your OTP again")
```

13.2 GitHub

GitHub link:

https://github.com/IBM-EPBL/IBM-Project-19581-1659700929