```
from google.colab import drive
drive.mount('/content/drive')

Mounted at /content/drive

from tensorflow.keras.preprocessing.image import ImageDataGenerator
train_datagen=ImageDataGenerator(rescale=1./255,shear_range=0.2,
zoom_range=0.2,horizontal_flip=True)
test_datagen=ImageDataGenerator(rescale=1./255)
```

## Image Augmentation

```
x_train = train_datagen.flow_from_directory('/content/drive/MyDrive/Flowers-Dataset/flowers',
target_size=(64,64),
class_mode='categorical',
batch_size=100)

Found 2880 images belonging to 5 classes.

x_test=test_datagen.flow_from_directory('/content/drive/MyDrive/Flowers-Dataset/flowers',
target_size=(64,64),
class_mode='categorical',
batch_size=100)

Found 2880 images belonging to 5 classes.

x_train.class_indices
{'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}

from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Convolution2D, MaxPooling2D, Dense, Flatten
from keras.callbacks import EarlyStopping, ReduceLROnPlateau
```

## Initialising And Creating Model

```
model = Sequential()
model.add(Convolution2D(32,(3,3),activation='relu',input_shape=(64,64,3)))
model.add(MaxPooling2D((2,2)))
model.add(Flatten())
model.add(Dense(300,activation='relu'))
```

```
model.add(Dense(150,activation='relu'))
model.add(Dense(5,activation='softmax'))
model.summary()
```

Model: "sequential"

Trainable params: 9,272,701 Non-trainable params: 0

Layer (type)	Output Shape	Param #
conv2d (Conv2D)	(None, 62, 62, 32)	896
<pre>max_pooling2d (MaxPooling2D )</pre>	(None, 31, 31, 32)	0
flatten (Flatten)	(None, 30752)	0
dense (Dense)	(None, 300)	9225900
dense_1 (Dense)	(None, 150)	45150
dense_2 (Dense)	(None, 5)	755

model.compile(optimizer='adam',loss='categorical\_crossentropy',metrics=['accuracy'])

```
model.fit_generator(x_train,steps_per_epoch=len(x_train), validation_data=x_test, validation_
  באסרוו אסאס
  Epoch 4/30
  Epoch 5/30
  29/29 [========== ] - 43s 1s/step - loss: 0.7300 - accuracy: 0.700
  Epoch 6/30
  Epoch 7/30
  29/29 [============== ] - 42s 1s/step - loss: 0.6712 - accuracy: 0.734
  Epoch 8/30
  29/29 [============ ] - 45s 2s/step - loss: 0.6495 - accuracy: 0.732
  Epoch 9/30
  29/29 [============= ] - 43s 2s/step - loss: 0.6430 - accuracy: 0.744
  Epoch 10/30
  29/29 [============== ] - 44s 2s/step - loss: 0.6198 - accuracy: 0.745
  Epoch 11/30
  29/29 [============ ] - 43s 1s/step - loss: 0.5869 - accuracy: 0.758
  Epoch 12/30
  Epoch 13/30
  Epoch 14/30
```

```
29/29 [============== ] - 43s 1s/step - loss: 0.5060 - accuracy: 0.801
Epoch 15/30
Epoch 16/30
Epoch 17/30
Epoch 18/30
Epoch 19/30
29/29 [=========== ] - 43s 1s/step - loss: 0.4049 - accuracy: 0.843
Epoch 20/30
29/29 [============= ] - 42s 1s/step - loss: 0.4192 - accuracy: 0.837
Epoch 21/30
Epoch 22/30
Epoch 23/30
Epoch 24/30
Epoch 25/30
29/29 [============== ] - 42s 1s/step - loss: 0.3314 - accuracy: 0.871
Epoch 26/30
29/29 [============= ] - 43s 1s/step - loss: 0.3209 - accuracy: 0.876
Epoch 27/30
Epoch 28/30
29/29 [=========== ] - 42s 1s/step - loss: 0.2578 - accuracy: 0.908
Epoch 29/30
Epoch 30/30
<keras.callbacks.History at 0x7f1d1f080e10>
```

## Save The Model

```
model.save('flowers.h5')
```

## Test the model

```
import numpy as np
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image

model=load_model('flowers.h5')
```