→ Fit and Save the Model

```
from google.colab import drive
drive.mount('/content/drive')
from keras.preprocessing.image import ImageDataGenerator
train_datagen=ImageDataGenerator(rescale=1./255,shear_range=0.2,zoom_range=0.2,horizontal_
test_datagen=ImageDataGenerator(rescale=1./255)
x_train = train_datagen.flow_from_directory('/content/Dataset/training_set',target_size=(6)
     Found 15750 images belonging to 9 classes.
x_test = test_datagen.flow_from_directory('/content/Dataset/test_set',target_size=(64,64),
     Found 2250 images belonging to 9 classes.
from keras.models import Sequential
from keras.layers import Dense
from keras.layers import Convolution2D
from keras.layers import MaxPooling2D
from keras.layers import Dropout
from keras.layers import Flatten
model = Sequential()
model.add(Convolution2D(32,(3,3),input_shape=(64,64,1), activation='relu'))
#no. of feature detectors, size of feature detector, image size, activation function
model.add(MaxPooling2D(pool_size=(2,2)))
model.add(Flatten())
model.add(Dense(units=512, activation = 'relu'))
model.add(Dense(units=9, activation = 'softmax'))
model.compile(loss='categorical_crossentropy', optimizer = 'adam', metrics = ['accuracy'])
model.fit_generator(x_train,steps_per_epoch=24,epochs=10,validation_data = x_test, validat
#steps_per_epoch = no. of train images//batch size
     /usr/local/lib/python3.7/dist-packages/ipykernel_launcher.py:1: UserWarning: `Model.f
```

```
"""Entry point for launching an IPython kernel.
Epoch 1/10
Epoch 2/10
Epoch 3/10
Epoch 4/10
Epoch 5/10
Epoch 6/10
Epoch 7/10
Epoch 8/10
Epoch 9/10
Epoch 10/10
<keras.callbacks.History at 0x7fc0ea424290>
```