

# SPRINT 3

Date	11 NOV 2022
Team ID	PNT2022TMID32139
Project Name	SKILL/JOB RECOMMENDER APPLICATION

## REGISTER PAGE:

```
<!doctype html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta http-equiv="x-ua-compatible" content="ie=edge">
  <title>Registration</title>
  <meta name="description" content="">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="shortcut icon" type="image/x-icon" href="../static/assets/img/favicon.png">
<script>
  window.watsonAssistantChatOptions = {
    integrationID: "b64ab5fc-4aca-47a6-b0ba-186bd9a84aac", // The ID of this integration.
    region: "us-south", // The region your integration is hosted in.
    serviceInstanceID: "9a7ab6c7-d948-4148-9e7e-fdc9c0f6d870", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
  };

  setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
  });
</script>

<!-- CSS here -->
  <link rel="stylesheet" href="../static/assets/css/bootstrap.min.css">
  <link rel="stylesheet" href="../static/assets/css/owl.carousel.min.css">
  <link rel="stylesheet" href="../static/assets/css/slicknav.css">
  <link rel="stylesheet" href="../static/assets/css/price_rangs.css">
  <link rel="stylesheet" href="../static/assets/css/animate.min.css">
  <link rel="stylesheet" href="../static/assets/css/magnific-popup.css">
  <link rel="stylesheet" href="../static/assets/css/fontawesome-all.min.css">
  <link rel="stylesheet" href="../static/assets/css/themify-icons.css">
  <link rel="stylesheet" href="../static/assets/css/slick.css">
  <link rel="stylesheet" href="../static/assets/css/nice-select.css">
  <link rel="stylesheet" href="../static/assets/css/style.css">
  <link rel="stylesheet" href="../static/assets/css/responsive.css">
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.3.0/font/bootstrap-
icons.css" />
```

```

<link rel="stylesheet" href="../../static/styles.css">

<script>
function loadHomePage(){
    window.location.assign("/");
}

function myFunction1(){
    document.getElementById("add_message").innerHTML =
        '<div class="addninfo">\
            <input type="radio" id="experienced" name="uworkstatus" value="experienced">\
            <label for="experienced">EXPERIENCED</label><br>\
            <input type="radio" id="fresher" name="uworkstatus" value="fresher">\
            <label for="fresher">FRESHER</label>\
            <br><br>\
            <label for="ele6" class="label">Organisation:</label>\
            <input type="text" name="uorganisation" id="ele6" class="ans">\
            <input type="hidden" id="ele7" name="urole" value="seeker" />\
            <br><br></div>';
};

function myFunction2(){
    document.getElementById("add_message").innerHTML =
        '<div class="addninfo">\
            <label for="ele6" class="label">Organisation:</label>\
            <input type="text" name="uorganisation" id="ele6" class="ans">\
            <input type="hidden" id="ele7" name="urole" value="recruiter" />\
            <br><br></div>';
};
</script>
</head>
<body>
<center>
<div class="wrapper">
    <div class="Header"><h2>REGISTER</h2></div>
    <br>
    <div class="frm">
        <form action="/register" method="post">
            <label for="ele1" class="label">Name:</label>
            <input type="text" name="uname" id="ele1" class="ans"><br><br>

            <label for="ele2" class="label">Email ID:</label>
            <input type="email" name="uemail" id="ele2" class="ans" required><br><br>

            <label for="ele3" class="label">Password:</label>
            <input type="password" name="upass" id="password" class="ans" required/>
            <i class="bi bi-eye-slash" id="togglePassword"></i><br><br>

            <label for="ele4" class="label">Mobile Number:</label>
            <input type="text" name="umobileno" id="ele4" class="ans"><br><br>

            <button type="button" onclick="myFunction1()" class="genric-btn primary-border
radius">SEEKER</button>

```

```

        <button type="button" onclick="myFunction2()" class="genric-btn primary-border
radius">RECRUITER</button>
    <br>
    <div id='add_message'></div>
    <center>
        <div class="container box_1170 border-top-generic">
            <div class="button-group-area mt-40">
                <input type="submit" value="Submit" class="genric-btn primary radius">
                <button type="button" onclick="loadHomePage();" class="genric-btn primary-border
radius">BACK TO HOME</button>
            </div>
        </div>
    </center>
    <!--<br><h2 style="width: 100%; text-align: center; border-bottom: 1px solid #050581; line-
height: 0.1em; margin: 10px 0 20px;">
        <span style="background:#fff; padding:0 10px; font-size: 15px;">or</span>
    </h2><br>
    <p align="center" style="display:flex;">
        <a href="/google">
            <br>
        </a><br>
        <a href="/linkedin">
             <br>
        </a>
    </p>-->
    </form>
</div>
</div>
</center>

</body>


<script>
    const togglePassword = document.querySelector('#togglePassword');
    const password = document.querySelector('#password');

    togglePassword.addEventListener('click', function (e) {
        // toggle the type attribute
        const type = password.getAttribute('type') === 'password' ? 'text' : 'password';
        password.setAttribute('type', type);
        // toggle the eye / eye slash icon
        this.classList.toggle('bi-eye');
    });

</script>

</html>

```



## LOGIN PAGE:

```
<!doctype html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="utf-8">
```

```
  <meta http-equiv="x-ua-compatible" content="ie=edge">
```

```
  <title>Seeker Login</title>
```

```
  <meta name="description" content="">
```

```
  <meta name="viewport" content="width=device-width, initial-
scale=1">
```

```
  <link rel="shortcut icon" type="image/x-icon"
href="../static/assets/img/favicon.png">
```

```
  <script>
```

```
    window.watsonAssistantChatOptions = {
      integrationID: "b64ab5fc-4aca-47a6-b0ba-186bd9a84aac", // The ID
of this integration.
```

```
      region: "us-south", // The region your integration is hosted in.
```

```
      serviceInstanceID: "9a7ab6c7-d948-4148-9e7e-fdc9c0f6d870", //
The ID of your service instance.
```

```
      onLoad: function(instance) { instance.render(); }
```

```

};

setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
});
</script>

<!-- CSS here -->
    <link rel="stylesheet"
href=" ../static/assets/css/bootstrap.min.css">
    <link rel="stylesheet"
href=" ../static/assets/css/owl.carousel.min.css">
    <link rel="stylesheet" href=" ../static/assets/css/slicknav.css">
    <link rel="stylesheet"
href=" ../static/assets/css/price_rangs.css">
    <link rel="stylesheet"
href=" ../static/assets/css/animate.min.css">
    <link rel="stylesheet" href=" ../static/assets/css/magnific-
popup.css">
    <link rel="stylesheet" href=" ../static/assets/css/fontawesome-
all.min.css">
    <link rel="stylesheet" href=" ../static/assets/css/themify-
icons.css">
    <link rel="stylesheet" href=" ../static/assets/css/slick.css">
    <link rel="stylesheet" href=" ../static/assets/css/nice-
select.css">
    <link rel="stylesheet" href=" ../static/assets/css/style.css">
    <link rel="stylesheet"
href=" ../static/assets/css/responsive.css">
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.3.0/font/bootstrap-icons.css" />
    <link rel="stylesheet" href=" ../static/styles.css">

```

```

<script>
    function loadHomePage(){
        window.location.assign("/");
    }
</script>
</head>
<body>
    <center>
        <div class="wrapper">
            <div class="Header"><h2>LOGIN</h2></div>
            <br>
            <div class="frm">
                <form action="/login_seeker" method="post">
                    <label for="ele2" class="label">Email ID:</label>
                    <input type="email" name="lemail" id="ele2" class="ans"
required><br><br>

                    <label for="ele3" class="label">Password:</label>
                    <input type="password" name="lpass" id="password"
class="ans" required/>
                    <i class="bi bi-eye-slash"
id="togglePassword"></i><br><br>


                </form>
            </div>
            <div class="container box_1170 border-top-generic">
                <div class="button-group-area mt-40">
                    <input type="submit" value="Submit" class="genric-
btn primary radius">
                    <button type="button" onclick="loadHomePage();"
class="genric-btn primary-border radius">BACK TO HOME</button>
                </div>
            </div>
        </div>
    </center>
</body>
</html>

```

```
</center>
</body>

<script>
  const togglePassword = document.querySelector('#togglePassword');
  const password = document.querySelector('#password');

  togglePassword.addEventListener('click', function (e) {
    // toggle the type attribute
    const type = password.getAttribute('type') === 'password' ? 'text' :
'password';
    password.setAttribute('type', type);
    // toggle the eye / eye slash icon
    this.classList.toggle('bi-eye');
  });
</script>
</html>
```



## **SUBMITTED BY :**

TEAM ID - PNT2022TMID32139  
TEAM LEADER - GAYATHRI V  
TEAM MEMBER 1 - GAYTHRI B  
TEAM MEMBER 2 – RAJESH SANMUGAM S  
TEAM MEMBER 3 – DEEPANCHAKKARAVARTHI S

**THINK POSITIVE !!!**  
**MAKE POSITIVE 😊**