

## Assignment - 4



|                     |               |
|---------------------|---------------|
| Student Name        | CHANDRU P     |
| Student Roll Number | 727819TUCS025 |

### Question 1:

Pull an image from docker hub and run it in docker playground.

03:57:32

CLOSE SESSION

Instances  


+ ADD NEW INSTANCE

192.168.0.8  
node1

cddvkasm0\_cddvkvm0qau000a07j5g

IP  
192.168.0.8 OPEN PORT

Memory  
1.24% (49.52MiB / 3.906GiB) CPU  
0.31%

SSH  
ssh ip172-18-0-22-cddvkasm0qau000a07j50@direct.labs.pla 

DELETE EDITOR

```
#####
# WARNING!!!!
# This is a sandbox environment. Using personal credentials
# is HIGHLY discouraged. Any consequences of doing so are
# completely the user's responsibilities.
#
# The PwD team.
#####
[node1] (local) root@192.168.0.8 ~
$ docker pull hello-world
Using default tag: latest
latest: Pulling from library/hello-world
2db29710123e: Pull complete
Digest: sha256:e18f0a777aefabe047a671ab3ec3eed05414477c951ab1a6f352a06974245fe7
Status: Downloaded newer image for hello-world:latest
docker.io/library/hello-world:latest
[node1] (local) root@192.168.0.8 ~
$ docker run hello-world
```

Activate Windows  
Go to Settings to activate Windows.

03:57:05

CLOSE SESSION

Instances

+ ADD NEW INSTANCE

192.168.0.8  
node1

cddvksm0\_cddvkvm0qau000a07j5g

IP  
192.168.0.8

OPEN PORT

Memory  
1.26% (50.45MiB / 3.906GiB)

CPU  
0.39%

SSH  
ssh ip172-18-0-22-cddvksm0qau000a07j50@direct.labs.pla

DELETE

EDITOR

2. The Docker daemon pulled the "hello-world" image from the Docker Hub.  
(amd64)

3. The Docker daemon created a new container from that image which runs the  
executable that produces the output you are currently reading.

4. The Docker daemon streamed that output to the Docker client, which sent it  
to your terminal.

To try something more ambitious, you can run an Ubuntu container with:  
\$ docker run -it ubuntu bash

Share images, automate workflows, and more with a free Docker ID:  
<https://hub.docker.com/>

For more examples and ideas, visit:  
<https://docs.docker.com/get-started/>

[node1] (local) root@192.168.0.8 ~  
\$

Activate Windows  
Go to Settings to activate Windows.

## Question 2:

Create a docker file for the job portal application and deploy it in Docker desktop application.

```

1 FROM python:3.8-buster
2
3 WORKDIR /app
4
5 COPY requirements.txt /app/
6
7 RUN pip install -r requirements.txt
8
9 COPY . /app/
10
11 RUN cp .env.dev.sample .env
12
13 EXPOSE 8000
14
15 RUN chmod +x entrypoint.sh
16
17 CMD ["sh", "entrypoint.sh"]

```

## DEPLOYMENT OF JOBPORTAL APPLICATION:

Containers

Images

Volumes

Dev Environments BETA

Extensions BETA

Add Extensions

Containers [Give feedback](#)

A container packages up code and its dependencies so the application runs quickly and reliably from one computing environment to another. [Learn more](#)

☐ Only show running containers

|                          | NAME  | IMAGE                       | STATUS       | PORT(S)    | STARTED       | ACTIONS |
|--------------------------|---|-----------------------------|--------------|------------|---------------|---------|
| <input type="checkbox"/> | <div>agitated_neumann</div> <div>918d20882039</div> | icr.io/helloapp/ibm:latest  | Exited (137) | 49160:8080 |               | ▶ ⋮ 🗑   |
| <input type="checkbox"/> | <div>jolly_turing</div> <div>b62c0712bdd3</div>     | jobportalapplication:latest | Running      | 1234:8000  | 4 minutes ago | ■ ⋮ 🗑   |

Showing 2 items

RAM 3.06GB

CPU 0.57%

Connected to Hub


v4.13.0

## OUTPUT:

All jobs - Django Jobs

localhost:1234/en/search/?position=&location=Bangladesh

Guest

 [HOME](#) [JOBS](#) [CREATE RESUME/CV](#) [ABOUT US](#) [REGISTER](#) [LOGIN](#) [LANGUAGE](#)


**FIND A JOB YOU WILL LOVE**

POSITION

Position you are looking for

LOCATION

Any particular location?




**WE HAVE FOUND 10 JOBS**

|   |  |   |                          |
|---|--|---|--------------------------|
|  | <b>LEARN LARAVEL WITH VUE2</b><br>ggnhfh |  Dhaka, Bangladesh | Posted 3 years, 6 months |
|  | <b>SOFTWARE ENGINEER</b><br>Reve System  |  Dhaka, Bangladesh | Posted 3 years, 6 months |

Question 3:

Create a IBM container registry and deploy hello world app or job port app.

IBM CONTAINER REGISTRY DEPLOYMENT:



OUTPUT:



Question 4:

Create a Kubernetes cluster in IBM cloud and deploy helloworld image or jobportal imageand also expose the same app to run in nodeport.

Creating kubernetes cluster in IBM cloud and exposing nodeport:

Output:

Clusters / mycluster-free Normal Expires in 29 days Add tags

Overview

Worker nodes

Worker pools

DevOps New

Pool: Filter... Search

Name

Status

Worker pool

Zone

Private IP

Public IP

Version

0000008c

Normal

default

Milan 01

10.144.187.51

159.122.179.68

1.23.12\_1549

Items per page: 25


1-1 of 1 item

1

1 of 1 page

## CHOOSE A TEMPLATE FOR YOUR RESUME/CV


ALL TEMPLATES RESUMES CV



FREE

Resume 1


BUILDER



FREE

Resume 2

BUILDER



FREE

CV

BUILDER