



## Create Node Red Service

Date	09 November 2022
Team ID	PNT2022TMID14790
Project Name	SMART FARMER – IOT ENABLED SMART FARMING APPLICATIONS

**Step 1:** Go to catalog and search for Node Red in search box.



**Step 2:** Click on the Get started button.



**Step 3:** Click on the Deploy your app button, to access Node Red service.

IBM Cloud

Search resources and products...

Node RED JAJYJ 2022-11-06

Details

App URL: You must deploy your app first

Source: Download code

Resource group: Default

Deployment target: You must deploy your app first

Created: 06/11/2022

Services

Cloudant

Provisioning service credentials

Connect existing services + Create service +

Deployment Automation

Configure Continuous Delivery

Continuous Delivery is not enabled for this app. Enable Continuous Delivery to automate builds, tests, and deployments through Delivery Pipeline, GitHub, and more.

Deploy your app

Getting started quickly

Configuring your app

To connect services and DevOps toolchains to your app:

1. Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one. [Learn more.](#)
2. If you want to view the code before your app is deployed, click **Download code** to obtain the zip file.
3. Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.
4. After the deployment begins, you can view the status of the deployment, modify your app, view your repo, or view the app's URL.

**Step 4:** After the app deployed, ci-pipeline and pr-pipeline will run and get complete.

IBM Cloud

Search resources and products...

Node RED JAJYJ 2022-11-06

Details

App URL: <https://node-red-jajj-2022-11-06.eu-gb.mybluemix.net>

Source: <https://eu-gb.cloud.ibm.com/31681910606/NodeREDJA...>

Resource group: Default

Deployment target: Node RED JAJYJ 2022-11-06

Created: 06/11/2022

Services

Cloudant

Open dashboard Documentation API reference

Credentials

Connect existing services + Create service +

Deployment Automation

Delivery Pipelines

Name: pr-pipeline

Status: No steps detected

Name: ci-pipeline

Status: Success

Getting started quickly

Configuring your app

To connect services and DevOps toolchains to your app:

1. Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one. [Learn more.](#)
2. If you want to view the code before your app is deployed, click **Download code** to obtain the zip file.
3. Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.
4. After the deployment begins, you can view the status of the deployment, modify your app, view your repo, or view the app's URL.

**Step 5:** Once the pipeline runs successful , it will go Node Red page.



**Step 6:** Need to do the required things and then click next.




## Step 7 : Click on the Next



## Step 8: Press the Finish button .



Step 9 : Once the finishing process is over, Node Red will be created.



Step 10: Now we can access the Node Red services.

