

Date	01 November 2022
TeamID	PNT2022TMID25796
ProjectName	IOT based saftey gadget child monitoring and notification
MaximumMarks	8Marks

## INDEX.PHP

```

<?php
    session_start();  if
(isset($_SESSION['SESSION_EMAIL'])) {
header("Location: welcome.php");    die();
}

include 'config.php';
$msg = "";

if (isset($_GET['verification'])) {    if
(mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE
code='{$_GET['verification']}'") > 0) {
    $query = mysqli_query($conn, "UPDATE users SET code=" WHERE
code='{$_GET['verification']}'");

    if ($query) {
        $msg = "<div class='alert alert-success'>Account verification has been successfully
completed.</div>";
    }
} else {
    header("Location: index.php");
}
}

if (isset($_POST['submit'])) {
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $password = mysqli_real_escape_string($conn, md5($_POST['password']));

    $sql = "SELECT * FROM users WHERE email='{$_email}' AND password='{$_password}'";
    $result = mysqli_query($conn, $sql);

    if (mysqli_num_rows($result) === 1) {
$row = mysqli_fetch_assoc($result);

```

```
<!DOCTYPE html>  
<html lang="zxx">
```

```
<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
```

```
<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
```

<body>

```
<!-- form section start -->
<section class="w3l-mockup-form">
  <div class="container">
    <!-- /form -->
    <div class="workinghny-form-grid">
      <div class="main-mockup">
        <div class="alert-close">
          <span class="fa fa-close"></span>
        </div>
        <div class="w3l_form align-self">
          <div class="left_grid_info">
```

```

        

    </div>
</div>
<div class="content-wthree">
    <h2>Login Now</h2>

    <?php echo $msg; ?>
    <form action="" method="post">
        <input type="email" class="email" name="email" placeholder="Enter Your Email"
required>
        <input type="password" class="password" name="password" placeholder="Enter
Your Password" style="margin-bottom: 2px;" required>
        <p><a href="forgot-password.php" style="margin-bottom: 15px; display: block;
textalign: right;">Forgot Password?</a></p>
        <button name="submit" name="submit" class="btn" type="submit">Login</button>
    </form>
    <div class="social-icons">
        <p>Create Account! <a href="register.php">Register</a>.</p>
    </div>
</div>
</div>
</div>
<!-- //form -->
</div>
</section>
<!-- //form section start -->

<script src="js/jquery.min.js"></script>
<script>
    $(document).ready(function (c) {
        $(' .alert-close').on('click', function (c) {
            $(' .main-mockup').fadeOut('slow', function (c) {
                $(' .main-mockup').remove();
            });
        });
    });
</script>

</body>

</html>

```

## **REGISTER.PHP**

```

<?php

```

```

//Import PHPMailer classes into the global namespace
//These must be at the top of your script, not inside a function use
PHPMailer\PHPMailer\PHPMailer; use
PHPMailer\PHPMailer\SMTP; use
PHPMailer\PHPMailer\Exception;

session_start(); if
(isset($_SESSION['SESSION_EMAIL'])) { header("Location: welcome.php");
    die();
}

//Load Composer's autoloader
require 'vendor/autoload.php';

include 'config.php';

$msg = "";

if (isset($_POST['submit'])) {
    $name = mysqli_real_escape_string($conn, $_POST['name']);
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $password = mysqli_real_escape_string($conn, md5($_POST['password']));
    $confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
    $code = mysqli_real_escape_string($conn, md5(rand()));

    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE email='{ $email }'")) >
0)
{
        $msg = "<div class='alert alert-danger'>{ $email } - This email address has been already
exists.</div>";
    } else {
        if ($password === $confirm_password) {
            $sql = "INSERT INTO users (name, email, password, code) VALUES ('{ $name }', '{ $email }',
'{ $password }', '{ $code }')";

```

```

$result = mysqli_query($conn, $sql);          if
($result) {          echo "<div style='display: none;'>";

        //Create an instance; passing `true` enables exceptions
$mail = new PHPMailer(true);

        try
{
        //Server settings

        $mail->SMTPDebug = SMTP::DEBUG_SERVER;          //Enable verbose debug
output

        $mail->isSMTP();          //Send using SMTP

        $mail->Host    = 'smtp.gmail.com';          //Set the SMTP server to send through

        $mail->SMTPAuth = true;          //Enable SMTP authentication

        $mail->Username = 'chidsafetymonitoring@gmail.com
';          //SMTP username

        $mail->Password = 'bdzqxzgumybikbel';          //SMTP password

        $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;          //Enable implicit TLS
encryption

        $mail->Port    = 465;          //TCP port to connect to; use 587 if you have
set `SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`

        //Recipients

        $mail->setFrom('chidsafetymonitoring@gmail.com');

$mail->addAddress($email);

        //Content

        $mail->isHTML(true);          //Set email format to HTML

        $mail->Subject = 'chidsafetymonitoring@gmail.com register form';

        $mail->Body    = ' click here to login <b><a
href="http://localhost/login/?verification='.$code.'">
http://localhost/login/?verification='.$code.'</a></b>';          $mail->send();

        echo 'Message has been sent';

        } catch (Exception $e) {          echo "Message could not be sent.

Mailer Error: {$mail->ErrorInfo}";

        }

```

```

        echo "</div>";

        $msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";

    } else {

        $msg = "<div class='alert alert-danger'>Something wrong went.</div>";

    }

    } else {

        $msg = "<div class='alert alert-danger'>Password and Confirm Password do not
match</div>";

    }

    }

}

?>

```

```

<!DOCTYPE html>

```

```

<html lang="zxx">

```

```

<head>

```

```

    <title>Child Safety</title>

```

```

    <!-- Meta tag Keywords -->

```

```

    <meta name="viewport" content="width=device-width, initial-scale=1">

```

```

    <meta charset="UTF-8" />    <meta
name="keywords"    content="Login
Form" />

```

```

    <!-- //Meta tag Keywords -->

```

```

    <link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">

```

```

    <!--/Style-CSS -->

```

```

    <link rel="stylesheet" href="css/style.css" type="text/css" media="all" />    <!--//StyleCSS
-->

```

```
<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
```

```
</head>
```

```
<body>
```

```
<!-- form section start -->
```

```
<section class="w3l-mockup-form">
```

```
<div class="container">
```

```
<!-- /form -->
```

```
<div class="workinghny-form-grid">
```

```
<div class="main-mockup">
```

```
<div class="alert-close">
```

```
<span class="fa fa-close"></span>
```

```
</div>
```

```
<div class="w3l_form align-self">
```

```
<div class="left_grid_info">
```

```

```

```
</div>
```

```
</div>
```

```
<div class="content-wthree">
```

```
<h2>Register Now</h2>
```

```
<?php echo $msg; ?>
```

```
<form action="" method="post">
```

```
<input type="text" class="name" name="name" placeholder="Enter Your Name"
value="<?php if (isset($_POST['submit'])) { echo $name; } ?>" required>
```

```
<input type="email" class="email" name="email" placeholder="Enter Your Email"
value="<?php if (isset($_POST['submit'])) { echo $email; } ?>" required>
```

```
<input type="password" class="password" name="password" placeholder="Enter
Your Password" required>
```

```
<input type="password" class="confirm-password" name="confirm-password"
placeholder="Enter Your Confirm Password" required>
```

```
<button name="submit" class="btn" type="submit">Register</button>
```

```

        </form>

        <div class="social-icons">

            <p>Have an account! <a href="index.php">Login</a>.</p>

        </div>

    </div>

</div>

</div>

<!-- //form -->

</div>

</section>

<!-- //form section start -->

<script src="js/jquery.min.js"></script>
<script>
    $(document).ready(function (c) {
        $('.alert-close').on('click', function (c) {
            $('.main-mockup').fadeOut('slow', function (c) {
                $('.main-mockup').remove();
            });
        });
    });
</script>

</body>

</html>

```

## **WELCOME.PHP**

```

<?php
    session_start();
    if
    (!isset($_SESSION['SESSION_EMAIL'])) {    header("Location:
    index.php");
    die();

```



```

    }

    include 'config.php';

    $query = mysqli_query($conn, "SELECT * FROM users WHERE
email='{$_SESSION['SESSION_EMAIL']}'");

    if (mysqli_num_rows($query) > 0) {

        $row = mysqli_fetch_assoc($query);

        echo "Welcome " . $row['name'] . " <a href='logout.php'>Logout</a>";

    }
?>

```

### **FORGET PWD.PHP**

```

<?php

session_start(); if
(isset($_SESSION['SESSION_EMAIL'])) {    header("Location:
welcome.php");

    die();
}

//Import PHPMailer classes into the global namespace //These must
be at the top of your script, not inside a function use
PHPMailer\PHPMailer\PHPMailer; use
PHPMailer\PHPMailer\SMTP; use
PHPMailer\PHPMailer\Exception;

//Load Composer's autoloader require
'vendor/autoload.php';

include 'config.php';

```

```

$msg = "";

if (isset($_POST['submit'])) {
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $code = mysqli_real_escape_string($conn, md5(rand()));

    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE email='{ $email}'")) > 0) {
        $query = mysqli_query($conn, "UPDATE users SET code='{ $code}' WHERE email='{ $email}'");

        if ($query) {
            echo "<div style='display:
none;'>";

            //Create an instance; passing `true` enables exceptions
            $mail = new PHPMailer(true);

            try
            {
                //Server settings

                $mail->SMTPDebug = SMTP::DEBUG_SERVER;           //Enable verbose debug output

                $mail->isSMTP();                                   //Send using SMTP

                $mail->Host      = 'smtp.gmail.com';              //Set the SMTP server to send through

                $mail->SMTPAuth  = true;                          //Enable SMTP authentication

                $mail->Username  = 'childsafetymonitoring@gmail.com'; //SMTP username

                $mail->Password  = 'bdzqxzgumybikbel';           //SMTP password
                $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;   //Enable implicit TLS encryption

                $mail->Port      = 465;                          //TCP port to connect to; use 587 if you have set
                `SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`

                //Recipients

                $mail->setFrom('childsafetymonitoring@gmail.com');    $mail->addAddress($email);

                //Content

                $mail->isHTML(true);                                //Set email format to HTML

                $mail->Subject = 'smartroadsafety247 reset password';

                $mail->Body    = 'reset link <b><a

```

```
href="http://localhost/login/changepassword.php?reset='.$code.'">http://localhost/login/changepassword.php?reset='.$code.'</a></b>';
```

```
        $mail->send();            echo  
  
'Message has been sent';  
  
        } catch (Exception $e) {            echo "Message could not be sent. Mailer  
Error: {$mail->ErrorInfo}";  
  
        }  
  
        echo "</div>";  
  
        $msg = "<div class='alert alert-info'>We've send a verification link on your email  
address.</div>";  
  
        }  
  
    } else {  
  
        $msg = "<div class='alert alert-danger'>$email - This email address do not found.</div>";  
  
    }  
  
}
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="zxx">
```

```
<head>
```

```
    <title>Child Safety</title>
```

```
    <!-- Meta tag Keywords -->
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1">
```

```
    <meta charset="UTF-8" />    <meta  
name="keywords"    content="Login  
Form" />
```

```
    <!-- //Meta tag Keywords -->
```

```
    <link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"  
rel="stylesheet">
```

```

<!--/Style-CSS -->

<link rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!--//StyleCSS
-->

<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

<!-- form section start -->
<section class="w3l-mockup-form">
  <div class="container">
    <!-- /form -->
    <div class="workinghny-form-grid">
      <div class="main-mockup">
        <div class="alert-close">
          <span class="fa fa-close"></span>
        </div>
        <div class="w3l_form align-self">
          <div class="left_grid_info">
            
          </div>
        </div>
        <div class="content-wthree">
          <h2>Forgot Password</h2>

          <?php echo $msg; ?>

          <form action="" method="post">
            <input type="email" class="email" name="email" placeholder="Enter Your Email"
required>

            <button name="submit" class="btn" type="submit">Send Reset Link</button>

```

```

        </form>

        <div class="social-icons">
            <p>Back to! <a href="index.php">Login</a>.</p>
        </div>
    </div>
</div>
</div>
</div>
<!-- //form -->
</div>
</section>
<!-- //form section start -->

<script src="js/jquery.min.js"></script>
<script>
    $(document).ready(function (c) {
        $('.alert-close').on('click', function (c) {
            $('.main-mockup').fadeOut('slow', function (c) {
                $('.main-mockup').remove();
            });
        });
    });
</script>

</body>

</html>

```

## LOGOUT.PHP

```

<?php

session_start(); session_unset(); session_destroy();

header("Location: index.php");

```

## STYLE.CSS

```
html { scroll-behavior:
smooth;
}
```

```
body, html { margin: 0; padding:
0; font-family:
'Poppins', sans-serif;
}
```

```
* { box-sizing: borderbox;
}
```

```
.d-grid { display:
grid;
}
```

```
.d-flex { display: flex; display:
-webkit-flex;
}
```

```
.text-center { text-align:
center;
}
```

```
.text-left { text-align:
left;
}
```

```
.text-right { text-align:
right;
```

```
}
```

```
button, input, select {  
  -  
  webkit-appearance: none;
```

```
outline: none; font-family:  
'Poppins', sans-serif;
```

```
button,  
.btn, select {  
cursor:  
pointer;  
  
}
```

```
a {  
text-decoration: none;  
}
```

```
img { max-width:  
100%;  
}
```

```
ul {  
margin: 0; padding:  
0  
}
```

```
h1, h2,  
h3, h4,  
h5, h6,  
p {  
margin: 0; padding:  
0  
}
```

```
p { color: #666; fontsize:  
16px; line-height:  
}
```



```
25px;  opacity: .6;
}
```

```
.p-relative {
position: relative;
}
```

```
.p-absolute {
position: absolute;
}
```

```
.p-fixed {
position: fixed;
}
```

```
.p-sticky {  position:
sticky;
}
```

```
.btn, button,
.actionbg, input {
borderradius:
4px;
-webkit-border-radius: 4px;
-moz-border-radius: 4px;
-o-border-radius: 4px;
-ms-border-radius: 4px;
}
```

```
.btn:hover, button:hover
{
transition: 0.5s ease;
```

```
-webkit-transition: 0.5s ease;

-o-transition: 0.5s ease;

-ms-transition: 0.5s ease;

-moz-transition: 0.5s ease; /*-- wrapper start -
*/ .wrapper { width: 100%; padding-right:
15px; padding-left: 15px; margin-right: auto;
margin-left: auto;
}
```

```
@media (min-width: 576px) {
  .wrapper { max-
width: 540px;
  }
}
```

```
@media (min-width: 768px) {
  .wrapper { max-width:
720px;
  }
}
```

```
@media (min-width: 992px) {
  .wrapper { max-
width: 960px;
  }
}
```

```
@media (min-width: 1200px) {
  .wrapper { max-
width: 1140px;
  }
}

}
```

```
.wrapper-full {  
width: 100%;  
padding-right: 15px;  
padding-left: 15px;  
margin-right: auto;  
margin-left: auto;  
}
```

```
/*-- //wrapper start --*/
```

```
/*-- form styling --*/ .w3l-mockup-form  
{  
    position: relative; min-height:  
100vh; z-index: 0; background:  
rgba(99, 194, 110, 0.1); padding:  
40px 40px;  
}
```

```
.container {  
maxwidth: 890px; margin:  
0 auto;  
}
```

```
.w3l_form { padding: 0px;  
flexbasis: 50%; -webkit-flexbasis:  
50%; background: #d9719e;  
padding: 100px 50px; border-  
top-left-radius: 8px; border-  
bottom-left-radius: 8px; display:  
flex; justify-content: center;  
alignitems: center;
```

```
.content-wthree { flex-basis: 60%; -
webkitflex-basis: 60%; boxsizing: border-box;
padding: 3em 3.5em; background: #fff;
boxshadow: 2px 9px 49px 17px rgba(0, 0, 0, 0.1);
border-top-right-radius:
8px; border-bottom-right-radius: 8px;
}
```

```
.w3l-workinghny-form .logo { textalign:
center;
}
```

```
.w3l-mockup-form .main-mockup {
position: relative;
display: -webkit-box;
display: -moz-box;
display: -ms-flexbox;
display: -webkit-flex;
display: flex;
margin: 40px 0;
}
```

```
.w3l-mockup-form .alert-close {
cursor: pointer; height: 35px;
width: 35px; line-height:
35px; position: absolute;
right: -5px; top: 5px;
background: #d9719e;
borderradius: 50px;
color: #fff; text-align:
center;
}
```

```
}
```

```
.w3l-mockup-form form {  margintop:  
30px;  marginbottom: 30px;  
}
```

```
.social-icons {  textalign:  
center;  
}
```

```
.w3l-mockup-form h1 {  
    text-align: center;  fontsize:  
40px;  fontweight: 500;  
color:  
#3b3663;  
}
```

```
.w3l-mockup-form h2 {  
    display: inline-block;  
font-size: 25px;  
lineheight: 35px;  
marginbottom: 5px;  
fontweight: 600; color:  
#3b3663;  
}
```

```
.w3l-mockup-form input {  
    outline: none;  margin-  
bottom: 15px;  
    font-size: 16px;  
color: #999;  
textalign: left;  
padding: 14px 20px;  
width: 100%;  display:  
inline-block;  boxsizing:
```

```
}
```

```
border-box; border: none;
```

```
outline: none;
```

```
background:
```

```
transparent; border:
```

```
1px solid #e5e5e5;
```

```
transition: 0.3s all
```

```
ease;
```

```
}
```

```
.w3l-mockup-form input:focus { bordercolor:
```

```
#00c16e;
```

```
}
```

```
.w3l-mockup-form button {
```

```
font-size: 18px;
```

```
color: #fff;
```

```
width: 100%;
```

```
background: #00c16e;
```

```
border: none; padding:
```

```
14px 15px; fontweight:
```

```
500; transition: .3s
```

```
ease;
```

```
-webkit-transition: .3s ease;
```

```
-moz-transition: .3s ease;
```

```
-ms-transition: .3s ease;
```

```
-o-transition: .3s ease;
```

```
}
```

```
.w3l-mockup-form button:hover {
```

```
background: #4ca356;
```

```
}
```

```
.w3l-mockup-form .social-icons ul li {  
liststyle: none; display: inline-block;  
.w3l-mockup-form .social-icons ul li a { padding:  
8px;  
}
```

```
.w3l-mockup-form .social-icons ul li a:hover {  
opacity: 0.8;  
transition: 0.5s ease;  
-webkit-transition: 0.5s ease;  
-o-transition: 0.5s ease;  
-ms-transition: 0.5s ease;  
-moz-transition: 0.5s ease;  
}
```

```
.w3l-mockup-form .social-icons ul span.fa {  
color: #696687; font-size: 18px; opacity:  
.8;  
}
```

```
.w3l-mockup-form .social-icons ul li a.facebook span {  
color:  
#3b5998;  
}
```

```
.w3l-mockup-form .social-icons ul li a.twitter span {  
color: #1da1f2;  
}
```

```
.w3l-mockup-form .social-icons ul li a.pinterest span {  
color: #e60023;  
}
```

```
}
```

```
.copyright p {  text-align:  
center;  fontsize: 17px;  
lineheight: 26px;  color:  
#607863;  opacity: 1;  
}
```

```
p.copy-footer-29 a {  
color: #517856;  
}
```

```
p.copy-footer-29 a:hover {  
color: #00c16e;  transition:  
0.5s ease;  
  -webkit-transition: 0.5s ease;  
  -o-transition: 0.5s ease;  
  -ms-transition: 0.5s ease;  
  -moz-transition: 0.5s ease;  
}
```

```
.alert {  
  padding: 1rem; border- radius:  
  5px; color: white; margin:  
  1rem 0;  
}
```

```
.alert-success {  backgroundcolor:  
#42ba96;  
}
```

```
.alert-danger {  backgroundcolor:  
#fc5555;
```



```
}
```

```
.alert-info {
```

```
backgroundcolor: #2E9AFE;
```

```
.alertwarning {
```

```
backgroundcolor:
```

```
#ff9966;
```

```
}
```

```
/*-- responsive design --*/
```

```
@media (max-width:736px) { .w3l-mockupform
```

```
.main-mockup {
```

```
flex-direction: column;
```

```
}
```

```
.w3l_form { order: 2; padding: 50px;
```

```
border-radius: 0; borderbottom-left-radius:
```

```
8px; borderbottom-right-radius: 8px;
```

```
}
```

```
.content-wthree {
```

```
order: 1; border-radius:
```

```
0; border-top-left-radius:
```

```
8px; border-top-right-radius:
```

```
8px;
```

```
}
```

```
}
```

```
@media (max-width:568px) { .w3l-mockup- form
```

```
h1 {
```

```
font-size: 30px;
```

```
}
```

```
}
```

```
.w3l-mockup-form .main-mockup {  
    margin: 30px 0;  
}
```

```
.content-wthree {    padding:  
2.5em;  
}  
}
```

```
@media (max-width: 415px) {  
.w3l-mockup-form {    padding:  
40px 30px;  
}
```

```
}
```

```
@media (max-width:384px) {  
.w3l-mockup-form {    padding:  
30px 15px;  
}
```

```
.content-wthree {  
    padding: 2em;  
}
```

```
.w3l-mockup-form h1 {  
font-size: 28px;  
}
```

```
.w3l-mockup-form h2 {
```

```
font-size: 22px;    line-  
height: 32px;  
}
```

```
.copyright p {    fontsize:  
16px;
```

```
}
```

```
}
```

```
}
```

```
/*-- //responsive design --*/
```

```
/*-- //form styling --*/
```