# NAALAIYA THIRAN PROJECT – 2022 19ECI01-PROFESSIONAL READINESS FOR INNOVATION, EMPLOYABILITY AND ENTREPRENEURSHIP

#### SKILS AND JOB RECOMMANDER APPLICATION

#### A PROJECT REPORT

# **Submitted by**

SAKTHIVEL S	1913078
SANJAY KUMAR E	1913082
SWATHI K	1913096
SATHISH P	1913505

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

KSR COLLEGE OF ENGINEERING, TIRUCHENGODE (637215)

(AUTONOMOUS)

**ANNA UNIVERSITY: CHENNAI 600025** 

**NOVEMBER 2022** 

# KSR COLLEGE OF ENGINEERING (AUTONOMOUS)

#### **TIRUCHENGODE-637215**

# ANNA UNIVERSITY: CHENNAI 600 025 BONAFIDE CERTIFICATE

Certified that this report "INVENTORY MANAGEMENT SYSTEM" is the bonafide work of SAKTHIVEL S (1913078), SANJAY KUMAR E (1913082), SWATHI K (1913096) and SATHISH P (1913505) who carried out 19ECI01 Professional Readiness for Innovation, Employability and Entrepreneurship project offered by IBM and Anna University, Chennai.

**SIGNATURE SIGNATURE SIGNATURE** Dr .N.S.NITHYA Dr. V. BABY ANITHA Dr. P.SENTHILKUMAR PRINCIPAL AND HEAD **FACULTY MENTOR** FACULTY EVALUATOR **Associative Professor** Associative Professor Professor Department of Computer Department of Computer Department of Computer Science and Engineering Science and Engineering Science and Engineering

# PROJECT CALENDER

Phase	Phase Description	Week	Dates	Activity Details
1	Preparation Phase (Prerequisites, Registrations, Environment Set-up, etc.)	2	22 - 27 Aug 2022	Creation GitHub account & collaborate withProject repository in project workspace
	Ideation Phase	2	Sept 2022	Literature survey (Aim, objective, problem statement and need for the project)
2	(Literature Survey, Empathize, Defining	3	2022	Preparing Empathy Map Canvas to capture theuser Pains & Gains
	Problem Statement, Ideation)	4	12 - 17 Sept 2022	Listing of the ideas using brainstorming session
	Project Design Phase -I (ProposedSolution,	5	19 - 24 Sept 2022	Preparing the proposed solution document
3	3 Problem- Solution, Problem- Solution Fit, Solution Architecture)		26 Sept - 01 Oct 2022	Preparing problem - solution fit document &Solution Architecture
	Project Design Phase -II (Requirement Analysis, CustomerJourney, Data Flow Diagrams, Technology Architecture)		3 - 8 Oct 2022	Preparing the customer journey maps
4			10 - 15 Oct 2022	Preparing the Functional Requirement Document & Data- Flow Diagrams and TechnologyArchitecture
5	Project Planning Phase (Milestones & Tasks, Sprint Schedules)	9	17 - 22 Oct 2022	Preparing Milestone & Activity List, SprintDelivery Plan
		10	24 - 29 Oct 2022	Preparing Project Development - Delivery of Sprint-1
6	Project Development Phase (Coding &	11	31 Oct - 5 Nov 2022	Preparing Project Development - Delivery of Sprint-2
	Solutioning, acceptance Testing, Performance	12	7 - 12 Nov 2022	Preparing Project Development - Delivery of Sprint-3
	Testing)		14 - 19 Nov 2022	Preparing Project Development - Delivery of Sprint-4

#### TABLE OF CONTENTS

CHAPTER NO	CONTENTS	PAGE NO
	LIST OF FIGURES	
	LIST OF TABLES	
1	INTRODUCTION 1.1 PROJECTOVERVIEW 1.2 PURPOSE	5
2	LITERATURE SURVEY 2.1 EXISTING PROBLEM 2.2 REFERENCE 2.3 PROBLEM STATEMENT	5
3	IDEATION & PROPOSED SOLUTION 3.1 EMPATHY MAP CANVAS 3.2 IDEATION AND BRAINSTORMING 3.3 PROPOSED SOLUTION 3.4 PROBLEM SOLUTION FIT 3.5 SOLUTION ARCHITECTURE	8
4	REQUIREMENT ANALYSIS 4.1 FUNCTIONAL REQUIREMENTS 4.2 NON FUCTIONAL REQUIREMENTS	13
5	PROJECT DESIGN 5.1 DATA FLOW DIAGRAMS 5.2 SOLUTION AND TECHNICAL ARCHITECTURE 5.3 USER STORY	14
6	PROJECT PLANNING & SCHEDULING 6.1 SPRINT PLANNING AND ESTIMATION 6.2 SPRINT DELIVERY SCHEDULE	17
7	CODING & SOLUTIONING 7.1 CHATBOT INTEGRATION CODE 7.2 FLASK FRAMEWORK 7.3 DATA BASE SCHENMA	19
8	TESTING 8.1 TEST CASES 8.2 USER ACCAPTANCE TESTING	25
9	RESULTS 9.1 PERFORMANCE METRICES	27
10	ADVANTAGES & DISADVANTAGES 10.1 ADVANTAGES 10.2 DISADVANTAGES	28
11	CONCLUSION	29
12	FUTURE SCOPE	29
13	APPENDIX	29

#### 1. INTRODUCTION

#### 1.1 Project Overview:

To provide the right and plenty of opportunities to the fresher's and experienced candidates. We have come up with a skill recommender solution through which the fresher orthe skilled person can register, log in, and find jobs with our help according to their ability, skill level, and knowledge. In this process, we are going to help them in both a human- centered way and by using technology. Further will be discussed below.

#### 1.2 Purpose:

To provide equal and appropriate job/skill recommendations to all the people with their ability, skill level, and knowledge consideration. We are not going to filter the candidates based on our machine-analyzed data that the candidate entered in the resume or wherever. Because we found that many peoples said they are not getting the right recommendations for jobs and skill enhancement courses. So, we are approaching this problem in a more human-centric way to get the data, processing, and recommend skills and jobs. We are merging both technology and human in the right proportion to solve the real human problem.

#### 2. LITERATURE SURVEY

#### 2.1 Existing Problem:

How might we recommend jobs for people's specific skills or interests and vice-versa? In the job searching world, Job description's explanation, advertising, and selection criteria aren't the same during college and after college. It is entirely different. People are facing many practical issues when they searching jobs after their college days. As we are going to provide a different kind of job description alone will create a positive hopeful impact for fresher as well as experienced candidates. By this, we can satisfy both the fresher and experienced candidates who are all searching for jobs. As we are going to find the skills of the people through both the direct and indirect approach, we are able to get and find the right skill level for the people. In addition, we can get more insights about them. This creates a more positive impact and customer satisfaction in using our service and this is the existing problem to solve.


# 2.2 References:

S.NO	TITLE	AUTHOR &	DESCRIPTION	OUR LEARNINGS
		YEAR		
1.	Job Recommendation System Using Profile Matching and Web Crawling	Deepali V Musale, Mamta K Nagpure, Kaumudini S Patil, Rukhsar F Sayyed May 2016.	The first type of recommendation is done through web portal by using keyword based search and second type of recommendation is done through profile matching and sending notification to the students. Thus proper job recommendations are provided to the students.	<ol> <li>They use the more logical wayapproach.</li> <li>Getting completely detailed infromation         <ul> <li>Compare profiles -</li> <li>Recommendation.</li> </ul> </li> </ol>
2.	Enhanced Job Recommendation System.	Shivraj Hulbatte, Amit Wabale, Suraj Patil, Nikhilkumar Sathe Oct 2018	On the basis of this study, research and after implementation of algorithms, the collaborative filtering based algorithm is considered for its better performance and overall factors. Of course a lot of improvement and hybrid algorithms need to be implemented alongside collaborative filtering algorithms.	1. Started with similar approach that we have now for recommendation, but ended up with the statements of default sayings.


3.	Job	Jorge Valverde-	In this paper, proposed a	1. Collect the profiles
	Recommendation	Rebaza, Ricardo	framework for job	& job offers
	based on Job	Puma, Paul Bustios,	recommendation task. This	through sites and
	Seeker Skills: An	Nathalia	framework facilitates the	compared with the
	Empirical Study.	C. Silva	understanding of job	relatively large
	•		recommendation processas	number of
		March 2018.	well as it allows theuse of	keywords through
			a variety of textprocessing	certain text
			and recommendation	processing
			methods according to the	methods.
			preferences of the job	
			recommender system	
			designer.	
4.	A survey of job	Shaha T. Al-	This survey shows that	1. Got an general
	recommender	Otaibi1*, Mourad	several approaches for job	overview about
	systems.	Ykhlef2	recommendationhave been	job
	j		proposed, and many	recommendation
		Aug 2012	techniques combined in	systems and
		C	order to produce the best fit	realizedlot to
			between jobs and	learn.
			candidates.	2. Got new concepts
				or ideas for our
				project. Have to
				explore it.


#### 3. IDEATION & PROPOSED SOLUTION

# 3.1 Empathy Map Canvas:



# 3.2 Ideation & Brainstorming:






# 3.3 Proposed Solution:

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	How might we recommend jobs for people's specific skills or interests and vice-versa?
2.	Idea / Solution description	Specific public campaigns for grouping people based on their skills, Asking recruiters not to put detailed descriptions and asking them to put the skills they want. Based on userrequests, show the job vacancies that mostly match with user skills.
3.	Novelty / Uniqueness	We are not going to filter the candidates based on our machine-analyzed data that the candidate entered in the resume or wherever. Because we found that many people said they are not getting the right recommendations for jobs and skill enhancement courses. So, we are approaching this problem in a more human-centric way to get the data, processing, and recommend skills and jobs. We are merging both technology and human in the right proportion to solve the real problem.

4.	Social Impact / Customer Satisfaction	Job description explanation, advertising, and selection criteria aren't the same during college and after college. It is entirely different. People are facing many practical issues when they searching jobs after their college days. As we are going to provide a different kind of job description alone will create a positive hopeful impact for fresher as well as for experienced candidates. Bythis, we can satisfy both the fresher and experienced candidates who are all searching for jobs. As we are going to find the skills of the people through both the direct and indirect approach, we are able to get and findthe right skill level for the people. In addition, we can get more insights about them. This creates a more positive impact and customer satisfaction in using our service.
5.	Business Model (Revenue Model)	<ol> <li>Advertisement commissions by allowing skill development companies and job-providing agencies to promote their business to reach their potential users.</li> <li>Premium services like mentor support, exclusive courses, etc</li> </ol>
6.	Scalability of the Solution	We found the core problem among job seekers.  Now, we are trying to solve it by simply finding users' skill levels in a more human-centered way and recommending jobs based on their category at all levels. We believed that this idea can be scalable. Because once we achieve/find an implementation approach to our above-mentioned primary task then,  1. It can be expandable by providing offline support along with online.  2. End-to-end support for both skills identification, enhancement, job support, and more.

#### 3.4 Problem Solution Fit:



#### 3.5 Solution Architecture:

- Contact HRs of different companies in wide variety of fields & gather the recruitment description in a more digestible way for freshers & intermediates.
- As usual for experienced candidates.

Database (both jobs & candidates info) Our Website (The Job Junction)

For Front-end







For back-end & database

Mostly go with IBM's tech stack we are learning. Considering PHP and MySQL too. So, discussing on that.

• User's info collected through our website.

- Verified and found their skill levels through oneone interaction.
- Update their details.

Premium Services based on user's need

# 4. REQUIREMENT ANALYSIS

# **4.1 Functional Requirement**


FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration via Form on our website.
FR-2	Profile Completion	User will create their profile with their basic personal details, we will call them in person to know their educational background, skill levels, andtheir goals to provide them with better service. The gathered details will be stored and displayed in their profile section.
FR-3	User Login	Users can log in with either their Email or Phone number.
FR-4	Job / Skill Recommendation	Based on their profile, we will recommend them appropriate jobs with courses to learn if needed. Will be notified through Email and Our Website.

# **4.2 Non-Functional Requirement**


FR No.	Non-Functional Requirement	Description		
NFR-1	Usability	Right now, we are focusing on the target users (fresher and college students) without any special considerations. We will definitely make it usable for all kinds of people in the future.		
NFR-2	Security	Basic form validations will be performed to avoid harmful injections and also to get meaningful information.		
NFR-3	Reliability	We are planning to serve 1000 users at a time in the initial stages.		
NFR-4	Performance	Mobile responsive website.		
NFR-5	Availability	Planning to provide customer support during office hours 9-5.		
NFR-6	Scalability	In addition to this, we can provide career guidance programs, job fairs, native language support, and premium services like personalized mentoring, coaching, and so on in the future.		

# 5. PROJECT DESIGN

# **5.1 Data Flow Diagrams**



# **5.2 Solution & Technology Architecture**



**Table-1: Components & Technologies:** 

S.No	Component	Description	Technology
1.	User Interface	Front-end of our platform was	HTML, CSS (flexbox)
		Developed using these	and JavaScript
		technologies.	
2.	Application Logic-1	Displaying the web pages	Python
		Based on the criteria.	
3.	User Onboarding	Welcoming users inside the	IBM Watson Assistant
		website using IBM Watson	
		Assistant.	
4.	Database	Queries for fetching the	MySQL.
		required details.	
5.	Cloud Database	Database Service on Cloud	IBM DB2.
6.	File Storage	File storage requirements	IBM Block Storage.
7.	Infrastructure (Server /	Application Deployment.	Kubernetes.
	Cloud)		

**Table-2: Application Characteristics:** 

S.No	Characteristics	Description	Technology
1.	Open-Source Frameworks	Website developed using These open-source frameworks.	Flask and Bootstrap
2.	Security Implementations	To ensure the valid details are getting from the user.	Input validations and encryption of user's data.
3.	Scalable Architecture	Can be easily scalable, as we are dealing with IBM technologies for implementing our solutions.	Assistant, and
4.	Availability	Justify the availability of applications (e.g. use of load balancers, distributed servers, etc.)	None
5.	Performance	By writing optimized code and different techniques, we are trying to provide better and faster performance.	None

# 5.3 User Stories

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile user & Web user)	Registration	USN-1	As a user, I can register for the application by entering my name, email, phone number, and password.	I can access to complete my profile.	High	Sprint-1
		USN-2	As a user, I can register through Chatbot.	I can access to complete my profile.	Low	Sprint-4
	Login	USN-1	As a user, I can log into the application by entering email & password.	I can access to see job openings for my skill levels.	High	Sprint-1
	Notification	USN-1	As a registered user, I can get notification for jobs / courses recommendations based on my skills through calls and whatsapp.	I can apply for the jobs or learn the recommended courses.	High	Sprint-2
		USN-2	As a registered user, I can get notification for jobs / courses recommendation through Email.	I can apply for the jobs or learn the recommended courses.	Medium	Sprint-3
	Recommendation	USN-1	As a user, I can view job recommendations or courses to improve myself in the website.	I can apply for jobs or learn skills based on the recommendation.	High	Sprint-1
Customer Care Executive	Contact registered users	CCESN-1	As a customer care executive, I can talk to the registered users to know their skill levels and their interest.	I can complete their profile for job / skill recommendations.	High	Sprint-1
Administrator	Monitoring the user on boarding	ASN-1	As an administrator, I monitor whether a user complete his profile once he registered.	I can make sure each and every user has a complete profile for further processes.	High	Sprint-1

# **6.PROJECT PLANNING**

# **6.1 Sprint Planning & Estimation**


Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Team Members
Sprint-1	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	I can access my account / dashboard	High	Sakthivel Sathish
Sprint-1		USN-2	As a user, I will receive confirmation email once I have registered for the application	I can receive confirmation email & click confirm	High	Sanjay kumar Swathi
Sprint-2		USN-3	As a user, I can register for the application through Facebook	I can register & access the dashboard with Facebook Login	Low	Sakthivel Swathi
Sprint-3		USN-4	As a user, I can register for the application through Gmail	I can receive confirmation email & click confirm	Medium	Sakthivel Swathi
Sprint-2	Login	USN-5	As a user, I can log into the application by entering email & password	I can access my account / dashboard	High	Sakthivel
Sprint-2	Dashboard	USN-6	Create a model set that contains those models, then assign it to a role.	Assign that group to the appropriate roles on the Roles page	High	Swathi Sathish
Sprint-4	Identity-Aware	USN-7	Open, public access, User- authenticated access, Employee- restricted access.	Company public website. App running on the company intranet. App with access to customer private information.	High	Sakthivel Swathi
Sprint-1	Communication	USN-8	A customer care executive is a professional responsible for communicating the how's and why's regarding service expectations within a company.	For how to tackle customer queries.	Medium	Sathish Sanjay kumar
Sprint-3	Device management	USN-9	You can Delete/Disable/Enable devices in Azure Active Directory but you cannot Add/Remove Users in the directory.	Ease of use.	Medium	Sakthivel Swathi


#### **6.2 Sprint Delivery Schedule**


# Project Tracker, Velocity & <u>Burndown</u> Chart: (4 Marks)

**						
Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	19	6 Days	24 Oct 2022	29 Oct 2022	19	16 Nov 2022
Sprint-2	01	6 Days	31 Oct 2022	05 Nov 2022	01	17 Nov 2022
Sprint-3	01	6 Days	07 Nov 2022	12 Nov 2022	01	18 Nov 2022
Sprint-4	01	6 Days	14 Nov 2022	19 Nov 2022	01	19 Nov 2022

#### Reports from JIRA








#### 7.CODING & SOLUTIONING

#### 7.1 Chatbot Integration Code




#### Code


```
<script>
 window.watsonAssistantChatOptions = {
  integrationID: "c9539449-0fd4-4aca-8b8b-3a6c109a71fa", // The ID of this integration.
  region: "jp-tok", // The region your integration is hosted in.
  serviceInstanceID: "39284af4-f9b4-4159-be01-8ca534e21855", // The ID of your service
instance.
  onLoad: function(instance) { instance.render(); }
 };
 setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
 });
</script>
```

#### 7.2 FLASH FRAMEWORK

#### Responsive Website


# **Desktop View**





# **Dynamic Application**


# **Registration Form**




# **Login After Registration**




# **Profile After Login**



# **Jobs After Login**



#### 7.3 Database Schema




#### 8.TESTING

#### 8.1 TEST CASES

- **1. Website functionality testing :** It includes Outbound links, Internal links correctness, There are no links leading to the same page, There are no broken links.
- **2.Usability testing :** It includes Navigation testing and Content testing.
- **3.UI** (User Interface) testing: It includes Testing with different screen resolutions and Design elements evaluation: layout, colors, fonts, font sizes, labels, text boxes, text formatting, captions, buttons, lists, icons, and links.
- **4.Performance testing :** This is carried out by Lighthouse in the browser.


# **8.2** User Acceptance Testing



We performed this User journey mapping before starting development of our project. We did this with our end users (students of our college). Based on the observations, we did this application.

#### 9. RESULTS

#### **9.1 Performance Metrics:**



# 10. ADVANTAGES & DISADVANTAGES

# 10.1 Advantages:

- 1. Right job/skill recommendations based on their interest, skill level, and expertise in a particular domain.
- 2. Achieving a Win-Win policy for both job seekers and providers.

### 10.2 Disadvantages:

- 1. Time consuming process.
- 2. Tedious process.

#### 11.CONCLUSION

We did our best to our capacity. We did each and every process and task after learning. We actually started it from scratch and come to this level. We learned Project planning and execution along with the development languages like HTML, CSS, Bootstrap, Flask, IBM cloud DB2, Docker, and so on. We are actually planning to take this project idea for our start-up. The above-produced documents are all done by us. Yet to improvise and complete a lot with this project. We strongly believe this idea will great impact on people's life.

#### 12.FUTURE SCOPE

We found the core problem among job seekers which we mentioned in the above existing problem section. Now, we are trying to solve it by simply finding users' skill levels in a more human-centered way and recommending jobs based on their category at all levels. We believed that this idea can be scalable. Because once we achieve/find an implementation approach to our above-mentioned primary task then,

- 1. It can be expandable by providing offline support along with online.
- 2. End-to-end support for skills identification, enhancement, job support, and more.

#### 13.APPENDIX

**Source Code** 

----TEMPLATES----

#Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Job Junction</title>
    <link rel="icon" type="image/gif/png" href="../static/images/job_junction-</pre>
logo-head.png">
    <script src="https://kit.fontawesome.com/7bb9495e7b.js"</pre>
crossorigin="anonymous"></script>
    <link rel="stylesheet" href="{{ url_for('static',</pre>
filename='css/indexstyles.css') }}">
    <script src="{{ url_for('static', filename='index.js') }}" defer></script>
    <style>
        /*#body{
            background-color: #2246c247;
```

```
.modal{
            text-align: center;
        .modal bottom{
            background-color: #2246C2;
            padding:24px;
            display: inline-block;
            border-radius: 5px;
        .modal_bottom p{
            font-family: 'Zilla Slab';
            font-style: normal;
            font-weight: 400;
            font-size: 20px;
            line-height: 38px;
            display: flex;
            align-items: center;
            color: #F8F8F8;
        .modal_send{
            background: #FBFBFB;
            border-radius: 3px;
            margin-top: 12px;
            border: none;
            padding:16px 8px;
            outline:none;
            margin-right: 16px;
            font-family: 'Montserrat';
            font-style: normal;
            font-weight: 700;
            font-size: 12px;
            line-height: 128.69%;
            text-align: center;
            color: #2246C2;
    </style>
<script>
   window.watsonAssistantChatOptions = {
      integrationID: "c9539449-0fd4-4aca-8b8b-3a6c109a71fa", // The ID of this
integration.
      region: "jp-tok", // The region your integration is hosted in.
      serviceInstanceID: "39284af4-f9b4-4159-be01-8ca534e21855", // The ID of
your service instance.
```

```
onLoad: function(instance) { instance.render(); }
           };
           setTimeout(function(){
                 const t=document.createElement('script');
                 t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
 "/WatsonAssistantChatEntry.js";
                document.head.appendChild(t);
           });
     </script>
</head>
 <body id="body">
           <div class="menu icon" id="menu">
                       <div class="first_div"></div>
                      <div class="second div"></div>
                      <div class="third_div"></div>
           </div>
           <header>
                      <div class="brand_box">
                                  <img src="../static/images/job junction-main.png" alt="Job</pre>
Junction Logo" />
                      </div>
                      <nav>
                                 <a href="/jobs">Skills #</a>
                                                                              {% if session['email'] %}
                                                                               id="special link"><a href="/profile" id="contact link">Your Profile
$\( \langle \lang
                                                                               {% else %}
                                                                               id="special_link"><a href="/register" id="contact_link">Login /
Register</a>
                                                                              {% endif %}
                                 </nav>
           </header>
           <div class="hero">
                      <div class="_hero hero_left">
                                 <div>
```


```
We are here to transform<br>><span</pre>
class="special_secondary">Your </span><span class="special_primary">Life
۶</span>
            One & Only platform to support
your skills, To get a job with your skills and To strenthen your Skills
            <div class="hero left-statistics">
                <div class="hero left-stat">
                   10+
                   Start-Ups
                </div>
                <div class="hero left-stat">
                   50+
                   Job Offers
                </div>
                <div class="hero_left-stat">
                   25+
                   Categories
                </div>
            </div>
         </div>
      </div>
      <div class=" hero hero right">
         <img src="{{url_for('static', filename='images/job_junction-hero-</pre>
image.svg')}}" alt="job junction hero image">
      </div>
   </div>
   <div class="header bottom">
      Don't want to Register at first (3) then just talk to us... (4)
      {{ cmsg }}
      <form action="{{ url_for('contactrec') }}" method="POST">
      <input type="text" name = "name" placeholder="Your Name">
         <input type="tel" name = "number" placeholder="Your Number" >
         <button type="submit" name="send" class="button_send"><i</pre>
class="fa-solid fa-paper-plane icon"></i>SEND</button> <br><br>
      </form>
   </div>
   <div class="ourservices">
      <div class="header">
         Our Services
         From finding your skill to get a job in
your area of interest ♥
      </div>
      <div class="body">
         <div class="content">
             <div class="content service">
                Skill Finding
```

```
</div>
               <div class="content service">
                   Skill Enhancement
               </div>
               <div class="content_service">
                   >Job Recommendation
               </div>
               <div class="content service">
                   Community Building
               </div>
           </div>
       </div>
   </div>
   <div class="ourworks">
       <div class="header">
           Our Efforts
           We aren't here to just talk, We are trying
to solve your problems through our platform
       </div>
       <div class="body">
           <div class="content">
               <div class="content project">
                   <img src="{{url_for('static',</pre>
filename='images/effort1.jpg')}}" alt="Job Junction Skill Finding Sessions">
                   <h5>Skill Finding Sessions</h5>
                   Event organised by <span style="color: #FFB800;">Job
Junction </span> in Karur. More than <span style="color: #FFB800;"> 100+
students participated,</span> and got guidance from us.
                   <button>View More</putton>
               </div>
               <div class="content project">
                   <img src="{{url_for('static',</pre>
filename='images/effort2.jpg')}}" alt="Job Junction Interview Sessions">
                   <h5>Interview Sessions</h5>
                   From skill finding sessions, students got <span</p>
style="color: #040d31;">interviews based on their skill levels.</span> More
than 200+ students got benefitted from this session.
                   <button>View More</putton>
               </div>
           </div>
       </div>
       <div class="bottom">
           We have more to show you $\frac{1}{p}$
```

```
<a href="/login">Want to see ? <span>CLICK HERE <i class="fa-solid")</pre>
fa-arrow-right icon"></i></span></a>
            <img class="decimg decimg1" src="{{url_for('static',</pre>
filename='images/jobjunction_uiux.svg')}}" alt="UIUX Design">
            <img class="decimg decimg2" src="{{url_for('static',</pre>
filename='images/jobjunction_appdevelopment.svg')}}" alt="App Development">
            <img class="decimg decimg3" src="{{url_for('static',</pre>
filename='images/jobjunction_endtoendsolutions.svg')}}" alt="End-to-End
            <img class="decimg decimg4" src="{{url_for('static',</pre>
filename='images/jobjunction_webdevelopment.svg')}}" alt="Web Development">
        </div>
    </div>
    <div class="happycustomers">
        <div class="header">
            Our <span style="color:#2246C2">Words to
you</span>
            We suffered a lot in finding jobs. So, we
are here to solve it 6
       </div>
       <div class="body">
            <div class="content">
                <div class="content feedbacks">
                    <div class="feedback">
                        In our beginning of our career as a fresher, We
struggled a lot to find jobs. Platforms like LinkedIn, Naukri and Indeed
suggest jobs just by our keywords and resume. It doesn't provide the exact
jobs for us. Company's description for aren't optimised for freshers. So, we
talk to you and recommend you the jobs, courses to take and personalised
guidance in a more human-centered way 💐 🕮 🔍 /p>
                        <h4>- Job Junction Team</h4>
                    <img class="quote" src="{{url_for('static',</pre>
filename='images/quote.svg')}}" alt="Job Junction Customers Feedback Quote">
                </div>
                <div class="content svg">
                    <img src="{{url_for('static',</pre>
filename='images/jobjunction_customer_svg.svg')}}" alt="Job Junction Happy
Customers.">
                </div>
            </div>
       </div>
    </div>
    <div class="footer">
        <div class="header">
```

```
Want to <span style="color:#2246C2">Connect With
Us</span>
           Don't hesitate. We are here to clear your
confusions. Feel Free to contact Us.
       </div>
       <div class="body">
       <div class="content">
           {{ cnmsg }}
               <form action="{{ url for('connectrec') }}" method="POST"</pre>
class="form footer">
                   <div>
                       <input type="text" name="CustomerName"</pre>
placeholder="Your Name" >
                       <input type="email" name="MailID" placeholder="Your</pre>
Email" >
                       <input type="tel" name="ContactNumber"</pre>
placeholder="Your Mobile Number" >
                       <input type="time" name="ConvenientTime"</pre>
placeholder="Your Convinient time to speak" >
                       <input type="text" name="CustomerMessage"</pre>
placeholder="Your Message in your language">
                   <div><button type="submit" name="connect"</pre>
class="button_send" style="margin:16px auto;"><i class="fa-solid fa-paper-</pre>
plane icon"></i>CONNECT</button></div>
               </form>
           </div>
       </div>
       <div class="bottom">
           <div class="line"></div>
           <div class="header">
               More Ways To Reach Us
onclick="location.href='https://in.linkedin.com/in/sunilprasadkuppusamy';"
class="head" style="color: lightblue; margin-top:16px; margin-bottom:32px;
cursor: pointer; line-height: normal; font-family: 'Montserrat'; font-style:
normal; font-weight: 400; ">With ♥ from Job Junction
           </div>
           <div class="contact_info" style="cursor:pointer;">
onclick="location.href='mailto:sunilprasadk2001@gmail.com'"><span><i</pre>
class="fa-solid fa-envelope"></i></span> contact@job-junction.com
               <span><i</pre>
class="fa-solid fa-phone"></i></span> +91 9080244817
           </div>
           <div class="social info">
               <div style="text-align: center;">
                   <a href="#">FACEBOOK</a>
```

#register.html



## ----STATIC FILES----

## ----CSS FILES----

## #growthzonestyles.css

```
@import
url('https://fonts.googleapis.com/css2?family=Zilla+Slab:ital,wght@0,300;0,400
;0,500;0,600;0,700;1,300;1,400;1,500;1,600;1,700&display=swap');
@import
url('https://fonts.googleapis.com/css2?family=Montserrat:ital,wght@0,400;0,500
;0,600;0,700;0,800;0,900;1,400;1,500;1,600;1,700;1,800;1,900&display=swap');
   margin:0;
   padding:0;
   box-sizing:border-box;
   list-style-type: none;
body{
   background: #FBFBFB;
   font-family: 'Zilla Slab', serif;
    font-family: 'Montserrat', sans-serif;
header{
   width:100%;
   padding:20px 16px;
   display: flex;
    justify-content:space-between;
   align-items: center;
/*HeaderContainer*/
.brand box{
```

```
display: flex;
   font-size: 20px;
   width:30%;
/*Header-brandbox-Logo*/
.brand_box img{
   width:55%;
.nav_links{
   display: flex;
   align-items: center;
.nav_links .nav_link a{
   margin-right: 15px;
   text-decoration: none;
   font-family: 'Zilla Slab';
   font-style: normal;
   font-weight: 600;
   font-size: 16px;
   line-height: 34px;
   color: #2F2F30;
/*header-navbar-link-container*/
.nav_links .special_link{
   background: #2246C2;
   border-radius: 32px;
   padding:8px;
   text-align: center;
/*header-navbar-link-anchor-SPECIAL*/
.nav links .special link a{
   color:#FBFBFB;
   margin-left:15px;
/*hamburger icon container*/
.menu_icon{
   display: none;
   position: absolute;
   cursor:pointer;
   top: 5%;
```

```
right: 26px;
    z-index:20;
/*hamburger-container-divs*/
.menu icon div{
   display:block;
   width:26px;
   height:4px;
    margin-bottom: 4px;
    background-color: #9d9bbe;
    border-radius: 10px;
/*topsection container*/
.hero{
   display: flex;
    flex-direction: row;
    align-items:center;
    padding:32px;
    position: relative;
/*input tag*/
input{
   margin-top: 16px;
    width:30%;
    background: #FBFBFB;
    border: none;
    border-radius: 3px;
    padding:16px;
    outline:none;
   margin-right: 16px;
/*target button*/
.button send{
    width:12%;
    margin-top: 16px;
    background: #FBFBFB;
    border-radius: 3px;
    border: none;
    padding:16px 8px;
    outline:none;
    margin-right: 16px;
    font-family: 'Montserrat';
    font-style: normal;
    font-weight: 700;
```

```
font-size: 12px;
    line-height: 128.69%;
    text-align: center;
    color: #2246C2;
/*input placeholder*/
input::placeholder{
    font-family: 'Montserrat';
    font-style: normal;
    font-weight: 400;
    font-size: 12px;
    text-align: left;
   color: #2F2F30;
/*target button icon*/
.icon{
   margin-right:8px;
/*section containers - head*/
.ourgrowths .header .head{
    font-family: 'Zilla Slab';
    font-style: normal;
   font-weight: 500;
    font-size: 28px;
   line-height: 58px;
   color: #2F2F30;
   text-align: center;
/*section containers - description*/
.ourgrowths .header .description{
   margin:10px 16%;
    text-align: center;
    font-family: 'Montserrat';
    font-style: normal;
   font-weight: 400;
    font-size: 16px;
    line-height: 128.69%;
   text-align: center;
    color: #8F8F92;
/*ourgrowths - body container*/
.ourgrowths .body{
   margin-top: 12px;
```

```
/*ourgrowths - body - content container*/
.ourgrowths .body .growths{
   display: flex;
   flex-wrap: wrap;
   justify-content: center;
/*ourgrowths - body - growth container*/
.growth{
   align-items: center;
   background: #f6f6f6;
   border: 1px solid #d5daed;
   border-radius: 6px;
   padding:16px 16px;
   margin-right:2.5%;
   margin-left:2.5%;
   margin: 20px 16px;
/*ourgrowths - body - growth container - p*/
.growth p{
    font-family: 'Zilla Slab';
   font-style: normal;
   font-weight: 600;
   font-size: 20px;
   color: #2F2F30;
/*ourgrowths - body - growth container - title*/
growth .growth title{
    color:#2F2F30;
/*ourgrowths - body - growth container - category*/
.growth .growth_category{
    display: inline-block;
   background-color:#395bc1;
   color:white;
    padding:5px 10px;
   border-radius: 25px;
   font-size:16px;
   margin-top: 8px;
@media only screen and (max-width: 1040px){
  .growth p{
```

### ---JAVASCRIPT FILES----

#### #index.js

```
let menu = document.getElementById("menu");
let links = document.getElementById("nav_links");
let body = document.getElementById("body");

menu.addEventListener("click", ()=>{
    links.classList.toggle("nav_responsive");
    links.classList.toggle("navbac");
    body.classList.toggle("bacdrop");
});
```

## ----PYTHON FILES---

#### #app.py

```
from turtle import st
from flask import Flask, render_template, request, redirect, url_for, session
from markupsafe import escape
import requests
import json
import ibm_db
conn = ibm_db.connect("DATABASE=bludb; HOSTNAME=55fbc997-9266-4331-afd3-
888b05e734c0.bs2io90l08kqb1od8lcg.databases.appdomain.cloud;PORT=31929;SECURIT
Y=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=ztc89378;PWD=HSYKGIqGB
cRZVRHK",'','')
print("Connected Successfully !")
app = Flask(_name_)
app.secret_key = 'Done ehhh'
@app.route('/')
@app.route('/index')
def index():
    return render_template('index.html')
@app.route('/jobs')
def jobs():
    return render_template('jobs.html')
@app.route('/login')
def login():
   return render template('login.html')
```

```
@app.route('/register')
def register():
   return render_template('register.html')
@app.route("/registerrec", methods = ['POST', 'GET'])
def registerrec():
   msg=''
    if request.method == 'POST':
        name = request.form['name']
        number = request.form['number']
        email = request.form['email']
        password = request.form['password']
        cpassword = request.form['cpassword']
        sql = "SELECT * FROM register WHERE email =?"
        stmt = ibm_db.prepare(conn, sql)
        ibm db.bind param(stmt,1,email)
        ibm db.execute(stmt)
        account = ibm_db.fetch_assoc(stmt)
        print(account)
        if account:
            return render template('login.html', msg="You are already a
member, please login using your details")
        else:
            insert_sql = "INSERT INTO register VALUES (?,?,?,?)"
            prep stmt = ibm db.prepare(conn, insert sql)
            ibm_db.bind_param(prep_stmt, 1, name)
            ibm_db.bind_param(prep_stmt, 2, number)
            ibm db.bind param(prep stmt, 3, email)
            ibm_db.bind_param(prep_stmt, 4, password)
            ibm_db.bind_param(prep_stmt, 5, cpassword)
            ibm db.execute(prep stmt)
        return render_template('login.html', msg="Registered
successfuly..login to continue")
#Login
@app.route("/loginrec", methods =['POST','GET'])
def loginrec():
    smsg = ''
    if request.method == 'POST' and 'email' in request.form and 'password' in
request.form:
        email = request.form['email']
        password = request.form['password']
        if((email and password) is not None ):
```

```
sql = "SELECT * FROM register WHERE email = ?"
            stmt = ibm db.prepare(conn, sql)
            ibm_db.bind_param(stmt,1,email)
            prep_stmt = ibm_db.execute(stmt)
            dicto = ibm_db.fetch_assoc(stmt)
            while(dicto != False):
                res1 = dicto["EMAIL"]
                res2 = dicto['PASSWORD']
                res3 = dicto['NAME']
                res4 = dicto['NUMBER']
                if(res1 == email and res2 == password):
                    session['email'] = res1
                    session['pass'] = res2
                    session['name'] = res3
                    session['number'] = res4
                    return render_template('profile.html')
                else:
                    return render_template('login.html', smsg = 'Incorrect
username / password !')
            else:
                return render_template('register.html', smsg = 'Not yet
registered')
            return render_template('login.html', smsg = 'Fill all the
details')
    else:
        return render_template('login.html')
#contact
@app.route("/contactrec",methods = ['POST', 'GET'])
def contactrec():
    cmsg=''
    if request.method == 'POST':
        Name = request.form['name']
        MobileNumber = request.form['number']
        insert_sql = "INSERT INTO contact VALUES (?,?)"
        prep_stmt = ibm_db.prepare(conn, insert sql)
        ibm_db.bind_param(prep_stmt, 1, Name)
        ibm_db.bind_param(prep_stmt, 2, MobileNumber)
        ibm db.execute(prep stmt)
        return render_template('index.html', cmsg="We will contact you soon")
```

```
@app.route("/connectrec",methods = ['POST', 'GET'])
def connectrec():
    cnmsg=''
    if request.method == 'POST':
        CustomerName = request.form['CustomerName']
        MailID = request.form['MailID']
        ContactNumber = request.form['ContactNumber']
        ConvenientTime = request.form['ConvenientTime']
        CustomerMessage = request.form['CustomerMessage']
        insert_sql = "INSERT INTO connectwithus VALUES (?,?,?,?)"
        prep stmt = ibm db.prepare(conn, insert sql)
        ibm_db.bind_param(prep_stmt, 1, CustomerName)
        ibm_db.bind_param(prep_stmt, 2, MailID)
        ibm_db.bind_param(prep_stmt, 3, ContactNumber)
        ibm db.bind param(prep stmt, 4, ConvenientTime)
        ibm_db.bind_param(prep_stmt, 5, CustomerMessage)
        ibm_db.execute(prep_stmt)
        return render_template('index.html', cnmsg="Lets Travel Together")
@app.route("/jobsrec",methods = ['POST', 'GET'])
def jobsrec():
    jmsg=''
    if request.method == 'POST':
        CandidateName = request.form['CandidateName']
        CompanyName = request.form['CompanyName']
        EmployeeRole = request.form['EmployeeRole']
        CandidateMail = request.form['CandidateMail']
        CandidateNumber = request.form['CandidateNumber']
        insert sql = "INSERT INTO hirerform VALUES (?,?,?,?,?)"
        prep_stmt = ibm_db.prepare(conn, insert_sql)
        ibm_db.bind_param(prep_stmt, 1, CandidateName)
        ibm_db.bind_param(prep_stmt, 2, CompanyName)
        ibm_db.bind_param(prep_stmt, 3, EmployeeRole)
        ibm_db.bind_param(prep_stmt, 4, CandidateMail)
        ibm db.bind param(prep stmt, 5, CandidateNumber)
        ibm_db.execute(prep_stmt)
        return render_template('jobs.html', jmsg="We will contact you soon")
@app.route('/profile')
def profile():
    return render_template('profile.html')
```

```
@app.route('/exploreJobs', methods = ['GET', 'POST'])
def exploreJobs():
    url = "https://linkedin-jobs-search.p.rapidapi.com/"
    payload = {
        "search_terms": "python programmer",
        "location": "30301",
        "page": "1"
    headers = {
        "content-type": "application/json",
        "X-RapidAPI-Key":
'6ac028283fmshc8ee5a710f1e3c4p196a21jsnb05b95329620",
        "X-RapidAPI-Host": "linkedin-jobs-search.p.rapidapi.com"
    response = requests.request("POST", url, json=payload, headers=headers)
    #print(response.text)
    job = json.loads(response.content)
    #print(job)
    #json_data = json.loads(job)
    return render_template('exploreJobs.html', jobs =job)
@app.route('/logout')
def logout():
    # Remove session data, this will log the user out
   session.pop('email', None)
   session.pop('password', None)
  session.pop('name', None)
  session.pop('number', None)
  # Redirect to login page
   return redirect(url_for('login'))
if_name_== "_main_":
   app.run(debug=True)
```

#### #sendmail.py

```
import configparser
import os
import ssl
ssl._create_default_https_context = ssl._create_unverified_context
from sendmail import SendGridAPIClient
from sendgrid.helpers.mail import Mail

config = configparser.ConfigParser()
config.read("config.ini")
```

```
def SendmailUsingSendGrid(API,from email,to email,subject,html content):
    if API != None and from email != None and len(to email)>0 :
        message = Mail(from_email, to_email, subject, html_content)
        try:
            sg = SendGridAPIClient(API)
            response = sg.send(message)
            print(response.status_code)
            print(response.body)
            print(response.headers)
        except Exception as e:
            print(e.message)
try:
    settings = config["SETTINGS"]
except:
    settings = {}
API = settings.get("APIKEY", None)
from_email = settings.get("FROM", None)
to_email = settings.get("TO","")
print(API)
subject = "Sample test message"
html_content = "Message Successfully sent through Python Sendgrid"
SendmailUsingSendGrid(API,from email,to email,subject,html content)
```

#### ----TEXT FILE----

#requirements.txt

```
flask
ibm_db
```

## ----DOCKER FILE----

```
FROM python:3.10.6

WORKDIR /app

COPY requirements.txt ./

RUN pip install -r requirements.txt

COPY . .

EXPOSE 5000

CMD ["python","./app.py"]
```

#### ----INI FILE----

# #config.ini

```
["SETTINGS"]
APIKEY = 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
FROM = govaaece@gmail.com
TO = session['email']
```

## GitHub

GitHub Link 1: https://github.com/IBM-EPBL/IBM-Project-129-1665375319

GitHub Link 2: https://github.com/IBM-EPBL/IBM-Project-129-1658212282

# **Project Demo Link**

 $Googledrive: https://drive.google.com/file/d/1jR1a3uQ1gkHcNvPJFRSA8B7\_Wlj3LgbN/view?usp=share\_link$