# **Real-Time Communication System Powered by AI for Specially Abled**

# **Submitted By**

**Team ID: PNT2022TMID14967** 

**Members:** 

Thillai Raj M(Team lead)

Aakaash N

Ejass Mohammed S

Harish S M

Minish S

### 1. INTRODUCTION

## **1.1** Overview:

People get to know one another by sharing their ideas, thoughts, and experiences with those around them. There are numerous ways to accomplish this, the best of which is the gift of "Speech." Everyone can very convincingly transfer their thoughts and understand each other through speech. It will be unjust if we overlook those who are denied this priceless gift: the deaf and dumb. In such cases, the human hand has remained the preferred method of communication.

## 1.2 Purpose:

In our society, we have people with disabilities. The technology is developing day by day but no significant developments are undertaken for the betterment of these people. Communications between deaf-mute and a normal person has always been a challenging task. It is very difficult for mute people to convey their message to normal people. Since normal people are not trained on hand sign language. In emergency times conveying their message is very difficult. The human hand has remained a popular choice to convey information in situations where other forms like speech cannot be used.

The project's purpose is to create a system that translates sign language into a human- understandable language so that ordinary people may understand it. We are making use of a convolution neural network to create a model that is trained on different hand gestures. An app is built which uses this model. This app enables deaf and dumb people to convey their information using signs which get converted to human-understandable language and speech is given as output.

## 2. LITERATURE SURVEY

## 2.1 Existing problem:

Some of the existing solutions for solving this problem are:

#### **Technology**

One of the easiest ways to communicate is through technology such as a smart phone or laptop. A deaf person can type out what they want to say and a person who is blind or has low vision can use a screen reader to read the text out loud. A blind person can also use voice recognition software to convert what they are saying in to text so that a person who is Deaf can then read it.

#### *Interpreter*

If a sign language interpreter is available, this facilitates easy communication if the person who is deaf is fluent in sign language. The deaf person and person who is blind can communicate with each other via the interpreter. The deaf person can use sign language and the interpreter can speak what has been said to the person who is blind and then translate anything spoken by the blind person into sign language for the deaf person.

#### Just Speaking

Depending on the deaf person's level of hearing loss, they may be able to communicate with a blind person who is using speech. For example, a deaf person may have enough residual hearing (with or without the use of an assistive hearing device such as a hearing aid) to be able to decipher the speech of the person who is blind or has low vision. However, this is often not the most effective form of communication, as it is very dependent on the individual circumstances of both people and their environment (for example, some places may have too much background noise).

## **2.2** Proposed solution:

This paper describes the system that overcomes the problem faced by the speech and hearing impaired. The objectives of the research are as follow:


1. To design and develop a system which lowers the communication gap between speech-hearing impaired and normal world.

- 2. To build a communication system that enables communications between deaf-dumb person and a normal person.
- 3. A convolution neural network is being used to develop a model that is trained on various hand movements. This model is used to create an app. This programme allows deaf and hard of hearing persons to communicate using signs that are then translated into human-readable text.

## 3. THEORITICAL ANALYSIS

## 3.1 Block diagram

Architecture:



## 3.2 <u>Hardware / Software designing</u>

Hardware Requirements:

Operating System	Windows, Mac, Linux
CPU (for training)	Multi Core Processors (i3 or above/equivalent)
GPU (for training)	NVIDIA AI Capable / Google's TPU
WebCam	Integrated or External with FullHD Support

#### **Software Requirements:**

Python	v3.9.0 or Above
Python Packages	flask, tensorflow, opency-python, keras, numpy,
	pandas, virtualenv, pillow
Web Browser	Mozilla Firefox, Google Chrome or any modern
	web browser
IBM Cloud (for	Watson Studio - Model Training & Deployment as
training)	Machine Learning Instance

## 4. EXPERIMENTAL INVESTIGATIONS


*Training and Testing using Dataset Provided:* 

```
1 f:Fitting the Model Generator
2 model.fit_generator(x_train,steps_per_epoch=len(x_train),epochs=10,validation_data=x_test,validation_steps=len(x_test))
C:\Users\Kushagra\App@ata\Local\Temp\ipykernel_8892\1042518445.py:2: UserWarning: 'Model.fit_generator' is deprecated and will be removed in a future version. Please use 'Model.fit', which supports generators.
model.fit.generators.
model.fit.generators.
==] - 47s 2s/step - loss: 0.8933 - accuracy: 0.6967 - val_loss: 0.7331 - val_accuracy: 0.7595
=] - 47s 2s/step - loss: 0.4757 - accuracy: 0.8454 - val_loss: 0.3898 - val_accuracy: 0.8692
Saving the Model
Testing the model
     1 import Yumps as The
2 from tensorflow.keras.models import load_model
3 from tensorflow.keras.preprocessing import image
    1 model=load_model('ast_model_84_54.h5')
2 ing=image.load_ing(r'E:\Projects\SmartBridge\ModelGen\Dataset\test_set\D\2.png',
3 | target_size=(64,64))
                                                                                                                                                                                                                                    n
    1 x=image.img_to_array(img)
                      ______] - 0s 88ms/step
```

```
1 pred

| pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred | pred |
```


## 5.FLOWCHART



## 6. RESULT

The proposed procedure was implemented and tested with set of images. The set of 15750 images of Alphabets from "A" to "I" are used for training database and a set of 2250 images of Alphabets from "A" to "I" are used for testing database. Once the gesture is recognise the equivalent Alphabet is shown on the screen.

Some sample images of the output are provided below:





Quick Reference - ASL Alphabets

#### About The Project

Artificial Intelligence has made it possible to handle our daily activities in new and simpler ways. With the ability to automate tasks that normally require human intelligence, such as speech and voice recognition, visual perception, predictive text functionality, decision-making, and a variety of other tasks. All can assist people with disabilities by significantly improving their ability to get around and participate in daily activities.

Currently, Sign Recognition is available **only for alphabets A-I** and not for F-Z, since F-Z alphabets also require Gesture Recognition for them to be able to be predicted correctly to a certain degree of accuracy.

Developed By



#### 7. ADVANTAGES & DISADVANTAGES

#### Advantages:

- 1. It is possible to create a mobile application to bridge the communication gap between deaf and dumb persons and the general public.
- 2. As different sign language standards exist, their dataset can be added, and the user can choose which sign language to read.

#### Disadvantages:

- 1. The current model only works from alphabets A to I.
- 2. In absence of gesture recognition, alphabets from J cannot be identified as they require some kind of gesture input from the user.
- 3. As the quantity/quality of images in the dataset is low, the accuracy is not great, but that can easily be improved by change in dataset.

## 8. APPLICATIONS

1. It will contribute to the development of improved communication for the deafened. The majority of people are unable to communicate via sign language, which creates a barrier to communication.

- 2. As a result, others will be able to learn and comprehend sign language and communicate with the deaf and dumb via the web app.
- 3. According to scientific research, learning sign language improves cognitive abilities, attention span, and creativity.

#### 9. CONCLUSION

Sign language is a useful tool for facilitating communication between deaf and hearing people. Because it allows for two-way communication, the system aims to bridge the communication gap between deaf people and the rest of society. The proposed methodology translates language into English alphabets that are understandable to humans.

This system sends hand gestures to the model, who recognises them and displays the equivalent Alphabet on the screen. Deaf-mute people can use their hands to perform sign language, which will then be converted into alphabets, thanks to this project.

#### 10. FUTURE SCOPE

Having a technology that can translate hand sign language to its corresponding alphabet is a game changer in the field of communication and Ai for the specially abled people such as deaf and dumb. With introduction of gesture recognition, the web app can easily be expanded to recognize letters beyond 'I', digits and other symbols plus gesture recognition can also allow controlling of software/hardware interfaces.


#### 11. BIBILOGRAPHY

- 1. Environment Setup: <a href="https://www.youtube.com/watch?v=5mDYijMfSzs">https://www.youtube.com/watch?v=5mDYijMfSzs</a>
- 2. Sign Languages Dataset: <a href="https://drive.google.com/file/d/1ITbDvhLwyTTkuUYfNjOKhcIZh7hDgi64/view?usp=sh">https://drive.google.com/file/d/1ITbDvhLwyTTkuUYfNjOKhcIZh7hDgi64/view?usp=sh</a> <a href="mailto:aring">aring</a>
- 3. Keras Image Processing Doc: <a href="https://keras.io/api/preprocessing/image/">https://keras.io/api/preprocessing/image/</a>
- 4. Keras ImageDataset From Directory Doc:\_ https://keras.io/api/preprocessing/image/#imagedatasetfromdirectory-function
- 5. CNN using Tensorflow: <a href="https://www.youtube.com/watch?v=umGJ30-15\_A">https://www.youtube.com/watch?v=umGJ30-15\_A</a>
- 6. OpenCV Basics of Processing Image: https://www.youtube.com/watch?v=mjKd1Tzl70I

- 7. Flask Basics: <a href="https://www.youtube.com/watch?v=lj4I\_CvBnt0">https://www.youtube.com/watch?v=lj4I\_CvBnt0</a>
- 8. IBM Academic Partner Account Creation: <a href="https://www.youtube.com/watch?v=x6i43M7BAqE">https://www.youtube.com/watch?v=x6i43M7BAqE</a>
- 9. CNN Deployment and Download through IBM Cloud: <a href="https://www.youtube.com/watch?v=BzouqMGJ41k">https://www.youtube.com/watch?v=BzouqMGJ41k</a>

## 12. APPENDIX

Source Code for Model Training and Saving:



#### IBM Model Training & Download Code:

#### Web app code:

```
camera.py 2 × requirements.txt 5 index.html 🔼 ASL_Alphabets.png
🗬 camera.py > .
      from tensorflow.keras.models import load_model
     from tensorflow.keras.preprocessing import image
          def __init__(self):
               self.roi_start = (50, 150)
              # self.model = load_model('asl_model.h5') # Execute Local Trained Model
              self.model = load_model('IBM_Communication_Model.h5') # Execute IBM Trained Model
              self.video.release()
              ret,frame = self.video.read()
frame = cv2.resize(frame, (640, 480))
               copy = frame.copy()
              copy = copy [150:150+200,50:50+200]
               # Prediction Start
               cv2.imwrite('image.jpg',copy)
              copy_img = image.load_img('image.jpg', target_size=(64,64))
               # copy_img = image.load_img('image.jpg', target_size=(28,28))
               x = image.img_to_array(copy_img)
               x = np.expand_dims(x, axis=0)
pred = np.argmax(self.model.predict(x), axis=1)
               self.y = pred[0]
               cv2.putText(frame,'The Predicted Alphabet is: '+str(self.index[self.y]),(100,50),

cv2.FONT_HERSHEY_SIMPLEX,1,(0,0,0),3)
```

## American Sign Language Standard Reference:

