PROJECT DEVELOPMENT PHASE

DELIVERY OF SPRINT-2

DATE	4 OCTOBER 2022
TEAM ID	PNT2022TMID15627
PROJECT NAME	Car Resale Value Prediction
MAXIMUM MARK	4 Marks

Label encoding the categorical data

```
#label encoding the categorical data
          labels = ['gearbox','notRepairedDamage','brand','fuelType','vehicleType']
In [24]:
          mapper = {}
          for i in labels:
                  mapper[i] = LabelEncoder()
                  mapper[i].fit(new_df[i])
                  tr = mapper[i].transform(new_df[i])
                  np.save(str('classes'+i+'.npy'),mapper[i].classes_)
                  print(i,";",mapper[i])
                  new_df.loc[:,i+'_labels'] = pd.Series(tr,index = new_df.index)
          labeled = new_df[ ['price','yearOfRegistration','powerPS','kilometer','monthOfRegistration'] + [x+"_labels" for x in labels]]
         gearbox ; LabelEncoder()
         notRepairedDamage ; LabelEncoder()
         brand ; LabelEncoder()
         fuelType ; LabelEncoder()
         vehicleType ; LabelEncoder()
In [25]:
          print(labeled.columns)
         Index(['price', 'yearOfRegistration', 'powerPS', 'kilometer',
                 'monthOfRegistration', 'gearbox labels', 'notRepairedDamage labels',
                'brand_labels', 'fuelType_labels', 'vehicleType_labels'],
               dtype='object')
```

• Choosing appropriate model

```
In [46]:
          Y = Y.reshape(-1,1)
          from sklearn.model selection import cross val score , train test split
          X_train,X_test,Y_train,Y_test = train_test_split(X,Y,test_size=0.3,random_state=3)
In [47]:
          from sklearn.ensemble import RandomForestRegressor
          from sklearn.metrics import r2_score
          regressor = RandomForestRegressor(n_estimators = 1000,max_depth=10,random_state=34)
In [48]:
          regressor.fit(X_train,np.ravel(Y_train,order='C'))
         RandomForestRegressor(max_depth=10, n_estimators=1000, random_state=34)
Out[48]:
In [49]:
          y_pred = regressor.predict(X_test)
          print(r2_score(Y_test,y_pred))
         0.8282067869983389
```

• Dumping to pickle file

```
filename = 'resale_value_pickle_file.sav'
pickle.dump(regressor,open(filename,'wb'))
```