# *BULID A WEB APPLICATION USING NODE-RED SERVICE*

TEAM ID	PNT2022TMID32073
PROJECT NAME	PERSONAL ASSISTANCE FOR SENIORS WHO ARE SELF RELIANT

```
node-red

8 Nov 14:26:14 - [info] Node-RED version: v3.0.2
8 Nov 14:26:14 - [info] Node.js  version: v18.12.1
8 Nov 14:26:14 - [info] Windows_NT 10.0.19042 x64 LE
8 Nov 14:26:23 - [info] Loading palette nodes
8 Nov 14:27:04 - [info] Settings file  : C:\Users\Admin\.node-red\settings.js
8 Nov 14:27:04 - [info] Context store  : 'default' [module=memory]
8 Nov 14:27:04 - [info] User directory : C:\Users\Admin\.node-red
8 Nov 14:27:04 - [warn] Projects disabled : editorTheme.projects.enabled=false
8 Nov 14:27:04 - [info] Flows file  : C:\Users\Admin\.node-red\flows.json
8 Nov 14:27:04 - [info] Creating new flow file
8 Nov 14:27:04 - [warn]

---------------------------------------------------------------------
Your flow credentials file is encrypted using a system-generated key.

If the system-generated key is lost for any reason, your credentials
file will not be recoverable, you will have to delete it and re-enter
your credentials.

You should set your own key using the 'credentialSecret' option in
your settings file. Node-RED will then re-encrypt your credentials
file using your chosen key the next time you deploy a change.
---------------------------------------------------------------------

8 Nov 14:27:04 - [info] Server now running at http://127.0.0.1:1880/
8 Nov 14:27:04 - [warn] Encrypted credentials not found
8 Nov 14:27:04 - [info] Starting flows
```