ASSIGNMENT-1

Project Name: IOT based real time river water quality checking and control system

Assignment Given: smart home automation using sensor leads and buzzer


Team Lead : Deepan S V

Team Member 1: Rohith Varma R


Team Member 2: Kirubasankar D

Team Member 3: Sudarshan S

Before Simulation:



After Simulation:



Code:

```
1 // C++ code
 2
 3 int distancia = 0;
 4
 5
   int i = 0;
 6
 7
   long readUltrasonicDistance(int triggerPin, int echoPin)
 9
    pinMode(triggerPin, OUTPUT); // Clear the trigger
10
     digitalWrite(triggerPin, LOW);
     delayMicroseconds(2);
11
     // Sets the trigger pin to HIGH state for 10 microseconds
12
     digitalWrite(triggerPin, HIGH);
13
14
     delayMicroseconds (10);
15
     digitalWrite(triggerPin, LOW);
     pinMode(echoPin, INPUT);
16
     // Reads the echo pin, and returns the sound wave travel time i
17
18
     return pulseIn(echoPin, HIGH);
19
20
21 void setup()
23
    pinMode(8, OUTPUT);
24
    pinMode(12, OUTPUT);
25
     pinMode(13, OUTPUT);
     pinMode(5, OUTPUT);
26
```

```
26
     pinMode (5, OUTPUT);
27
   }
28
29 void loop()
31
     distancia = 0.01723 * readUltrasonicDistance(11, 10);
     if (distancia > 10) {
33
        digitalWrite(8, HIGH);
34
        digitalWrite(12, LOW);
        digitalWrite(13, LOW);
36
        digitalWrite(5, LOW);
37
        delay(200); // Wait for 200 millisecond(s)
        digitalWrite(5, LOW);
39
        delay(200); // Wait for 200 millisecond(s)
40
      } else {
41
       digitalWrite(8, LOW);
42
        digitalWrite(5, LOW);
43
44
45
     distancia = 0.01723 * readUltrasonicDistance(11, 10);
46
     if (distancia <= 10) {
47
        digitalWrite(8, LOW);
48
        digitalWrite(12, HIGH);
49
        digitalWrite(13, LOW);
50
        digitalWrite(5, HIGH);
51
        delay(200); // Wait for 200 millisecond(s)
52 ◀
```

```
51
        delay(200); // Wait for 200 millisecond(s)
52
        digitalWrite(5, LOW);
        delay(200); // Wait for 200 millisecond(s)
53
54
      } else {
55
       digitalWrite(12, LOW);
56
        digitalWrite(5, LOW);
57
58
59
     distancia = 0.01723 * readUltrasonicDistance(11, 10);
60
     if (distancia <= 5) {
        digitalWrite(8, LOW);
61
62
        digitalWrite(12, LOW);
        digitalWrite(13, HIGH);
63
64
        digitalWrite(5, HIGH);
65
        delay(100); // Wait for 100 millisecond(s)
66
        digitalWrite(5, LOW);
67
        delay(100); // Wait for 100 millisecond(s)
68
      } else {
69
       digitalWrite(13, LOW);
        digitalWrite(5, LOW);
71
72
   }
```