

SENDGRID INTEGRATION WITH PYTHON CODE

TEAM ID	PNT2022TMID32161
Batch ID	B2 – 2M4E
Project Name	CUSTOMER CARE REGISTRY

STEPS FOR SENDGRID INTEGRATION WITH PYTHON CODE :

Algorithm :

- Step : 1 Sign up for a SendGrid account.
- Step :2 Enable Two-factor authentication.
- Step : 3 Create and store a SendGrid API Key with Mail Send > Full Access permissions.
- Step : 4 Complete Domain Authentication.
- Step : 5 Install Python.

Step 1 : Sign up for a SendGrid account.

```
1 | export SENDGRID_API_KEY=<Your API Key>
```

Step 2 : Enable Two-Factor Authentication

```
1 | python --version
```

If you have Python installed, the terminal should print something like the following output.

```
1 | Python 3.8.5
```

Step 3 : Create and Store a Sendgrid API Key

Starting the project

Using a [Twilio SendGrid helper library](#) is the fastest way to deliver your first email.

Start by creating a project folder for this app. You can name the project anything you like. We use `sg_quickstart` in the following examples.

```
1 | mkdir sg_quickstart
```

Next, navigate into the `sg_quickstart` directory where you will complete the rest of the tutorial.

```
1 | cd sg_quickstart
```

Step 4: Initialize Your Project

Initialize your project

The [pip](#) package manager was included when you installed Python. You can use pip to install the Twilio SendGrid helper library and save it as a project dependency. If you want to verify that pip is installed, you can type the following into the terminal.

```
1 | pip --version
```

The terminal should print something like the following output.

```
1 | pip 20.1.1 from /usr/local/lib/python3.8/site-packages/pip (python 3.8)
```

Step 5 : Install the Helper library

Install the helper library

To install the Twilio SendGrid helper library, type the following command into the terminal.

```
1 | pip install sendgrid
```

The terminal should print something like.

```
1 | Collecting sendgrid
2 |   Using cached sendgrid-6.4.6-py3-none-any.whl (73 kB)
3 | Requirement already satisfied: python-http-client>=3.2.1 in /usr/local/lib/python3.8/
4 | Requirement already satisfied: starkbank-ecdsa>=1.0.0 in /usr/local/lib/python3.8/
5 | Installing collected packages: sendgrid
6 | Successfully installed sendgrid-6.4.6
```

Python code :

```
1 import sendgrid
2 import os
3 from sendgrid.helpers.mail import Mail, Email, To, Content
4
5 sg = sendgrid.SendGridAPIClient(api_key=os.environ.get('SENDGRID_API_KEY'))
6 from_email = Email("test@example.com") # Change to your verified sender
7 to_email = To("test@example.com") # Change to your recipient
8 subject = "Sending with SendGrid is Fun"
9 content = Content("text/plain", "and easy to do anywhere, even with Python")
10 mail = Mail(from_email, to_email, subject, content)
11
12 # Get a JSON-ready representation of the Mail object
13 mail_json = mail.get()
14
15 # Send an HTTP POST request to /mail/send
16 response = sg.client.mail.send.post(request_body=mail_json)
17 print(response.status_code)
18 print(response.headers)
```