Sprint-1

catalogue.html

```
<html>
<head>
<title>Book Catalogue</title>
  <style>
.menu{
  background-color:
  #131413; padding:
  0px;
  margin: 0px;
  border-radius: 15px;
 }
ul {
  list-style-type: none;
  overflow: hidden;
  background-color:
  #131413;
 }
 .menu
li {
float:lef
t;
 }
.menu li a {
  display: inline-
  block; color:
  white;
  text-align:
  center; padding:
  14px 16px; text-
  decoration: none;
 }
```

```
a:hover {
     background-color: #4CAFFF;
   }
   h2{
   color:whi
   te;
   .menuleft:hover{
    background-color: #4CAFFF;
}
   .menuleft{}
   padding:0px
   5px;
   body{
   font-family:sans-serif;
   background-
image:url(https://newevolutiondesigns.com/images/freebies/4k-car-
wallpaper- 3.jpg);
   background-position:
   center; background-
   size: cover;
   .button {
     background-color:
     white; color:
     #4CAF50;
     border: none;
     padding: 15px
     32px; text-align:
     center; text-
```

```
decoration:
  none; display:
  inline-block;
  font-size: 16px;
  margin-right:
  0px; border-
  radius: 55px;
.required-tracking
  li a{ display:
  flex;
  color: white;
  text-align:justify;
  padding:16px;
  text-decoration:
  none; font-
  weight: 500;
.button:hover{
  background-color:
 #4CAFFF; color: white;
}
. footer \{ \\
width:
100%;
height: 5%;
```

```
</style>
         </head>
         <body bgcolor="#4CAF50">
         <div class="menu" style="float:top; width: 100%; height:11%;">
          <div class="menuleft" style="float:left;">
           <a href="registration_with_js_validation.html" class="logo">
           <h2 style="float:left;">Automobile Showroom</h2>
           </a>
           </div>
           <div class="menuright" style="float:left;">
           \langle ul \rangle
            <a href="homepage.html" id="menufirstelement">Home</a>
            <a href="catalogue.html">Catalogue</a>
            <a href="registration_with_js_validation.html">Register</a>
            <a href="shoppingcard.html">Cart</a>
            <a href="payment.html">Payment</a>
            <a href="contact.html">Contact</a>
           </div>
         </div>
         <div class="full" style="float:center;display:inline;">
         <div class="scrollable menu-content" style="float:left; width:30%;">
                 id="clp_books_clp/CategoryList_0-1_catergorylinks" >
                      <a href="#">Interior Dealing</a>
              <a href="#">Exterior Dealing</a>
              <a href="#">Classic Rejuvenation</a>
              <a href="#">Exotic Car and show prep</a>
              <a href="#">Tire and Wheel shine</a>
              <a href="#">Minor repairs</a>
              <a href="#">Retail showroom and Catalog sales</a>
```

```
</div>
```

```
</body>
```

homepage.html

```
<html><head>
<title>Home</title>
<!--<li>type="text/css" href="registration.css">-->
<style>
.menu{
  background-color:
  #131413; padding:
 0px;
  margin: 0px;
  border-radius: 15px;
}
ul {
 list-style-type: none;
  overflow: hidden;
  background-color:
 #131413;
}
li {
float:le
ft;
li a {
  display: inline-
  block; color:
  white;
```

```
text-align:
  center; padding:
  14px 16px; text-
  decoration: none;
}
a:hover {
  background-color: #4CAFFF;
}
#roundedcorners
  { border-radius:
  25px;
  border: 2px solid
  white; padding:
  20px;
  width:
  200px;
  height:
  150px;
  margin-bottom:
  20px; margin-
  top: 100px;
  margin-right:
  100px; float:
  right;
  background-color: white;
```

```
}
.button {
  background-color:
  #4CAF50; border:
  none;
  color: white;
  padding: 15px
  32px; text-align:
  center; text-
  decoration:
  none; display:
  inline-block;
  font-size: 16px;
  margin-right:
  0px; border-
  radius: 55px;
h4{
font-size:
18px; color:
#4CAF50;
}
h2{
color:whi
te;
.menuleft:hover{
 background-color: #4CAFFF;
.menuleft\{
padding:0px
5px;
h4{
display: block;
```

```
padding: 3px
   10px;
   }
   th{
   color:#4CAF
   50; font-size:
   24px; font-
   weight: bold;
  body{
  font-family:sans-serif;
   background-image:
                    url(https://newevolutiondesigns.com/images/freebies/4k
-car-wallpaper- 3.jpg);
   background-position:
  center; background-
   size: cover;
   }
   .footer{
   width:
   100%;
  height: 5%;
   }
   .button:hover{
    background-color: #4CAFFF;
   </style>
   </head>
   <body>
   <div class="menu" style="float:top; width: 100%; height:11%;">
    <div class="menuleft" style="float:left;">
    <a href="registration_with_js_validation.html" class="logo">
```

```
<h2 style="float:left;">Automobile Showroom</h2>
          </a>
          </div>
          <div class="menuright" style="float:left;">
          \langle ul \rangle
            <a href="homepage.html" id="menufirstelement">Home</a>
            <a href="catalogue.html">Catalogue</a>
            <a href="shoppingcart.html"> Cart</a>
            <a href="payment.html">Payment</a>
            <a href="contact.html">Contact</a>
          </div>
        </div>
        <center><h1 style="color:whitesmoke">WELCOME TO OUR WEBSITE :)
        </h1></center>
        </body>
        </html>
Orderconfirmed.html
<html>
<head>
<title>Order Confirmed</title>
<!--<li>rel="stylesheet" type="text/css" href="registration_with_js_validation.css">-->
<link href='https://fonts.googleapis.com/css?family=Montserrat:700' rel='stylesheet'</pre>
type='text/css'>
<style>
.menu{
 background-color: #131413;
```

```
padding:
 0px;
 margin:
 0px;
 border-radius: 15px;
ul {
 list-style-type: none;
 overflow: hidden;
 background-color:
 #131413;
li {
float:le
ft;
}
li a {
 display: inline-
 block; color:
 white;
 text-align:
 center; padding:
  14px 16px; text-
 decoration: none;
}
a:hover {
 background-color: #4CAFFF;
#roundedcorners
  { border-radius:
 25px;
 border: 2px solid
 white; padding:
```

```
20px;
 width:
 200px;
 height:
 150px;
 margin-bottom:
 20px; margin-
 top: 100px;
 margin-right:
 100px; float:
 right;
 background-color: white;
}
.button {
 background-color:
 #4CAF50;border:
 none;
 color: white;
 padding: 15px
 32px;
```

```
text-align:
 center; text-
 decoration:
 none; display:
 inline-block;
 font-size: 16px;
 margin-right:
 0px; border-
 radius: 55px;
h4{
font-size:
18px; color:
#4CAF50;
}
h2{
color:whi
te;
.menuleft:hover{
 background-color: #4CAFFF;
}
. menule ft \{ \\
padding:0px
5px;
h4{
display: block;
padding: 3px
10px;
}
th{
color:#4CAF
50; font-size:
```

24px; font-

```
weight: bold;
 border-style:
}
body{
font-family:sans-serif;
background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
car-wallpaper-3.jpg); background-position: center;
background-size: cover;
}
.footer{
width:
100%;
height: 5%;
.button:hover{
 background-color: #4CAFFF;
.login{
 background-color:
 none; border-radius:
 280px 20px;
 font-family: 'Montserrat', sans-serif;
}
</style>
</head>
<body>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
  <a href="registration_with_js_validation.html" class="logo">
 <h2 style="float:left;">Automobile Showroom</h2>
  </a>
  </div>
  <div class="menuright" style="float:left;">
  <ul>
```

```
<a href="homepage.html" id="menufirstelement">Home</a>
   <a href="catalogue.html">Catalogue</a>
   <a href="registration_with_js_validation.html">Register</a>
   <a href="userpro.html">Profile</a>
   <a href="shoppingcart.html"> Cart</a>
   <a href="payment.html">Payment</a>
   <a href="contact.html">Contact</a>
 </div>
</div>
<center>
<div class="login" style="width: 90%; height:59%;">
 <center>
 <h1 style="color:whitesmoke">Congratulations, your order has</h1>
 <h1 style="color:whitesmoke">been confirmed!</h1>
 </center>
</div>
</center>
</body>
</html>
Payment.html
<html>
<head>
```

```
olor: #131413;
<title
         padding: 0px;
>Pay
         margin: 0px;
ment
       }
</titl
       ul {
e>
         list-style-type:
<!--
link
         none;
rel="
         overflow:
         hidden;
style
sheet
         background-
         color:
         #131413;
type
="te
       }
xt/cs
s"
       1
       i
href
="re
       {
gistr
       \mathbf{f}
ation
       1
.css"
       0
>-->
       a
<styl
       t
e>
       1
.men
       e
u{
       \mathbf{f}
 b
 a
 c
 k
 g
       li a {
 r
         display:
 o
         inline-
  u
         block;
  n
         color:
 d
         white;
         text-
  c
         align:
```

```
n: none;
c
     }
e
n
     a:hover {
t
       background-color: #4CAFFF;
e
r
     }
p
     #roundedcor
a
       ners {
d
       border-
d
       radius:
i
       25px;
n
       border:
g
       2px solid
       none;
1
       padding:
4
       20px;
p
       width:
X
       200px;
1
       height:
6
       150px;
       background-
p
X
       color: white;
       margin:
t
       20px;
e
       white-
X
       space:
t
       nowrap;
       overflow
d
       : hidden;
e
     }
c
o
     .button {
r
       background-color: #4CAF50;
a
       col
t
       or:
i
       wh
0
```

```
i
       align:
t
       center;
       text-
e
       decoratio
b
       n: none;
       display:
0
       inline-
r
d
       block;
       font-size:
e
       16px;
r
       margin-
:
       right:
n
       0px;
o
       border-
n
       radius:
e
       55px;
p
     .button:hover{
a
d
       background-
d
       color:
i
       #4CAFFF;
n
       color: white;
g
     }
     h4{
1
     font-
5
     size:
p
     18px;
X
     color:
3
     #4CA
2
     F50;
p
     }
X
     h2
      {
t
     c
e
     ol
X
     or
t
```

```
.menul
W
h
      eft{
i
      paddi
      ng:0p
t
      x 5px;
e
      }
}
     h4{
.men display:
uleft: block;
hove
     paddin
r{
     g: 3px
     10px;
 bac
      }
 kgr
 oun td{
 d-
     vertical-
 col
       align:
 or:
       middle;
 #4
       color:
 CA
       #4CAF
 FF
       50;
 F;
      }
     <input type="text" placeholder="1111 1111 1111 1111">
}
     <h4 style="color:#af4c5c">Card Holder's Name:
                 </h4>
<input type="text" placeholder="(e.g.)abc">
     <h4 style="color:#af4c5c">Password: </h4>
     <input type="password" placeholder="******">
     <h4 style="color:#af4c5c">Expiration Date: </h4>
     <input type="date" style="color:gray;">
```

```
<input type="text" placeholder="999"
    style="width:50px;">
    src="https://000456558.codepen.website/icons/pay2.png"
   <img
             width=60pxclass="paymentIcons">
             src="https://000456558.codepen.website/icons/pay3.png"
    <img
             width=60pxclass="paymentIcons">
   <img
             src="https://000456558.codepen.website/icons/pay4.png"
             width=60pxclass="paymentIcons">
   
 <form method="post" action="orderconfirm.html">
  <input type="submit" value="Make Payment" class="button"</pre>
  style="width:100%;"></form>
    </center>
</div>
</body>
</html>
registration.html
<html>
<head>
```

```
<title>Registration</title>
<!--<li>rel="stylesheet" type="text/css" href="registration.css">-->
<style>
.menu{
 background-color:
 #131413; padding:
 0px;
 margin: 0px;
ul {
 list-style-type: none;
 overflow: hidden;
 background-color:
 #131413;
}
li {
float:le
ft;
}
li a {
 display: inline-
 block; color:
 white;
 text-align:
 center; padding:
  14px 16px; text-
 decoration: none;
}
a:hover {
  background-color: #4CAFFF;
#roundedcorners {
  border-radius:
```

```
25px; border: 2px
 solid none;
 padding: 20px;
 width: 200px;
 height: 150px;
 background-color:
 none; margin:
 20px;
 white-space:
 nowrap;
 overflow:
 hidden;
.center {
display:
block;marg
in-left:
 auto;
margin-
right: auto;
width:
50%;
.button {
 background-color:
 white; color:
 #4CAF50;
 border: none;
 padding: 15px
 32px; text-align:
 center; text-
 decoration:
 none; display:
 inline-block;
 font-size: 16px;
 margin-right:
```

```
0px; border-
 radius: 55px;
}
h4{
font-size:
18px; color:
white;
}
h2{
color:whi
te;
}
. menule ft: hover \{\\
 background-color: #4CAFFF;
}
.menuleft{
padding:0px
5px;
}
h4{
display: block;
padding: 3px
10px;
}
td{
vertical-align:
 middle;color:
 #4CAF50;
}
body{
font-family:sans-serif;
background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
car-wallpaper-3.jpg); background-position: center;
background-size: cover;
```

```
}
.footer{
width:
100%;
height: 5%;
}
#roundedcorners td
 h4{ vertical-align:
 text-bottom;
}
#roundedcorners td{
 vertical-align: text-bottom;
}
</style>
</head>
<body>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration.html" class="logo">
 <h2 style="float:left;">Automobile Showroom</h2>
  </a>
 </div>
 <div class="menuright" style="float:left;">
 \langle ul \rangle
   <a href="homepage.html">Home</a>
   <a href="catalogue.html">Catalogue</a>
   <a href="registration.html">Register</a>
   <a href="shoppingcart.html"> Cart</a>
   <a href="payment.html">Payment</a>
   <a href="contact.html">Contact</a>
 </div>
```

```
</div>
<div>
                          style="text-align:center;
<center><strong><h1
                                   249);">New
            color:rgb(250,
                          249,
                                              User?
            RegisterHere.</h1></strong></center>
<center>
Your name:</h2>
    <input type="text" placeholder="(e.g.) ABC">
    <h2>Username: </h2>
    <input type="text" placeholder="(e.g.) ABC">
    <h2>Password: </h2>
    <input type="password" placeholder="******">
    <h2>Password again: </h2>
    <input type="password">
    <h2>Gender: </h2>
    <input
                               type="radio"
                               type="radio"
       value="male">Male
                       <input
value="female">Female
    <h2>Date of Birth: </h2>
    <input type="date" style="color:gray;">
    <h2>Address: </h2>
    <textarea placeholder="Optional..."></textarea>
```

```
<h2>Zipcode: </h2>
     <input type="text" placeholder="111111" maxlength="6">
     <input
                                 type="button"
                                                value="Create
                      account"
                                 class="button"
        your
style="width:100%;">
     </center>
</div>
</body>
</html>
Registration with is validation.html
<html>
<head>
<title>Registration</title>
<!--<li>rel="stylesheet" type="text/css" href="registration.css">-->
<style>
.menu{
 background-color: #131413;
```

```
padding:
 0px;
 margin:
 0px;
}
.menuright ul {
 list-style-type: none;
 overflow: hidden;
 background-color:
 #131413;
.menuright
li {
float:left;
.menuright li a {
  display: inline-
 block; color:
 white;
 text-align:
 center; padding:
  14px 16px; text-
 decoration: none;
}
.menuright a:hover {
 background-color:
 #4CAFFF;
}
.menuright div{
 position:
 absolute;
 visibility:
 hidden;
```

```
background:
 white;
 border: 1px solid #4CAF50;
}
.menuright div
 a{ position:
 relative;
 display: block;
 padding 5px
 10px; width:
 auto;
 text-align:
 left; color:
 #4CAF50;
}
.menuright div
 a:hover{
 color:white;
```

```
#roundedcorners {
 border-radius:
 25px; border: 2px
 solid none;
 padding: 20px;
 width: 200px;
 height: 150px;
 background-color:
 none; margin:
 20px;
 white-space:
 nowrap;
 overflow:
 hidden;
.center {
display:
block;
margin-left:
auto; margin-
right: auto;
width: 50%;
.button {
 background-color:
 white; color:
 #4CAF50;
 border: none;
 padding: 15px
 32px; text-align:
 center; text-
 decoration:
 none; display:
 inline-block;
```

```
font-size: 16px;
 margin-right:
 0px; border-
 radius: 55px;
}
h4{
font-size:
18px;color:
white;
}
h2{
color:whi
te;
.menuleft:hover{
 background-color: #4CAFFF;
. menule ft \{
```

```
padding:0px 5px;
h4{
display: block;
padding: 3px
10px;
}
td{
vertical-align:
 middle; color:
 #4CAF50;
}
body{
font-family:sans-serif;
background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
car-wallpaper-3.jpg); background-position: center;
background-size: cover;
.footer{
width:
100%;
height: 5%;
}
#roundedcorners td
 h4{ vertical-align:
  text-bottom;
}
#roundedcorners td{
  vertical-align: text-bottom;
}
</style>
<script
 type="text/javascript"
 >var timeout = 500;
```

```
var closeTimer
= 0; var
ddMenuItem =
0;
function check(helpermsg)
{
  var name = document.getElementById('req1');
  var username =
  document.getElementById('req2'); var\\
  pwd =
  document.getElementById('comp1');
  var pwd2 =
  document.getElementById('comp2');
  var email =
  document.getElementById('email');
  if(username.value.charAt(0)=='a'|| username.value.charAt(0)=='u')
```

```
name.focus();
   alert('Username should begin with
   '+'a or u'); return false;
 if(name.value.length==0)
   name.focus();
   alert(helpermsg+'nam
   e');return false;
 if(username.value.length==0)
   username.focus();
   alert(helpermsg+'usern
   ame');return false;
 if(pwd.value!=pwd2.value||pwd.value==")
   alert('Passwords do not
   match'); return false;
}
function mOpen(id)
  var idd = ""+id;
  mCancelCloseTime();
 if(ddMenuItem)
   ddMenuItem.style.visibility='hidden';
  ddMenuItem=document.getElementByI
  d(idd);
  ddMenuItem.style.visibility='visible';
```

```
function mClose()
   if(ddMenuItem)
     ddMenuItem.style.visibility='
     hidden';
  }
 function mCloseTime()
   closeTimer = window.setTimeout(mClose,timeout);
 function mCancelCloseTime()
   if(closeTimer)
     window.clearTimeout(close
     Timer);closeTimer=null;
  }
</script>
</head>
<body>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration.html" class="logo">
 <h2 style="float:left;">Book Store</h2>
  </a>
 </div>
 <div class="menuright" style="float:left;">
  \langle ul \rangle
                         href="homepage.html"
   <1i><a
```

```
onmouseover="mOpen('m1')"
onmouseout="mCloseTime()">Home</a>
     <div id="m1" onmouseover="mCancelCloseTime()" onmouseout="mCloseTime()">
      <a href="#">About Us</a>
      <a href="#">Mission</a>
      <a href="#">Vision</a>
      <a href="#">Contact Us</a>
     </div>
   <a
                     href="catalogue.html"
                      onmouseover="mOpen('m2')"
onmouseout="mCloseTime()">Catalogue</a>
     <div id="m2" onmouseover="mCancelCloseTime()" onmouseout="mCloseTime()">
      <a href="#">About Us</a>
      <a href="#">Mission</a>
      <a href="#">Vision</a>
      <a href="#">Contact Us</a>
     </div>
   <a
                     href="registration.html"
                     onmouseover="mOpen('m3')"
onmouseout="mCloseTime()">Register</a>
```

```
<div id="m3" onmouseover="mCancelCloseTime()" onmouseout="mCloseTime()">
      <a href="#">About Us</a>
      <a href="#">Mission</a>
      <a href="#">Vision</a>
      <a href="#">Contact Us</a>
    </div>
   href="shoppingcart.html"
   <a
                    onmouseover="mOpen('m5')"
onmouseout="mCloseTime()">Shopping Cart</a>
    <div id="m5" onmouseover="mCancelCloseTime()" onmouseout="mCloseTime()">
      <a href="#">About Us</a>
      <a href="#">Mission</a>
      <a href="#">Vision</a>
      <a href="#">Contact Us</a>
    </div>
   <a href="payment.html">Payment</a>
 </111>
 </div>
</div>
<div>
<center><strong><h1 style="text-align:center;color:white;">New User?
                  RegisterHere.</h1></strong></center>
<center>
<form action="lo.php" >
Your name:<span class="star" style="color:red">*</span></hd>
     <input type="text" placeholder="(e.g.) ABC" id="req1">
     <h4>Username:<span class="star" style="color:red">*</span> </h4>
```

```
<input type="text" placeholder="(e.g.) ABC" id="req2">
     <h4>Email:<span class="star" style="color:red">*</span> </h4>
    <input type="text" placeholder="abc@gmail.com" id="email">
     <h4>Password:<span class="star" style="color:red">*</span> </h4>
    <input type="password" placeholder="******" id="comp1">
     <h4>Confirm Password:<span class="star" style="color:red">*</span>
     </h4>
    <input type="password" placeholder="******" id="comp2">
     <h4>Gender:<span class="star" style="color:red">*</span> </h4>
     <input
                                    type="radio"
                                   type="radio"
        value="male">Male
                          <input
value="female">Female
     <h4>Date of Birth:<span class="star" style="color:red">*</span> </h4>
     <input type="date" style="color:gray;">
     <h4>Address:</h4>
     <textarea placeholder="Optional..."></textarea>
     \langle tr \rangle
 Zipcode:<span class="star" style="color:red">*</span> </hd>
    <input type="text" placeholder="111111" maxlength="6">
     <input type="button" onclick="return check('Please enter ')"
value="Create yourBookstore account" class="button" style="width:100%;">
```

```
</form>
</center>
</body>
</html>
Shoppingcart.html
<html>
<head>
<title>Shopping Cart</title>
<!--<li>rel="stylesheet" type="text/css" href="registration.css">-->
<style>
.menu{
 background-color:
 #131413; padding:
 0px;
 margin: 0px;
 border-radius: 15px;
.menu ul {
 list-style-type: none;
 overflow: hidden;
 background-color:
 #131413;
}
.menu
li {
float:lef
t;
}
.menu li a {
 display: inline-
```

```
block; color:
 white;
 text-align:
 center; padding:
 14px 16px; text-
 decoration: none;
}
.menu ul a:hover {
 background-color: #4CAFFF;
}
#roundedcorners
  { border-radius:
 25px;
 border: 2px solid
 white; padding:
 20px;
 width:
 200px;
 height:
 150px;
 margin-bottom:
 20px; margin-
 top: 100px;
 margin-right:
 100px; float:
 right;
 background-color: white;
}
.button {
 background-color:
 white; border: none;
 color: #4CAF50;
 padding: 15px
 32px; text-align:
 center; text-
```

```
decoration:
 none; display:
 inline-block;
 font-size: 16px;
 margin-right:
 0px;
 border-radius: 55px;
.button:hover{
 background-color:
 #4CAFFF; color: white;
}
h2{
color:whi
te;
.menuleft:hover{
 background-color: #4CAFFF;
}
.menuleft{
padding:0px
5px;
body{
font-family:sans-serif;
background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
car-wallpaper-3.jpg); background-position: center;
background-size: cover;
}
.footer{
width:
```

```
100%;
height: 5%;
}
 img{
  border:0;
 ::selectio
  n{
  color:#f
  ff;
  background:#00a2ff;
  text-shadow:0 1px rgba(0,0,0,0.2);
 heade
 r,nav,
 sectio
 n,
 detail
 s,
 summa
 ry,
 article,
 footer{
  display:block;
 a:hover{
  text-decoration:none;
 }
#content{
 margin:0
 auto;
 padding-
 bottom:50px;
 width:280px;
```

```
.shoppingCart
 position:relat
 ive; margin-
 top:40px;
 overflow:hid
 den:
 color:#49586
 0;
 color:hsla(201,14%,33%
     ,0.8); border-
     radius:4px 4px 00;
     box-shadow:0 2px 3px 1px
     rgba(0,0,0,0); transition: all 0.4s;
}
 .shoppingCart:h
   over{
  color:#495860;
      box-shadow:0 2px 4px 1px rgba(0,0,0,0.1);
 }
 .shoppingCart summary{
  padding:12px 16px
   14px 16px;
  overflow:hidden;
  background:#222;
  background: linear-gradient(top,#4ca9e2
      1%,#1d7cb7 100%);border-radius:4px 4px
      0\,0;
      box-shadow:inset 0 1px 0 #72b3d3, inset 0 -
   1px 0 #155f8e; height: 60px;
   .shoppingCart
    h4{float:left;
    color:#d4f1f
    f;
    text-shadow:0 1px 0 rgba(0,0,0,0.4);
```

```
.shoppingCart:hove
    r h4{ color:#fff;
 .arrow{
   float:right;
   width:0;
   height:0;
   margin-
   top:7px;
   border-right:4px solid transparent;
   border-bottom:4px solid
   hsla(200,17%,93%,0.5);border-
   left:4px solid transparent;
      transition: all 0.5s;
 }
   .shoppingCart:hover .arrow{
    border-bottom-
        color:hsla(200,17%,93%,1);
        transform:rotate(-180deg);
.shoppingCart
 ul{ list-
 style:none;
 position:relat
 ive;
 display:bloc
 k;
 . shopping Cart \\
   li{ padding:0
   15px;
   overflow:hid
   den;
   height:0px;
   background:
   #fff;
      transition: all 0.3s;
```

```
}
 .shoppingCart:hov
  er li{height:auto;
  padding:10px
  15px;
  border-bottom:1px solid
      rgba(0,0,0,0.1);box-
      shadow:inset 0 1px 0 #fff;
 }
 .shoppingCart:hover
  li:hover{ text-
  shadow:0 -1px #fff;
      box-shadow:inset 0 15px 20px #eee;
 }
 . shopping Cart\\
  li a{
  color:#49586
  0;
  text-
  decoration:none;
  border-
  color:#666;
  border-bottom:1px dotted rgba(0,0,0,0.6);
  .shoppingCart li a:hover{
```

```
border:0;
   .shoppingCart li
    span{
    display:block;
    float:left;
   .shoppingCart li
    strong{
    display:block;
    float:right;
.shoppingCart p{
 padding:12px 16px
 14px 16px;
 overflow:hidden;
 background:#fff;
     transition:background 0.2s;
 .shoppingCart:hover
  p{ text-shadow:0 -
   1px #fff;
  background:#eee;
 .shoppingCart p
  span{
  display:block;
   .shoppingCart p
    span:first-child{
    float:left;
    .shoppingCart:hover p
     span:first-child{
     display:none;
   .shoppingCart p
```

```
span:last-child{
       float:right;
      }
td{
vertical-align:
middle; color:
white;
padding-top:
10px; padding-
right: 30px;
}
.textm{
text-align: center;
white-space:
nowrap;
overflow:
hidden;
}
li span{
width:
100%;
}
</style>
</head>
<body>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration.html" class="logo">
 <h2 style="float:left;">Automobile Showroom</h2>
  </a>
 </div>
```

```
<div class="menuright" style="float:left;">
 ul>
   <a href="homepage.html" id="menufirstelement">Home</a>
   <a href="catalogue.html">Catalogue</a>
   <a href="registration.html">Register</a>
   <a href="shoppingcart.html">Cart</a>
   <a href="payment.html">Payment</a>
   <a href="contact.html">Contact</a>
 </div>
</div>
<center>
<h1 style="color:white;margin-bottom:30px;">Products in Cart:</h1>
<div style="display:inline-block;width:100%;height:300px;">
<h3 style="color:whitesmoke"> No products available</h3>
</div>
</center>
>
</div>
</body>
</html>
```

App.py

```
from flask import Flask,render_template, flash,redirect,
url_for,requestapp = Flask(_name_)
app.secret_key="hello"
@app.route(
"/")def
homepage():
      return render_template("homepage.html")
@app.route("/catalo
gue")def
catalogue():
      return render_template("catalogue.html")
@app.route("/orderconfi
rmed")def
orderconfirmed():
 return render_template("orderconfirmed.html")
@app.route("/paym
ent")def payment():
 return render_template("payment.html")
@app.route("/registration_with_js_val
idation")def
registration_with_js_validation():
 return render_template("registration_with_js_validation.html")
@app.route("/registrati
on")def registration():
 return render_template("registration.html")
@app.route("/shopping
cart")def
```

```
shoppingcart():
  return render_template("shoppingcart.html")
```

Sprint-2

List.html

```
<!doctype html>
<html>
<body>
 <br/>br><hr>
 {{ msg }}
 <thead>
   Username
   Email
   Password
  </thead>
  {% for row in students %}
   {{ row["Username"]}}
    {{row["Email"]}}
    {{row["Password"]}}
   {% endfor %}
 </body>
</html>
```

catalogue.html

```
<html>
<head>
<title>Book Catalogue</title>
  <style>
.menu{
  background-color:
  #131413; padding:
  0px;
  margin: 0px;
  border-radius: 15px;
}
ul {
  list-style-type: none;
  overflow: hidden;
  background-color:
  #131413;
}
.menu
li {
float:lef
t;
.menu li a {
  display: inline-
  block; color:
  white;
  text-align:
  center; padding:
  14px 16px; text-
  decoration: none;
}
```

```
a:hover {
     background-color: #4CAFFF;
   }
  h2{
   color:whi
   te;
   .menuleft:hover{
    background-color: #4CAFFF;
   }
   .menuleft{}
   padding:0px
   5px;
  body{
  font-family:sans-serif;
   background-image:
                    url(https://newevolutiondesigns.com/images/freebies/4k
-car-wallpaper- 3.jpg);
   background-position:
  center; background-
   size: cover;
   .button {
     background-color:
     white; color:
     #4CAF50;
     border: none;
     padding: 15px
     32px; text-align:
     center; text-
     decoration:
     none; display:
```

```
inline-block;
  font-size: 16px;
  margin-right:
  0px; border-
  radius: 55px;
.required-tracking
  li a{ display:
  flex;
  color: white;
  text-align:justify;
  padding:16px;
  text-decoration:
  none; font-
  weight: 500;
.button:hover{
  background-color:
 #4CAFFF; color: white;
}
.footer{
width:
100%;
height: 5%;
}
  </style>
</head>
<body bgcolor="#4CAF50">
<div class="menu" style="float:top; width: 100%; height:11%;">
  <div class="menuleft" style="float:left;">
  <a href="registration_with_js_validation.html" class="logo">
```

```
<h2 style="float:left;">Automobile Showroom</h2>
    </a>
    </div>
    <div class="menuright" style="float:left;">
    <111>
     <a href="homepage.html" id="menufirstelement">Home</a>
     <a href="catalogue.html">Catalogue</a>
     <a href="registration_with_is_validation.html">Register</a>
     <a href="shoppingcard.html">Cart</a>
     <a href="payment.html">Payment</a>
     <a href="contact.html">Contact</a>
    </div>
  </div>
  <div class="full" style="float:center;display:inline;">
  <div class="scrollable menu-content" style="float:left; width:30%;">
          id="clp_books_clp/CategoryList_0-1_catergorylinks" >
               <a href="#">Interior Dealing</a>
       <a href="#">Exterior Dealing</a>
       <a href="#">Classic Rejuvenation</a>
       <a href="#">Exotic Car and show prep</a>
       <a href="#">Tire and Wheel shine</a>
       <a href="#">Minor repairs</a>
       <a href="#">Retail showroom and Catalog sales</a>
               </div>
  </body>
  </html>
```

homepage.html

```
<html>
<head>
<title>Home</title>
<!--<li>k rel="stylesheet" type="text/css" href="registration.css">-->
<style>
.menu{
  background-color:
  #131413; padding:
  0px;
  margin: 0px;
  border-radius: 15px;
ul {
  list-style-type: none;
  overflow: hidden;
  background-color:
 #131413;
}
li {
float:le
ft;
}
li a {
  display: inline-
  block; color:
  white;
  text-align:
  center; padding:
  14px 16px; text-
  decoration: none;
}
a:hover {
  background-color: #4CAFFF;
```

```
}
#roundedcorners
  { border-radius:
  25px;
  border: 2px solid
  white; padding:
  20px;
  width:
  200px;
  height:
  150px;
  margin-bottom:
  20px; margin-
  top: 100px;
  margin-right:
  100px; float:
  right;
  background-color: white;
}
.button {
  background-color:
  #4CAF50; border:
  none;
  color: white;
  padding: 15px
  32px; text-align:
  center; text-
  decoration:
  none; display:
  inline-block;
  font-size: 16px;
  margin-right:
  0px; border-
  radius: 55px;
h4{
```

```
font-size:
   18px; color:
  #4CAF50;
   }
  h2{
   color:whi
   te;
   .menuleft:hover{
    background-color: #4CAFFF;
   .menuleft{}
   padding:0px
   5px;
  h4{
   display: block;
  padding: 3px
   10px;
   }
   th{
   color:#4CAF
   50; font-size:
   24px; font-
   weight: bold;
   }
   body{
  font-family:sans-serif;
  background-image:
                    url(https://newevolutiondesigns.com/images/freebies/4k
-car-wallpaper- 3.jpg);
  background-position:
  center; background-
   size: cover;
```

```
.footer{
width:
100%;
height: 5%;
}
.button:hover{
 background-color: #4CAFFF;
</style>
</head>
<body>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration_with_js_validation.html" class="logo">
 <h2 style="float:left;">Automobile Showroom</h2>
  </a>
  </div>
 <div class="menuright" style="float:left;">
  \langle ul \rangle
   <a href="homepage.html" id="menufirstelement">Home</a>
   <a href="catalogue.html">Catalogue</a>
   <a href="shoppingcart.html"> Cart</a>
   <a href="payment.html">Payment</a>
   <a href="contact.html">Contact</a>
  </div>
</div>
<center><h1 style="color:whitesmoke">WELCOME TO OUR WEBSITE :)
</h1></center>
</body>
</html>
```

Orderconfirmed.html

```
<html>
<head>
<title>Order Confirmed</title>
<!--<li>rel="stylesheet" type="text/css" href="registration_with_js_validation.css">-->
<link href='https://fonts.googleapis.com/css?family=Montserrat:700' rel='stylesheet'</pre>
type='text/css'>
<style>
.menu{
  background-color:
  #131413; padding:
  0px;
  margin: 0px;
  border-radius: 15px;
ul {
  list-style-type: none;
  overflow: hidden;
  background-color:
  #131413;
}
li {
float:le
ft;
}
li a {
  display: inline-
  block; color:
  white;
  text-align:
  center; padding:
  14px 16px;
```

```
text-decoration: none;
}
a:hover {
 background-color: #4CAFFF;
#roundedcorners
  { border-radius:
 25px;
 border: 2px solid
 white; padding:
 20px;
 width:
 200px;
 height:
 150px;
 margin-bottom:
 20px; margin-
 top: 100px;
 margin-right:
 100px; float:
 right;
 background-color: white;
}
.button {
 background-color:
 #4CAF50; border:
 none;
 color: white;
 padding: 15px
 32px; text-align:
 center; text-
 decoration:
 none; display:
 inline-block;
```

```
font-size: 16px;
 margin-right:
 0px; border-
 radius: 55px;
h4{
font-size:
18px; color:
#4CAF50;
h2{
color:whi
te;
. menule ft: hover \{
 background-color: #4CAFFF;
.menuleft{
padding:0px 5px;
}
h4{
display: block;
padding: 3px
10px;
th{
color:#4CAF
50; font-size:
24px; font-
weight: bold;
 border-style:
body{
font-family:sans-serif;
```

```
background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
car-wallpaper-3.jpg); background-position: center;
background-size: cover;
}
.footer{
width:
100%;
height: 5%;
.button:hover{
 background-color: #4CAFFF;
}
.login{
 background-color:
 none; border-radius:
 280px 20px;
 font-family: 'Montserrat', sans-serif;
}
</style>
</head>
<body>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration_with_js_validation.html" class="logo">
 <h2 style="float:left;">Automobile Showroom</h2>
 </a>
 </div>
 <div class="menuright" style="float:left;">
```

```
\langle ul \rangle
   <a href="homepage.html" id="menufirstelement">Home</a>
   <a href="catalogue.html">Catalogue</a>
   <a href="registration_with_js_validation.html">Register</a>
   <a href="userpro.html">Profile</a>
   <a href="shoppingcart.html"> Cart</a>
   <a href="payment.html">Payment</a>
   <a href="contact.html">Contact</a>
 </div>
</div>
<center>
<div class="login" style="width: 90%; height:59%;">
 <center>
 <h1 style="color:whitesmoke">Congratulations, your order has</h1>
 <h1 style="color:whitesmoke">been confirmed!</h1>
 </center>
</div>
</center>
</body>
</html>
```

Payment.html

```
<html>
<head>
<title>Payment</title>
<!--<li>title>Payment</fittle>
<!--<li>tink rel="stylesheet" type="text/css" href="registration.css">-->
<style>
.menu{
background-color:
#131413;padding:
0px;
margin: 0px;
```

```
}
ul {
 list-style-type: none;
 overflow: hidden;
 background-color:
 #131413;
}
li {
float:le
ft;
li a {
 display: inline-
 block; color:
 white;
 text-align:
 center; padding:
  14px 16px; text-
 decoration: none;
}
a:hover {
 background-color: #4CAFFF;
#roundedcorners {
 border-radius:
 25px; border: 2px
 solid none;
 padding: 20px;
 width: 200px;
 height: 150px;
 background-color:
  white; margin:
 20px;
 white-space:
```

```
nowrap;
 overflow:
 hidden;
.button {
 background-color:
 #4CAF50; color: white;
 border: none;
 padding: 15px
 32px; text-align:
 center; text-
 decoration:
 none; display:
 inline-block;
 font-size: 16px;
 margin-right:
 0px; border-
 radius: 55px;
. button: hover \{\\
 background-color:
 #4CAFFF; color: white;
}
h4{
font-size:
18px; color:
#4CAF50;
```

```
}
h2{
color:whi
te;
.menuleft:hover{
 background-color: #4CAFFF;
}
.menuleft{}
padding:0px
5px;
h4{
display: block;
padding: 3px
10px;
}
td{
vertical-align:
 middle; color:
 #4CAF50;
}
body{
font-family:sans-serif;
background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
car-wallpaper-3.jpg); background-position: center;
background-size: cover;
.footer{
width:
100%;
height: 5%;
}
```

#roundedcorners td

```
h4{ vertical-align:
 text-bottom;
}
#roundedcorners td{
 vertical-align: text-bottom;
}
.paymentIcons{
 margin-right:
 55px;
</style>
</head>
<body>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration_with_js_validation.html" class="logo">
 <h2 style="float:left;">Automobile Showroom</h2>
 </a>
 </div>
 <div class="menuright" style="float:left;">
 \langle ul \rangle
   <a href="homepage.html">Home</a>
   <a href="catalogue.html">Catalogue</a>
   <a href="registration_with_js_validation.html">Register</a>
   <a href="userpro.html">Profile</a>
   <a href="shoppingcart.html"> Cart</a>
   <a href="payment.html">Payment</a>
   <a href="contact.html">Contact</a>
 </div>
</div>
< div >
<center>
```

```
colspan="2"><center><strong><h1
                                            style="text-
 <td
align:center;color:#af4c5c;">Payment</h1></strong></center>
 <h4 style="color:#af4c5c">Card Number:</h4>
    <input type="text" placeholder="1111 1111 1111 1111">
    <h4 style="color:#af4c5c">Card Holder's Name:
               </h4>
<input type="text" placeholder="(e.g.)abc">
    <h4 style="color:#af4c5c">Password: </h4>
    <input type="password" placeholder="******">
    <h4 style="color:#af4c5c">Expiration Date: </h4>
    <input type="date" style="color:gray;">
    <h4 style="color:#af4c5c">CVV: </h4>
    <input type="text" placeholder="999"
    style="width:50px;">
```

```
src="https://000456558.codepen.website/icons/pay2.png"
   <img
              width=60pxclass="paymentIcons">
              src="https://000456558.codepen.website/icons/pay3.png"
    <img
              width=60pxclass="paymentIcons">
              src="https://000456558.codepen.website/icons/pay4.png"
   <img
              width=60pxclass="paymentIcons">
   
 <form method="post" action="orderconfirm.html">
  <input type="submit" value="Make Payment" class="button"</pre>
  style="width:100%;"></form>
    </center>
</div>
</body>
</html>
```

registration.html

```
<html>
<head>
<title>Registration</title>
<!--<li>registration.css">-->
<style>
.menu{
background-color:
#131413;padding:
```

```
0px;
 margin: 0px;
}
ul {
 list-style-type: none;
 overflow: hidden;
 background-color:
 #131413;
}
li {
float:le
ft;
}
li a {
 display: inline-
 block; color:
 white;
 text-align:
 center; padding:
  14px 16px; text-
 decoration: none;
}
a:hover {
 background-color: #4CAFFF;
}
#roundedcorners {
 border-radius:
 25px; border: 2px
 solid none;
 padding: 20px;
 width: 200px;
 height: 150px;
 background-color:
```

```
none; margin:
 20px;
 white-space:
 nowrap;
 overflow:
 hidden;
}
.center {
display:
block;
margin-left:
auto; margin-
right: auto;
width: 50%;
.button {
 background-color:
 white; color:
 #4CAF50;
 border: none;
 padding: 15px
 32px; text-align:
 center; text-
 decoration:
 none; display:
 inline-block;
 font-size: 16px;
 margin-right:
 0px; border-
 radius: 55px;
```

```
}
h4{
font-size:
18px; color:
white;
}
h2{
color:whi
te;
.menuleft:hover{
 background-color: #4CAFFF;
.menuleft{
padding:0px
5px;
h4{
display: block;
padding: 3px
10px;
}
td{
vertical-align:
 middle; color:
 #4CAF50;
}
body{
font-family:sans-serif;
background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
car-wallpaper-3.jpg); background-position: center;
background-size: cover;
.footer{
width:
```

```
100%;
height: 5%;
#roundedcorners td
 h4{ vertical-align:
 text-bottom;
}
#roundedcorners td{
 vertical-align: text-bottom;
</style>
</head>
<body>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration.html" class="logo">
 <h2 style="float:left;">Automobile Showroom</h2>
 </a>
 </div>
 <div class="menuright" style="float:left;">
 \langle ul \rangle
   <a href="homepage.html">Home</a>
   <a href="catalogue.html">Catalogue</a>
   <a href="registration.html">Register</a>
   <a href="shoppingcart.html"> Cart</a>
   <a href="payment.html">Payment</a>
   <a href="contact.html">Contact</a>
 </div>
</div>
<div>
<center><strong><h1
```

```
<center>
Your name:</h2>
    <input type="text" placeholder="(e.g.) ABC">
    <h2>Username: </h2>
    <input type="text" placeholder="(e.g.) ABC">
    <h2>Password: </h2>
    <input type="password" placeholder="******">
    <h2>Password again: </h2>
    <input type="password">
    <h2>Gender: </h2>
    <input
                              type="radio"
                              type="radio"
       value="male">Male
                      <input
value="female">Female
    <h2>Date of Birth: </h2>
    <input type="date" style="color:gray;">
    <h2>Address: </h2>
    <textarea placeholder="Optional..."></textarea>
    \langle tr \rangle
 <h2>Zipcode: </h2>
    <input type="text" placeholder="111111" maxlength="6">
    <tr>
```

Registration with js validation.html

```
<html>
<head>
<title>Registration</title>
<!--<li>k rel="stylesheet" type="text/css" href="registration.css">-->
<style>
.menu{
 background-color:
 #131413; padding:
 0px;
 margin: 0px;
.menuright ul {
 list-style-type: none;
 overflow: hidden;
 background-color:
 #131413;
.menuright
li {
float:left;
}
.menuright li a {
```

```
display: inline-
 block; color:
 white;
 text-align:
 center; padding:
  14px 16px; text-
 decoration: none;
}
.menuright a:hover {
 background-color:
 #4CAFFF;
}
.menuright div{
 position:
 absolute;
 visibility:
 hidden;
 background:
 white;
 border: 1px solid #4CAF50;
}
.menuright div
 a{ position:
 relative;
 display: block;
 padding 5px
  10px; width:
 auto;
 text-align:
 left; color:
 #4CAF50;
}
.menuright div
```

```
a:hover{
 color:white;
}
#roundedcorners {
 border-radius:
 25px; border: 2px
 solid none;
 padding: 20px;
 width: 200px;
 height: 150px;
 background-color:
 none; margin:
 20px;
 white-space:
 nowrap;
 overflow:
 hidden;
}
.center {
```

```
display: block;
 margin-left:
 auto; margin-
right: auto;
width: 50%;
.button {
 background-color:
 white; color:
 #4CAF50;
 border: none;
 padding: 15px
  32px; text-align:
 center; text-
 decoration:
 none; display:
 inline-block;
 font-size: 16px;
 margin-right:
 0px; border-
 radius: 55px;
}
h4{
font-size:
18px; color:
white;
}
h2{
color:whi
te;
.menuleft:hover{
 background-color: #4CAFFF;
.menuleft{
```

```
padding:0px
5px;
}
h4{
display: block;
padding: 3px
10px;
}
td{
vertical-align:
 middle; color:
 #4CAF50;
}
body{
font-family:sans-serif;
background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
car-wallpaper-3.jpg); background-position: center;
background-size: cover;
}
.footer{
width:
100%;
height: 5%;
}
#roundedcorners td
 h4{ vertical-align:
 text-bottom;
}
#roundedcorners td{
 vertical-align: text-bottom;
}
</style>
<script
 type="text/javascript"
```

```
>var timeout = 500;
var closeTimer
= 0; var
ddMenuItem =
0;
function check(helpermsg)
  var name = document.getElementById('req1');
  var username =
  document.getElementById('req2');var
 pwd =
  document.getElementById('comp1');
  var pwd2 =
  document.getElementById('comp2');
  var email =
  document.getElementById('email');
  if(username.value.charAt(0)=='a'|| username.value.charAt(0)=='u')
   name.focus();
   alert('Username should begin with
   '+'a or u'); return false;
  if(name.value.length==0)
  {
   name.focus();
   alert(helpermsg+'nam
   e');return false;
  if(username.value.length==0)
   username.focus();
```

```
alert(helpermsg+'usern
   ame');return false;
  if(pwd.value!=pwd2.value||pwd.value==")
   alert('Passwords do not
   match'); return false;
}
function mOpen(id)
  var idd = ""+id;
 mCancelCloseTime();
 if(ddMenuItem)
   ddMenuItem.style.visibility='hidden';
  ddMenuItem=document.getElementByI
  d(idd);
  ddMenuItem.style.visibility='visible';
}
function mClose()
 if(ddMenuItem)
   ddMenuItem.style.visibility='
   hidden';
}
function mCloseTime()
  closeTimer = window.setTimeout(mClose,timeout);
```

```
function mCancelCloseTime()
   if(closeTimer)
     window.clearTimeout(close
     Timer);closeTimer=null;
  }
</script>
</head>
<body>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration.html" class="logo">
 <h2 style="float:left;">Book Store</h2>
 </a>
 </div>
 <div class="menuright" style="float:left;">
 <ul>
   <a
                      href="homepage.html"
                       onmouseover="mOpen('m1')"
onmouseout="mCloseTime()">Home</a>
     <div id="m1" onmouseover="mCancelCloseTime()" onmouseout="mCloseTime()">
       <a href="#">About Us</a>
       <a href="#">Mission</a>
       <a href="#">Vision</a>
       <a href="#">Contact Us</a>
     </div>
   href="catalogue.html"
   <a
                       onmouseover="mOpen('m2')"
onmouseout="mCloseTime()">Catalogue</a>
     <div id="m2" onmouseover="mCancelCloseTime()" onmouseout="mCloseTime()">
```

```
<a href="#">About Us</a>
       <a href="#">Mission</a>
       <a href="#">Vision</a>
       <a href="#">Contact Us</a>
     </div>
   href="registration.html"
   <a
                     onmouseover="mOpen('m3')"
onmouseout="mCloseTime()">Register</a>
     <div id="m3" onmouseover="mCancelCloseTime()" onmouseout="mCloseTime()">
       <a href="#">About Us</a>
       <a href="#">Mission</a>
       <a href="#">Vision</a>
      <a href="#">Contact Us</a>
     </div>
   <a
                     href="shoppingcart.html"
                     onmouseover="mOpen('m5')"
onmouseout="mCloseTime()">Shopping Cart</a>
     <div id="m5" onmouseover="mCancelCloseTime()"</pre>
     onmouseout="mCloseTime()">
       <a href="#">About Us</a>
       <a href="#">Mission</a>
       <a href="#">Vision</a>
       <a href="#">Contact Us</a>
```

```
</div>
   <a href="payment.html">Payment</a>
 </div>
</div>
<div>
<center><strong><h1 style="text-align:center;color:white;">New User?
                RegisterHere.</h1></strong></center>
<center>
<form action="lo.php" >
<h4>Your name:<span class="star" style="color:red">*</span></h4>
    <input type="text" placeholder="(e.g.) ABC" id="req1">
    <h4>Username:<span class="star" style="color:red">*</span> </h4>
    <input type="text" placeholder="(e.g.) ABC" id="req2">
    <h4>Email:<span class="star" style="color:red">*</span> </h4>
    <input type="text" placeholder="abc@gmail.com" id="email">
    A>Password:<span class="star" style="color:red">*</span> </hd>
    <input type="password" placeholder="******" id="comp1">
    <h4>Confirm Password:<span class="star" style="color:red">*</span>
    </h4>
    <input type="password" placeholder="******" id="comp2">
```

```
\langle tr \rangle
 <h4>Gender:<span class="star" style="color:red">*</span> </h4>
     <input
                                     type="radio"
                                     type="radio"
        value="male">Male
                            <input
value="female">Female
     A>Date of Birth:<span class="star" style="color:red">*</span> </h4>
     <input type="date" style="color:gray;">
     <h4>Address:</h4>
     <textarea placeholder="Optional..."></textarea>
     Zipcode:<span class="star" style="color:red">*</span> </hd>
     <input type="text" placeholder="111111" maxlength="6">
     <input type="button" onclick="return check('Please enter ')"
value="Create yourBookstore account" class="button" style="width:100%;">
     </form>
</center>
</body>
</html>
Shoppingcart.html
<html>
<head>
<title>Shopping Cart</title>
<!--<li>k rel="stylesheet" type="text/css" href="registration.css">-->
<style>
```

```
.menu{
 background-color:
 #131413; padding:
 0px;
 margin: 0px;
 border-radius: 15px;
}
.menu ul {
 list-style-type: none;
 overflow: hidden;
 background-color:
 #131413;
}
.menu
li {
float:lef
t;
.menu li a {
 display: inline-
 block; color:
 white;
 text-align:
 center; padding:
  14px 16px;
 text-decoration: none;
}
.menu ul a:hover {
 background-color: #4CAFFF;
}
#roundedcorners
  { border-radius:
```

```
25px;
 border: 2px solid
 white; padding:
 20px;
 width:
 200px;
 height:
 150px;
 margin-bottom:
 20px; margin-
 top: 100px;
 margin-right:
  100px; float:
 right;
 background-color: white;
.button {
 background-color:
 white; border: none;
 color: #4CAF50;
 padding: 15px
 32px; text-align:
 center; text-
 decoration:
 none; display:
 inline-block;
 font-size: 16px;
 margin-right:
 0px; border-
 radius: 55px;
.button:hover{
 background-color:
 #4CAFFF; color: white;
}
```

```
h2{
color:whi
te;
}
.menuleft:hover{
 background-color: #4CAFFF;
}
.menuleft{
padding:0px
5px;
body{
font-family:sans-serif;
background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
car-wallpaper-3.jpg); background-position: center;
background-size: cover;
}
.footer{
width:
100%;
height: 5%;
}
 img{
  border:0;
 ::selectio
  n{
  color:#f
  ff;
  background:#00a2ff;
  text-shadow:0 1px rgba(0,0,0,0.2);
```

```
header,
 nav,
 section,
 details,
 summa
 ry,
 article,
 footer{
  display:block;
 }
 a:hover{
  text-decoration:none;
 }
#content{
 margin:0
 auto;
 padding-
 bottom:50px;
 width:280px;
 . shopping Cart\\
  position:relat
  ive; margin-
  top:40px;
  overflow:hid
  den:
  color:#49586
  0;
  color:hsla(201,14%,33%
      ,0.8); border-
      radius:4px 4px 00;
      box-shadow:0 2px 3px 1px
      rgba(0,0,0,0); transition: all 0.4s;
 }
```

```
.shoppingCart:h
 over{
 color:#495860;
     box-shadow:0 2px 4px 1px rgba(0,0,0,0.1);
}
.shoppingCart summary{
 padding:12px 16px
 14px 16px;
 overflow:hidden;
 background:#222;
 background: linear-gradient(top,#4ca9e2
     1%,#1d7cb7 100%);border-radius:4px 4px
     00;
     box-shadow:inset 0 1px 0 #72b3d3, inset 0 -
  1px 0 #155f8e; height: 60px;
 .shoppingCart
  h4{float:left;
   color:#d4f1f
  f;
  text-shadow:0 1px 0 rgba(0,0,0,0.4);
   .shoppingCart:hove
    r h4{ color:#fff;
   }
 .arrow{
  float:right;
   width:0;
  height:0;
  margin-
  top:7px;
  border-right:4px solid transparent;
  border-bottom:4px solid
  hsla(200,17%,93%,0.5);border-
  left:4px solid transparent;
      transition: all 0.5s;
 }
```

```
.shoppingCart:hover .arrow{
    border-bottom-
        color:hsla(200,17%,93%,1);
        transform:rotate(-180deg);
.shoppingCart
 ul{ list-
 style:none;
 position:relat
 ive;
 display:bloc
 k;
 .shoppingCart
  li{ padding:0
   15px;
  overflow:hid
   den;
  height:0px;
  background:
  #fff;
      transition: all 0.3s;
   .shoppingCart:hov
    er li{height:auto;
    padding:10px
    15px;
    border-bottom:1px solid
        rgba(0,0,0,0.1);box-
        shadow:inset 0 1px 0 #fff;
   }
   .shoppingCart:hover
    li:hover{ text-
    shadow:0 -1px #fff;
        box-shadow:inset 0 15px 20px #eee;
   .shoppingCart
```

```
li a{
    color:#49586
    0;
    text-
    decoration:none;
    border-
    color:#666;
    border-bottom: 1px dotted rgba(0,0,0,0.6);
    .shoppingCart li
     a:hover{border:0;
   .shoppingCart li
    span{
    display:block;
    float:left;
   .shoppingCart li
    strong{
    display:block;
    float:right;
.shoppingCart p{
 padding:12px 16px
 14px 16px;
 overflow:hidden;
 background:#fff;
     transition:background 0.2s;
 .shoppingCart:hover
  p{ text-shadow:0 -
   1px #fff;
  background:#eee;
 .shoppingCart p
  span{
```

```
display:block;
      . shopping Cart\ p
       span:first-child{
       float:left;
      }
       .shoppingCart:hover p
         span:first-child{
        display:none;
      .shoppingCart p
       span:last-child{
       float:right;
td{
vertical-align:
middle;color:
white;
padding-top:
10px; padding-
right: 30px;
.textm{
text-align:
center; white-
space: nowrap;
overflow:
hidden;
}
li span{
width:
100%;
```

```
}
</style>
</head>
<body>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration.html" class="logo">
 <h2 style="float:left;">Automobile Showroom</h2>
  </a>
 </div>
 <div class="menuright" style="float:left;">
  <u1>
   <a href="homepage.html" id="menufirstelement">Home</a>
   <a href="catalogue.html">Catalogue</a>
   <a href="registration.html">Register</a>
   <a href="shoppingcart.html">Cart</a>
   <a href="payment.html">Payment</a>
   <a href="contact.html">Contact</a>
 </div>
</div>
<center>
<h1 style="color:white;margin-bottom:30px;">Products in Cart:</h1>
<div style="display:inline-block;width:100%;height:300px;">
<h3 style="color:whitesmoke"> No products available</h3>
</div>
</center>
>
```

</div>

```
</body>
```

Split db.py

```
import sqlite3
conn =
sqlite3.connect('student_database.d
b')print("Opened database
successfully")
conn.execute('CREATE TABLE customers ( username TEXT, email
TEXT, password TEXT )')print("Table created successfully")
conn.close()
app.py
from flask import Flask,render_template, flash,redirect,
url_for,requestimport sqlite3 as sql
app = Flask(_name_)
app.secret_key="HIII"
@app.route(
"/")def
homepage():
      return render_template("homepage.html")
@app.route("/catalo
gue")def
catalogue():
      return
render_template("catalogue.html")
@app.route("/orderconfirmed")
def orderconfirmed():
 return render_template("orderconfirmed.html")
@app.route("/paym
ent")def payment():
 return render_template("payment.html")
```

```
@app.route("/registration_with_js_v
alidation")
registration_with_js_validation():
 return
render_template("registration_with_js_validation.h
tml") @app.route("/registration")
def registration():
 return
render_template("registration.html
")@app.route("/shoppingcart")
def shoppingcart():
 return
render_template("shoppingcart.html
    @app.route('/data',methods
['POST', 'GET']) def data():
 if request.method == 'POST':
   try:
    username =
    request.form['username']
    email = request.form['email']
    password =
    request.form['password']
    with sql.connect("student_database.db") as con:
     cur = con.cursor()
     cur.execute("INSERTINTO
                                     students
                                                (username, email, password)
                           VALUES(?,?,?)",(username,email,password))
     con.commit()
     msg = "Record successfully
  added!"except:
    con.rollback()
    msg = "error in insert
  operation" finally:
   render_template("List.html",msg =
   msg)con.close()
```

```
@app.route('/
list')def list():
    con =
    sql.connect("student_database.d
    b")con.row_factory = sql.Row

    cur = con.cursor()
    cur.execute("select * from
    students")

students = cur.fetchall()
    return render_template("List.html", students = students)

if __name_== '
    main_':
    app.run(debug =
    True)
```

Sprint-3

Contact.html

```
<html>
<title>Contact</title>
link rel="stylesheet" href="contact.css">
<div class="card">
<h2>Contact Us</h2>
<div class="row">
<div class="row">
<div class="form-group">
<label>First Name</label>
<input type="text">
</div>
</div>
```

```
<div class="col">
   <div class="form-group">
    <label>Surname</label>
    <input type="text">
   </div>
  </div>
  <div class="col">
   <div class="form-group">
    <label>Email</label>
    <input type="text">
   </div>
  </div>
  <div class="col">
   <div class="form-group">
    <label>Phone</label>
    <input type="text">
   </div>
  </div>
  <div class="col">
   <div class="form-group">
    <label>Message</label>
    <textarea></textarea>
   </div>
  </div>
  <div class="col">
   <input type="submit" value="Submit">
  </div>
 </div>
 </div>
</html>
```

List.html

```
<!doctype html>
<html>
 <body>
 <a href="/"><button>Home</button></a>
 <br/>br><hr>
 {{ msg }}
  <table border = 1>
   <thead>
    Username
    Email
    Password
   </thead>
   {% for row in students %}
    {{ row["Username"]}}
     {{row["Email"]}}
     { (row["Password"] ) } 
    {% endfor %}
  </body>
</html>
```

catalogue.html

<html>

```
<title>Book Catalogue</title>
  <style>
.menu{
  background-color:
  #131413; padding:
  0px;
  margin: 0px;
  border-radius: 15px;
}
ul {
  list-style-type: none;
  overflow: hidden;
  background-color:
  #131413;
}
.menu
li {
float:lef
t;
}
.menu li a {
  display: inline-
  block; color:
  white;
  text-align:
  center; padding:
  14px 16px; text-
  decoration: none;
a:hover {
  background-color: #4CAFFF;
}
```

```
h2{
   color:whi
   te;
   .menuleft:hover{
    background-color: #4CAFFF;
   .menuleft{}
   padding:0px
   5px;
  body{
  font-family:sans-serif;
  background-image:
                    url(https://newevolutiondesigns.com/images/freebies/4k
-car-wallpaper- 3.jpg);
  background-position:
  center; background-
   size: cover;
   .button {
     background-color:
     white; color:
     #4CAF50;
     border: none;
     padding: 15px
     32px; text-align:
     center; text-
     decoration:
     none; display:
     inline-block;
     font-size: 16px;
     margin-right:
     0px; border-
     radius: 55px;
```

```
}
.required-tracking
  li a{ display:
  flex;
  color: white;
  text-align:justify;
  padding:16px;
  text-decoration:
  none; font-
  weight: 500;
.button:hover{
  background-color:
 #4CAFFF; color: white;
}
.footer{
width:
100%;
height: 5%;
}
  </style>
</head>
<br/><body bgcolor="#4CAF50">
<div class="menu" style="float:top; width: 100%; height:11%;">
  <div class="menuleft" style="float:left;">
  <a href="registration_with_js_validation.html" class="logo">
  <h2 style="float:left;">Automobile Showroom</h2>
  </a>
  </div>
  <div class="menuright" style="float:left;">
  <ul>
```

```
<a href="homepage.html" id="menufirstelement">Home</a>
     <a href="catalogue.html">Catalogue</a>
     <a href="registration_with_js_validation.html">Register</a>
     <a href="shoppingcard.html">Cart</a>
     <a href="payment.html">Payment</a>
     <a href="contact.html">Contact</a>
    </div>
  </div>
  <div class="full" style="float:center;display:inline;">
  <div class="scrollable menu-content" style="float:left; width:30%;">
          id="clp_books_clp/CategoryList_0-1_catergorylinks" >
               <a href="#">Interior Dealing</a>
       <a href="#">Exterior Dealing</a>
       <a href="#">Classic Rejuvenation</a>
       <a href="#">Exotic Car and show prep</a>
       <a href="#">Tire and Wheel shine</a>
       <a href="#">Minor repairs</a>
       <a href="#">Retail showroom and Catalog sales</a>
              </div>
  </body>
  </html>
```

homepage.html

```
<html>
<head>
<title>Home</title>
<!--<li>k rel="stylesheet" type="text/css" href="registration.css">-->
<style>
.menu{
 background-color:
 #131413; padding:
 0px;
```

```
margin: 0px;
  border-radius: 15px;
}
ul {
  list-style-type: none;
  overflow: hidden;
  background-color:
  #131413;
}
li {
float:le
ft;
li a {
  display: inline-
  block; color:
  white;
  text-align:
  center; padding:
  14px 16px; text-
  decoration: none;
}
a:hover {
  background-color: #4CAFFF;
}
#roundedcorners
  { border-radius:
  25px;
  border: 2px solid
  white; padding:
  20px;
  width:
  200px;
```

```
height:
  150px;
  margin-bottom:
  20px; margin-
  top: 100px;
  margin-right:
  100px;
  float: right;
  background-color: white;
}
.button {
  background-color:
  #4CAF50; border:
  none;
  color: white;
  padding: 15px
  32px; text-align:
  center; text-
  decoration:
  none; display:
  inline-block;
  font-size: 16px;
  margin-right:
  0px; border-
  radius: 55px;
h4{
font-size:
18px; color:
#4CAF50;
h2{
color:whi
te;
.menuleft:hover{
```

```
background-color: #4CAFFF;
   }
   .menuleft{
   padding:0px
   5px;
  h4{
  display: block;
  padding: 3px
   10px;
  th{
   color:#4CAF
   50; font-size:
   24px; font-
   weight: bold;
  body{
  font-family:sans-serif;
  background-image:
                    url(https://newevolutiondesigns.com/images/freebies/4k
-car-wallpaper- 3.jpg);
  background-position:
  center; background-
  size: cover;
   .footer{
  width:
   100%;
  height: 5%;
   .button:hover{
    background-color: #4CAFFF;
```

```
}
</style>
</head>
<body>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration_with_js_validation.html" class="logo">
 <h2 style="float:left;">Automobile Showroom</h2>
 </a>
 </div>
 <div class="menuright" style="float:left;">
 <ul>
   <a href="homepage.html" id="menufirstelement">Home</a>
   <a href="catalogue.html">Catalogue</a>
   <a href="shoppingcart.html"> Cart</a>
   <a href="payment.html">Payment</a>
   <a href="contact.html">Contact</a>
 </div>
</div>
<center><h1 style="color:whitesmoke">WELCOME TO OUR WEBSITE :)
</h1></center>
</body>
</html>
```

Orderconfirmed.html

```
<html>
<head>
<title>Order Confirmed</title>
<!--<li>k rel="stylesheet" type="text/css" href="registration_with_js_validation.css">-->
```

```
<link href='https://fonts.googleapis.com/css?family=Montserrat:700' rel='stylesheet'</pre>
type='text/css'>
<style>
.menu{
 background-color:
 #131413; padding:
 0px;
 margin: 0px;
 border-radius: 15px;
ul {
 list-style-type: none;
 overflow: hidden;
 background-color:
 #131413;
}
li {
float:le
ft;
}
li a {
  display: inline-
 block; color:
 white;
 text-align:
 center; padding:
  14px 16px; text-
 decoration: none;
}
a:hover {
 background-color: #4CAFFF;
```

#roundedcorners

```
{ border-radius:
 25px;
 border: 2px solid
 white; padding:
 20px;
 width:
 200px;
 height:
 150px;
 margin-bottom:
 20px; margin-
 top: 100px;
 margin-right:
 100px; float:
 right;
 background-color: white;
.button {background-color: #4CAF50; border: none;
 color: white;
 padding: 15px
 32px; text-align:
 center; text-
 decoration:
 none; display:
 inline-block;
 font-size: 16px;
 margin-right:
 0px; border-
 radius: 55px;
}
h4{
font-size:
18px; color:
#4CAF50;
h2{
color:whi
```

```
te;
.menuleft:hover{
 background-color: #4CAFFF;
}
.menuleft{
padding:0px
5px;
h4{
display: block;
padding: 3px
10px;
th{
color:#4CAF
50; font-size:
24px; font-
weight: bold;
 border-style:
body{
font-family:sans-serif;
background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
car-wallpaper-3.jpg); background-position: center;
background-size: cover;
}
. footer \{ \\
```

```
width: 100%;
height: 5%;
.button:hover{
 background-color: #4CAFFF;
}
.login{
 background-color:
 none; border-radius:
 280px 20px;
 font-family: 'Montserrat', sans-serif;
}
</style>
</head>
<body>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration_with_js_validation.html" class="logo">
 <h2 style="float:left;">Automobile Showroom</h2>
 </a>
 </div>
 <div class="menuright" style="float:left;">
 \langle ul \rangle
   <a href="homepage.html" id="menufirstelement">Home</a>
   <a href="catalogue.html">Catalogue</a>
   <a href="registration_with_js_validation.html">Register</a>
   <a href="userpro.html">Profile</a>
   <a href="shoppingcart.html"> Cart</a>
   <a href="payment.html">Payment</a>
   <a href="contact.html">Contact</a>
 </div>
</div>
```

```
<center>
<div class="login" style="width: 90%; height:59%;">
        <center>
        <h1 style="color:whitesmoke">Congratulations, your order has</h1>
        <h1 style="color:whitesmoke">been confirmed!</h1>
        </center>
        </div>
        </center>
        </body>
        <html>
```

Payment.html

```
<html>
<head>
<title>Payment</title>
<!--<li>k rel="stylesheet" type="text/css" href="registration.css">-->
<style>
.menu{
 background-color:
 #131413; padding:
 0px;
 margin: 0px;
ul {
 list-style-type: none;
 overflow: hidden;
 background-color:
 #131413;
}
li {
float:le
ft;
```

```
li a {
 display: inline-
 block; color:
  white:
 text-align:
 center; padding:
  14px 16px; text-
 decoration: none;
a:hover {
 background-color: #4CAFFF;
}
#roundedcorners {
  border-radius:
  25px; border: 2px
 solid none;
 padding: 20px;
 width: 200px;
 height: 150px;
 background-color:
 white; margin:
 20px;
 white-space: nowrap;
 overflow: hidden;
}
.button {
 background-color:
 #4CAF50; color: white;
 border: none;
 padding: 15px
  32px; text-align:
 center; text-
 decoration:
 none; display:
```

```
inline-block;
 font-size: 16px;
 margin-right:
 0px; border-
 radius: 55px;
.button:hover{
 background-color:
 #4CAFFF; color: white;
h4{
font-size:
18px; color:
#4CAF50;
}
h2{
color:whi
te;
.menuleft:hover{
 background-color: #4CAFFF;
.menuleft{
padding:0px
5px;
h4{
display: block;
padding: 3px
10px;
}
td{
vertical-align:
 middle;color:
 #4CAF50;
```

```
body{
font-family:sans-serif;
background-image: url(https://newevolutiondesigns.com/images/freebies/4k-car-
wallpaper-3.jpg);
background-position:
center; background-
size: cover;
.footer{
width:
100%;
height: 5%;
#roundedcorners td
 h4{ vertical-align:
 text-bottom;
}
#roundedcorners td{
 vertical-align: text-bottom;
.paymentIcons{
 margin-right:
 55px;
}
</style>
</head>
<body>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration_with_js_validation.html" class="logo">
 <h2 style="float:left;">Automobile Showroom</h2>
 </a>
  </div>
```

```
<div class="menuright" style="float:left;">
 <ul>
   <a href="homepage.html">Home</a>
   <a href="catalogue.html">Catalogue</a>
   <a href="registration_with_js_validation.html">Register</a>
   <a href="userpro.html">Profile</a>
   <a href="shoppingcart.html"> Cart</a>
   <a href="payment.html">Payment</a>
   <a href="contact.html">Contact</a>
 </u1>
 </div>
</div>
<div>
<center>
\langle tr \rangle
               colspan="2"><center><strong><h1
 <td
                                                 style="text-
align:center;color:#af4c5c;">Payment</h1></strong></center>
 <h4 style="color:#af4c5c">Card Number:</h4>
     <input type="text" placeholder="1111 1111 1111 1111">
     <h4 style="color:#af4c5c">Card Holder's Name:
                 </h4>
<input type="text" placeholder="(e.g.)abc">
     <h4 style="color:#af4c5c">Password: </h4>
     <input type="password" placeholder="******">
     <h4 style="color:#af4c5c">Expiration Date: </h4>
     <input type="date" style="color:gray;">
```

```
<h4 style="color:#af4c5c">CVV: </h4>
    <input type="text" placeholder="999"
    style="width:50px;">
    <img
             src="https://000456558.codepen.website/icons/pay2.png"
             width=60pxclass="paymentIcons">
    <img
             src="https://000456558.codepen.website/icons/pay3.png"
             width=60pxclass="paymentIcons">
             src="https://000456558.codepen.website/icons/pay4.png"
   <img
             width=60pxclass="paymentIcons">
   
 <form method="post" action="orderconfirm.html">
  <input type="submit" value="Make Payment" class="button"</pre>
  style="width:100%;"></form>
    </center>
</div>
</body>
```

registration.html

```
<html>
<head>
<title>Registration</title>
<!--<li>k rel="stylesheet" type="text/css" href="registration.css">-->
<style>
.menu{
 background-color:
 #131413; padding:
 0px;
 margin: 0px;
}
ul {
 list-style-type: none;
 overflow: hidden;
 background-color:
 #131413;
}
li {
float:le
ft;
}
li a {
 display: inline-
 block; color:
 white;
 text-align:
 center; padding:
  14px 16px; text-
 decoration: none;
```

```
a:hover {
 background-color: #4CAFFF;
}
#roundedcorners {
 border-radius:
 25px; border: 2px
 solid none;
 padding: 20px;
 width: 200px;
 height: 150px;
 background-color:
 none; margin:
 20px;
 white-space:
 nowrap;
 overflow:
 hidden;
.center {
display:
block;
margin-left:
auto; margin-
right: auto;
width: 50%;
.button {
 background-color:
 white; color:
 #4CAF50;
 border: none;
 padding: 15px
 32px; text-align:
```

```
center; text-
 decoration:
 none; display:
 inline-block;
 font-size: 16px;
 margin-right:
 0px; border-
 radius: 55px;
h4{
font-size:
18px; color:
white;
}
h2{
color:whi
te;
. menule ft: hover \{\\
 background-color: #4CAFFF;
}
.menuleft{
padding:0px
5px;
}
h4{
display: block;
padding: 3px
10px;
}
td{
vertical-align:
 middle;color:
 #4CAF50;
```

```
}
body{
font-family:sans-serif;
background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
car-wallpaper-3.jpg); background-position: center;
background-size: cover;
}
.footer{
width:
100%;
height: 5%;
}
#roundedcorners td
 h4{ vertical-align:
 text-bottom;
}
#roundedcorners td{
 vertical-align: text-bottom;
</style>
</head>
<body>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration.html" class="logo">
 <h2 style="float:left;">Automobile Showroom</h2>
  </a>
  </div>
  <div class="menuright" style="float:left;">
  \langle ul \rangle
   <a href="homepage.html">Home</a>
   <a href="catalogue.html">Catalogue</a>
   <a href="registration.html">Register</a>
```

```
<a href="shoppingcart.html"> Cart</a>
  <a href="payment.html">Payment</a>
  <a href="contact.html">Contact</a>
 </div>
</div>
<div>
                          style="text-align:center;
<center><strong><h1
            color:rgb(250,
                          249,
                                  249);">New
                                             User?
            RegisterHere.</h1></strong></center>
<center>
Your name:</h2>
    <input type="text" placeholder="(e.g.) ABC">
    <input type="text" placeholder="(e.g.) ABC">
    <h2>Password: </h2>
    <input type="password" placeholder="******">
    <h2>Password again: </h2>
    <input type="password">
    <h2>Gender: </h2>
    <input
                               type="radio"
       value="male">Male
                               type="radio"
                       <input
value="female">Female
    <h2>Date of Birth: </h2>
```

```
<input type="date" style="color:gray;">
    <h2>Address: </h2>
    <textarea placeholder="Optional..."></textarea>
    <h2>Zipcode: </h2>
    <input type="text" placeholder="111111" maxlength="6">
    <input
                            type="button"
                                          value="Create
                   account"
                            class="button"
       your
style="width:100%;">
    </center>
</div>
</body>
</html>
```

Registration with is validation.html

```
<html>
<head>
<title>Registration</title>
<!--<li>k rel="stylesheet" type="text/css" href="registration.css">-->
<style>
.menu{
 background-color:
 #131413; padding:
 0px;
 margin: 0px;
}
.menuright ul {
 list-style-type: none;
 overflow: hidden;
 background-color:
 #131413;
}
.menuright
li {
float:left;
}
.menuright li a {
 display: inline-
 block; color:
 white;
 text-align:
 center; padding:
  14px 16px; text-
 decoration: none;
}
.menuright a:hover {
  background-color:
```

```
#4CAFFF;
}
.menuright div{
 position:
 absolute;
 visibility:
 hidden;
 background:
 white;
 border: 1px solid #4CAF50;
.menuright div
 a{ position:
 relative;
 display:
 block;
 padding 5px
 10px;
```

```
width:
 auto; text-
 align: left;
 color: #4CAF50;
}
.menuright div
 a:hover{
 color:white;
}
#roundedcorners {
 border-radius:
 25px; border: 2px
 solid none;
 padding: 20px;
 width: 200px;
 height: 150px;
 background-color:
 none; margin:
 20px;
 white-space:
 nowrap;
 overflow:
 hidden;
.center {
display:
block;
margin-left:
auto; margin-
right: auto;
width: 50%;
}
.button {
```

```
background-color:
  white; color:
 #4CAF50;
 border: none;
 padding: 15px
 32px; text-align:
 center; text-
 decoration:
 none; display:
 inline-block;
 font-size: 16px;
 margin-right:
 0px; border-
 radius: 55px;
}
h4{
font-size:
18px; color:
white;
}
h2{
color:whi
te;
. menule ft: hover \{\\
 background-color: #4CAFFF;
}
.menuleft{
padding:0px
5px;
}
h4{
display: block;
padding: 3px
10px;
```

```
td{
vertical-align:
 middle; color:
 #4CAF50;
body{
font-family:sans-serif;
background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
car-wallpaper-3.jpg); background-position: center;
background-size: cover;
.footer{
width:
100%;
height: 5%;
}
#roundedcorners td
 h4{ vertical-align:
 text-bottom;
}
#roundedcorners td{
 vertical-align: text-bottom;
}
</style>
<script
 type="text/javascript"
 >var timeout = 500;
 var closeTimer
 = 0; var
 ddMenuItem =
 0;
 function check(helpermsg)
  {
```

```
var name = document.getElementById('req1');
var username =
document.getElementById('req2');var
pwd =
document.getElementById('comp1');
var pwd2 =
document.getElementById('comp2');
var email =
document.getElementById('email');
if(username.value.charAt(0)=='a'|| username.value.charAt(0)=='u')
 name.focus();
 alert('Username should begin with
 '+'a or u'); return false;
if(name.value.length==0)
 name.focus();
 alert(helpermsg+'nam
 e');return false;
if(username.value.length==0)
 username.focus();
 alert(helpermsg+'usern
 ame');return false;
if(pwd.value!=pwd2.value||pwd.value==")
 alert('Passwords do not
 match'); return false;
```

```
function mOpen(id)
   var idd = ""+id;
   mCancelCloseTime();
   if(ddMenuItem)
     ddMenuItem.style.visibility='hidden';
   ddMenuItem=document.getElementByI
   d(idd);
   ddMenuItem.style.visibility='visible';
 function mClose()
   if(ddMenuItem)
     ddMenuItem.style.visibility='
     hidden';
  }
 function mCloseTime()
   closeTimer = window.setTimeout(mClose,timeout);
  }
 function mCancelCloseTime()
   if(closeTimer)
     window.clearTimeout(close
     Timer);closeTimer=null;
  }
</script>
</head>
<body>
```

```
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration.html" class="logo">
 <h2 style="float:left;">Book Store</h2>
 </a>
 </div>
 <div class="menuright" style="float:left;">
  <ul>
                      href="homepage.html"
   <1i><a
                      onmouseover="mOpen('m1')"
onmouseout="mCloseTime()">Home</a>
     <div id="m1" onmouseover="mCancelCloseTime()" onmouseout="mCloseTime()">
       <a href="#">About Us</a>
       <a href="#">Mission</a>
       <a href="#">Vision</a>
       <a href="#">Contact Us</a>
     </div>
   <a
                      href="catalogue.html"
                       onmouseover="mOpen('m2')"
onmouseout="mCloseTime()">Catalogue</a>
     <div id="m2" onmouseover="mCancelCloseTime()" onmouseout="mCloseTime()">
       <a href="#">About Us</a>
       <a href="#">Mission</a>
       <a href="#">Vision</a>
       <a href="#">Contact Us</a>
     </div>
   <a
                      href="registration.html"
                      onmouseover="mOpen('m3')"
onmouseout="mCloseTime()">Register</a>
     <div id="m3" onmouseover="mCancelCloseTime()" onmouseout="mCloseTime()">
       <a href="#">About Us</a>
       <a href="#">Mission</a>
```

```
<a href="#">Vision</a>
      <a href="#">Contact Us</a>
    </div>
   <a
                   href="shoppingcart.html"
                   onmouseover="mOpen('m5')"
onmouseout="mCloseTime()">Shopping Cart</a>
    <div id="m5" onmouseover="mCancelCloseTime()"</pre>
    onmouseout="mCloseTime()">
      <a href="#">About Us</a>
      <a href="#">Mission</a>
      <a href="#">Vision</a>
      <a href="#">Contact Us</a>
    </div>
   <a href="payment.html">Payment</a>
 </div>
</div>
<div>
<center><strong><h1 style="text-align:center;color:white;">New User?
                 RegisterHere.</h1></strong></center>
<center>
<form action="lo.php" >
Your name:<span class="star" style="color:red">*</span></hd>
     <input type="text" placeholder="(e.g.) ABC" id="req1">
     Username:<span class="star" style="color:red">*</span> </hd>
     <input type="text" placeholder="(e.g.) ABC" id="req2">
```

```
<h4>Email:<span class="star" style="color:red">*</span> </h4>
    <input type="text" placeholder="abc@gmail.com" id="email">
    A>Password:<span class="star" style="color:red">*</span> </hd>
    <input type="password" placeholder="******" id="comp1">
    <h4>Confirm Password:<span class="star" style="color:red">*</span>
    </h4>
    <input type="password" placeholder="******" id="comp2">
    <h4>Gender:<span class="star" style="color:red">*</span> </h4>
    <input
                                  type="radio"
        value="male">Male
                          <input
                                  type="radio"
value="female">Female
    A>Date of Birth:<span class="star" style="color:red">*</span> </h4>
    <input type="date" style="color:gray;">
    <h4>Address:</h4>
    <textarea placeholder="Optional..."></textarea>
    Zipcode:<span class="star" style="color:red">*</span> </h4>
    <input type="text" placeholder="111111" maxlength="6">
    <input type="button" onclick="return check('Please enter ')"
value="Create yourBookstore account" class="button" style="width:100%;">
    </form>
```

```
</center>
</body>
</html>
```

Shoppingcart.html

```
<html>
<head>
<title>Shopping Cart</title>
<!--<li>k rel="stylesheet" type="text/css" href="registration.css">-->
<style>
.menu{
 background-color:
 #131413; padding:
 0px;
 margin: 0px;
 border-radius: 15px;
.menu ul {
 list-style-type: none;
 overflow: hidden;
 background-color:
 #131413;
.menu
li {
float:lef
t;
}
.menu li a {
  display: inline-
 block; color:
 white;
 text-align:
```

```
center; padding:
 14px 16px; text-
 decoration: none;
.menu ul a:hover {
 background-color: #4CAFFF;
}
#roundedcorners
  { border-radius:
 25px;
 border: 2px solid
 white; padding:
 20px;
 width:
 200px;
 height:
 150px;
 margin-bottom:
 20px; margin-
 top: 100px;
 margin-right:
 100px; float:
 right;
 background-color: white;
.button {
 background-color: white;
```

```
border: none;
 color:
 #4CAF50;
 padding: 15px
 32px; text-align:
 center; text-
 decoration:
 none; display:
 inline-block;
 font-size: 16px;
 margin-right:
 0px; border-
 radius: 55px;
.button:hover{
 background-color:
 #4CAFFF; color: white;
}
h2{
color:whi
te;
.menuleft:hover{
 background-color: #4CAFFF;
}
.menuleft{
padding:0px
5px;
body{
font-family:sans-serif;
background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
```

```
car-wallpaper-3.jpg); background-position: center;
background-size: cover;
}
.footer{
width:
100%;
height: 5%;
}
 img{
  border:0;
 ::selection{
  color:#fff;
  background:#00
  a2ff;
  text-shadow:0 1px rgba(0,0,0,0.2);
 header,
 nav,
 section,
 details,
 summa
 ry,
 article,
 footer{
  display:block;
 }
 a:hover{
  text-decoration:none;
 }
#content{
 margin:0
 auto;
 padding-
```

```
bottom:50px;
 width:280px;
}
 .shoppingCart
  position:relat
  ive; margin-
  top:40px;
  overflow:hid
  den;
  color:#49586
  0;
  color:hsla(201,14%,33%
      ,0.8); border-
      radius:4px 4px 0 0;
      box-shadow:0 2px 3px 1px
      rgba(0,0,0,0); transition: all 0.4s;
 }
  .shoppingCart:h
    over{
   color:#495860;
       box-shadow:0 2px 4px 1px rgba(0,0,0,0.1);
  .shoppingCart summary{
   padding:12px 16px
    14px 16px;
   overflow:hidden;
   background:#222;
   background: linear-gradient(top,#4ca9e2
       1%,#1d7cb7 100%);border-radius:4px 4px
       00;
       box-shadow:inset 0 1px 0 #72b3d3, inset 0 -
    1px 0 #155f8e; height: 60px;
```

```
}
 .shoppingCart
  h4{float:left;
  color:#d4f1f
  f;
  text-shadow:0 1px 0 rgba(0,0,0,0.4);
   .shoppingCart:hove
    r h4{ color:#fff;
   }
 .arrow{
  float:right;
  width:0;
  height:0;
  margin-
  top:7px;
  border-right:4px solid transparent;
  border-bottom:4px solid
  hsla(200,17%,93%,0.5);border-
  left:4px solid transparent;
      transition: all 0.5s;
   .shoppingCart:hover .arrow{
    border-bottom-
        color:hsla(200,17%,93%,1);
        transform:rotate(-180deg);
   }
.shoppingCart
 ul{ list-
 style:none;
 position:relat
 ive;
 display:bloc
 k;
 .shoppingCart
  li{ padding:0
```

```
15px;
 overflow:hid
 den;
 height:0px;
 background:
 #fff;
    transition: all 0.3s;
}
 .shoppingCart:hov
  er li{height:auto;
  padding:10px
  15px;
  border-bottom:1px solid
      rgba(0,0,0,0.1);box-
      shadow:inset 0 1px 0 #fff;
 .shoppingCart:hover
  li:hover{ text-
  shadow:0 -1px #fff;
      box-shadow:inset 0 15px 20px #eee;
 .shoppingCart
  li a{
  color:#49586
  0;
  text-
  decoration:none;
  border-
  color:#666;
  border-bottom:1px dotted rgba(0,0,0,0.6);
  .shoppingCart li
    a:hover{border:0;
 .shoppingCart li
  span{
  display:block;
```

```
float:left;
   }
   .shoppingCart li
    strong{
    display:block;
    float:right;
.shoppingCart p{
 padding:12px 16px
 14px 16px;
 overflow:hidden;
 background:#fff;
     transition:background 0.2s;
}
 .shoppingCart:hover
  p{ text-shadow:0 -
   1px #fff;
  background:#eee;
 }
 .shoppingCart p
  span{
  display:block;
   .shoppingCart p
    span:first-child{
    float:left;
    .shoppingCart:hover p
     span:first-child{
     display:none;
   .shoppingCart p
    span:last-child{
    float:right;
```

```
td{
vertical-align:
middle; color:
white;
padding-top:
10px; padding-
right: 30px;
.textm{
text-align:
center; white-
space: nowrap;
overflow:
hidden;
}
li span{
width:
100%;
}
</style>
</head>
<body>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration.html" class="logo">
 <h2 style="float:left;">Automobile Showroom</h2>
 </a>
 </div>
 <div class="menuright" style="float:left;">
  \langle ul \rangle
   <a href="homepage.html" id="menufirstelement">Home</a>
   <a href="catalogue.html">Catalogue</a>
```

```
<a href="registration.html">Register</a>
   <a href="shoppingcart.html">Cart</a>
   <a href="payment.html">Payment</a>
   <a href="contact.html">Contact</a>
 </u1>
  </div>
</div>
<center>
<h1 style="color:white;margin-bottom:30px;">Products in Cart:</h1>
<div style="display:inline-block;width:100%;height:300px;">
<h3 style="color:whitesmoke"> No products available</h3>
</div>
</center>
</div>
</body>
</html>
Split db.py
import sqlite3
conn =
sqlite3.connect('student_database.d
b')print("Opened database
successfully")
conn.execute('CREATE TABLE customers ( username TEXT, email
TEXT, password TEXT )')print("Table created successfully")
conn.close()
app.py
from flask import Flask,render_template, flash,redirect,
url_for,requestimport sqlite3 as sql
app = Flask(_name_)
app.secret_key="HIII"
@app.route(
"/")def
```

homepage():

return render_template("homepage.html")

```
@app.route("/catalo
 gue")def
 catalogue():
       return
 render_template("catalogue.html")
 @app.route("/orderconfirmed")
 def orderconfirmed():
  return
 render_template("orderconfirmed.htm
 1")@app.route("/contact")
 def contact():
  return
 render_template("contact.html"
 )@app.route("/payment")
 def payment():
  return render_template("payment.html")
 @app.route("/registration_with_js_val
 idation")def
 registration_with_js_validation():
  return
 render_template("registration_with_js_validation.ht
 ml")@app.route("/registration")
 def registration():
  return
 render_template("registration.html
 ")@app.route("/shoppingcart")
 def shoppingcart():
  return
 render_template("shoppingcart.html
 ")@app.route('/data',methods =
 ['POST', 'GET'])
def data():
  if request.method == 'POST':
    try:
```

```
username =
    request.form['username']
    email = request.form['email']
    password =
    request.form['password']
    with sql.connect("student_database.db") as con:
     cur = con.cursor()
     cur.execute("INSERTINTO
                                                (username,email,password)
                                     students
                           VALUES(?,?,?)",(username,email,password))
     con.commit()
     msg = "Record successfully
   added!"except:
    con.rollback()
    msg = "error in insert
  operation" finally:
   return
   render_template("List.html",msg =
   msg)con.close()
@app.route('/
list')def list():
 con =
 sql.connect("student_database.d
 b")con.row_factory = sql.Row
 cur = con.cursor()
 cur.execute("select * from
 students")
 students = cur.fetchall()
 return render_template("List.html", students = students)
if__name_== '
 main ':
 app.run(debug =
 True)
```

Contact.css

```
* {
   margin: 0;
   padding: 0;
   border-size: border-box;
  html, body
   { height:
   100vh;
   background: #666666;
font-family: 'Balsamiq Sans', sans-serif;
  }
  body {
   display:
   flex;
   align-items:
   center; justify-
   content: center;
   background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
   car-wallpaper-3.jpg); background-position: center;
   background-size: cover;
  .card {
   height:
   50%;
   width: 50%;
   padding: 30px 90px 90px
   90px; border: 6px solid
   rgba(0, 0, 0, 0.3);
   box-shadow: 20px 20px 0 rgba(0,
   0, 0, 0.3); border-radius: 50px;
   position: relative;
```

```
.card h2 {
color:
white;
font-size: 40px;
text-transform: uppercase;
}
.card .row {
position:
relative;
width: 100%;
display: grid;
grid: auto / auto auto;
grid-template-columns: repeat(auto-
fit,minmax(40%, 1fr));grid-gap: 20px;
}
.card .row .col
{ position:
relative;
width: 100%;
margin: 30px 20px
40px 0; transition:
0.5s;
.card .row .form-group {
position:
relative;
width: 100%;
height: 10px;
color: white;
.card .row .form-group input,
.card .row .form-group
```

```
textarea { position:
absolute;
width: 90%;
height: 100%;
background-color:
white; outline:
none;
font-size: 24px;
padding: 10px 0 10px
20px; border: 5px solid
rgba(0, 0, 0, 0.3);
box-shadow: 10px 10px 0 rgba(0,
0, 0, 0.3); color: white;
border-radius: 50px;
.card .row .form-group
label { line-height:
40px;
color:
white; font-
size: 24px;
margin: 000
30px; display:
block; pointer-
events: none;
.row .col:nth-
child(6) {
margin-top:
64px;
}
.card .row .form-group input:focus,
.card .row .form-group
textarea:focus {border: 5px
solid #ffffff;
```

```
transition: all 0.5s;
.card .row
input[type="submit"] {
border: 5px solid rgba(0, 0,
0, 0.3);
box-shadow: 10px 10px 0 rgba(0,
0, 0, 0.3); padding: 10px;
height: 100%;
width:
50%;
cursor:
pointer;
outline:
none;
background:
transparent; text-
transform:
uppercase; color:
white;
line-height:
40px; font-
size: 24px;
font-weight:
700;
border-radius:
45px; transition:
all 0.4s;
.card .row
input[type="submit"]:hover {
border: 5px solid rgba(255,
255, 255, 1); color: black;
transition: all 0.4s;
```

```
@media screen and (max-width: 900px) {
    .card .row {
        grid-template-columns: repeat(auto-fit,minmax(70%, 1fr));
    }
    .card {
        padding: 20px;
    }
    .card h2 {
        font-size: 34px;
    }
    .card .row
        input[type="submit"] {
        width: 100%;
    }
}
```

Sprint-4

Contact.html

```
<html>
<title>Contact</title>
```

```
<link rel="stylesheet" href="contact.css">
<div class="card">
  <h2>Contact Us</h2>
 <div class="row">
  <div class="col">
   <div class="form-group">
    <label>First Name</label>
    <input type="text">
   </div>
  </div>
  <div class="col">
   <div class="form-group">
    <label>Surname</label>
    <input type="text">
   </div>
  </div>
  <div class="col">
   <div class="form-group">
    <label>Email</label>
    <input type="text">
   </div>
  </div>
  <div class="col">
   <div class="form-group">
    <label>Phone</label>
    <input type="text">
   </div>
  </div>
  <div class="col">
   <div class="form-group">
    <label>Message</label>
    <textarea></textarea>
```

```
</div>
</div>
</div>
<div class="col">
<input type="submit" value="Submit">
</div>
</div>
</div>
</div>
</html>
```

List.html

```
<!doctype html>
<html>
<body>
 <a href="/"><button>Home</button></a>
 <br/>br><hr>
 {{ msg }}
 <thead>
    Username
   Email
    Password
   </thead>
   {% for row in students %}
    {{ row["Username"]}}
    {{row["Email"]}}
    {{row["Password"]}}
    {% endfor %}
  </body>
</html>
```

catalogue.html

```
<html
>
<head
>head
> title>Book Catalogue</title>
<style>
.menu{
    background-color:
    #131413;padding:
    Opx;
    margin: 0px;
```

```
}
ul {
 list-style-type: none;
  overflow: hidden;
  background-color:
 #131413;
.menu {
menu li a {
  display: inline-
  block; color:
  white;
  text-align:
  center; padding:
  14px 16px; text-
  decoration: none;
}
a:hover {
  background-color: #4CAFFF;
}
h2{
color:whi
te;
.menuleft:hover{
 background-color: #4CAFFF;
.menuleft\{
padding:0px
5px;
body{
```

```
font-family:sans-serif;
   background-image:
                     url(https://newevolutiondesigns.com/images/freebies/4k
-car-wallpaper- 3.jpg);
   background-position:
  center; background-
   size: cover;
   .button {
     background-color:
     white; color:
     #4CAF50;
     border: none;
     padding: 15px
     32px; text-align:
     center; text-
     decoration:
     none; display:
     inline-block;
     font-size: 16px;
     margin-right:
     0px; border-
     radius: 55px;
   }
   .required-tracking
     li a{ display:
     flex;
     color: white;
     text-align:justify;
     padding:16px;
     text-decoration:
     none; font-
     weight: 500;
   .button:hover{
     background-color:
```

```
#4CAFFF; color: white;
}
.footer{
width:
100%;
height: 5%;
}
  </style>
</head>
<body><br/>body bgcolor="#4CAF50"></br>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration_with_js_validation.html" class="logo">
 <h2 style="float:left;">Automobile Showroom</h2>
  </a>
  </div>
 <div class="menuright" style="float:left;">
  <u1>
   <a href="homepage.html" id="menufirstelement">Home</a>
   <a href="catalogue.html">Catalogue</a>
   <a href="registration_with_js_validation.html">Register</a>
   <a href="shoppingcard.html">Cart</a>
   <a href="payment.html">Payment</a>
   <a href="contact.html">Contact</a>
  </div>
</div>
<div class="full" style="float:center;display:inline;">
<div class="scrollable menu-content" style="float:left; width:30%;">
```

```
id="clp_books_clp/CategoryList_0-1_catergorylinks" >
             <a href="#">Interior Dealing</a>
      <a href="#">Exterior Dealing</a>
      <a href="#">Classic Rejuvenation</a>
      <a href="#">Exotic Car and show prep</a>
      <a href="#">Tire and Wheel shine</a>
      <a href="#">Minor repairs</a>
      <a href="#">Retail showroom and Catalog sales</a>
             </div>
 </body>
 </html>
```

homepage.html

```
<html>
<head>
<title>Home</title>
<!--<li>k rel="stylesheet" type="text/css" href="registration.css">-->
<style>
.menu{
 background-color:
 #131413; padding:
 0px;
 margin: 0px;
 border-radius: 15px;
}
ul {
 list-style-type: none;
 overflow: hidden;
 background-color:
 #131413;
}
```

```
li {
float:le
ft;
}
li a {
  display: inline-
  block; color:
  white;
  text-align:
  center; padding:
  14px 16px; text-
  decoration: none;
a:hover {
  background-color: #4CAFFF;
}
#roundedcorners
  { border-radius:
  25px;
  border: 2px solid
  white; padding:
  20px;
  width:
  200px;
  height:
  150px;
  margin-bottom:
  20px; margin-
  top: 100px;
  margin-right:
  100px; float:
  right;
  background-color: white;
}
```

```
.button {
  background-color:
  #4CAF50; border:
  none;
  color: white;
  padding: 15px
  32px; text-align:
  center; text-
  decoration:
  none; display:
  inline-block;
  font-size: 16px;
  margin-right:
  0px; border-
  radius: 55px;
h4{
font-size:
18px; color:
#4CAF50;
}
h2{
color:whi
te;
.menuleft:hover{
 background-color: #4CAFFF;
.menuleft{}
padding:0px
5px;
```

```
}
  h4{
   display: block;
   padding: 3px
   10px;
   }
   th{
   color:#4CAF
   50; font-size:
   24px; font-
   weight: bold;
  body{
  font-family:sans-serif;
   background-image:
                    url(https://newevolutiondesigns.com/images/freebies/4k
-car-wallpaper- 3.jpg);
   background-position:
  center; background-
   size: cover;
   .footer{
   width:
   100%;
  height: 5%;
   }
   .button:hover{
    background-color: #4CAFFF;
   </style>
   </head>
   <body>
   <div class="menu" style="float:top; width: 100%; height:11%;">
```

```
<div class="menuleft" style="float:left;">
 <a href="registration_with_js_validation.html" class="logo">
 <h2 style="float:left;">Automobile Showroom</h2>
 </a>
 </div>
 <div class="menuright" style="float:left;">
 \langle ul \rangle
   <a href="homepage.html" id="menufirstelement">Home</a>
   <a href="catalogue.html">Catalogue</a>
   <a href="shoppingcart.html"> Cart</a>
   <a href="payment.html">Payment</a>
   <a href="contact.html">Contact</a>
 </div>
</div>
<center><h1 style="color:whitesmoke">WELCOME TO OUR WEBSITE :)
</h1></center>
</body>
</html>
```

Orderconfirmed.html

```
<html>
<head>
<title>Order Confirmed</title>
<!--<li>k rel="stylesheet" type="text/css" href="registration_with_js_validation.css">-->
k href='https://fonts.googleapis.com/css?family=Montserrat:700' rel='stylesheet'
type='text/css'>
<style>
.menu{
   background-color:
   #131413;padding:
   Opx;
   margin: 0px;
   border-radius: 15px;
```

```
}
ul {
  list-style-type: none;
  overflow: hidden;
  background-color:
  #131413;
}
li {
float:le
ft;
}
li a {
  display: inline-
  block; color:
  white;
  text-align:
  center; padding:
  14px 16px; text-
  decoration: none;
}
a:hover {
  background-color: #4CAFFF;
}
#roundedcorners
  { border-radius:
  25px;
  border: 2px solid
  white; padding:
  20px;
  width:
  200px;
  height:
  150px;
```

```
margin-bottom:
 20px; margin-
 top: 100px;
 margin-right:
 100px; float:
 right;
 background-color: white;
.button {
 background-color:
 #4CAF50; border:
 none;
 color: white;
 padding: 15px
 32px; text-align:
 center; text-
 decoration:
 none; display:
 inline-block;
 font-size: 16px;
 margin-right:
 0px; border-
 radius: 55px;
}
h4{
font-size:
18px; color:
#4CAF50;
}
h2{
color:whi
te;
.menuleft:hover{
 background-color: #4CAFFF;
```

```
}
. menule ft \{ \\
padding:0px
5px;
}
h4{
display: block;
padding: 3px
10px;
}
th{
color:#4CAF
50; font-size:
24px; font-
weight: bold;
 border-style:
}
body{
font-family:sans-serif;
background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
car-wallpaper-3.jpg); background-position: center;
background-size: cover;
}
.footer{
width:
100%;
height: 5%;
}
.button:hover{
  background-color: #4CAFFF;
}
.login{
  background-color:
```

```
none; border-radius:
 280px 20px;
 font-family: 'Montserrat', sans-serif;
}
</style>
</head>
<body>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration_with_js_validation.html" class="logo">
 <h2 style="float:left;">Automobile Showroom</h2>
 </a>
 </div>
 <div class="menuright" style="float:left;">
 <111>
   <a href="homepage.html" id="menufirstelement">Home</a>
   <a href="catalogue.html">Catalogue</a>
   <a href="registration_with_js_validation.html">Register</a>
   <a href="userpro.html">Profile</a>
   <a href="shoppingcart.html"> Cart</a>
   <a href="payment.html">Payment</a>
   <a href="contact.html">Contact</a>
  </div>
</div>
<center>
<div class="login" style="width: 90%; height:59%;">
  <center>
 <h1 style="color:whitesmoke">Congratulations, your order has</h1>
 <h1 style="color:whitesmoke">been confirmed!</h1>
 </center>
</div>
</center>
</body>
```

Payment.html

```
<html>
<head>
<title>Payment</title>
<!--<li>rel="stylesheet" type="text/css" href="registration.css">-->
<style>
.menu{
 background-color:
 #131413; padding:
 0px;
 margin: 0px;
}
ul {
 list-style-type: none;
 overflow: hidden;
 background-color:
 #131413;
}
li {
float:le
ft;
}
li a {
 display: inline-
 block; color:
 white;
 text-align:
 center; padding:
  14px 16px; text-
 decoration: none;
}
```

```
a:hover {
 background-color: #4CAFFF;
#roundedcorners {
 border-radius:
 25px; border: 2px
 solid none;
 padding: 20px;
 width: 200px;
 height: 150px;
 background-color:
 white; margin:
 20px;
 white-space:
 nowrap;
 overflow:
 hidden;
.button {
 background-color:
 #4CAF50; color: white;
 border: none;
 padding: 15px
 32px; text-align:
 center; text-
 decoration:
 none; display:
 inline-block;
 font-size: 16px;
 margin-right:
 0px; border-
 radius: 55px;
.button:hover{
 background-color:
```

```
#4CAFFF; color: white;
}
h4{
font-size:
18px; color:
#4CAF50;
}
h2{
color:whi
te;
.menuleft:hover{
 background-color: #4CAFFF;
}
.menuleft{
padding:0px
5px;
}
h4{
display: block;
padding: 3px
10px;
}
td{
vertical-align:
 middle; color:
 #4CAF50;
body{
font-family:sans-serif;
background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
car-wallpaper-3.jpg); background-position: center;
background-size: cover;
.footer{
```

```
width:
100%;
height: 5%;
}
#roundedcorners td
 h4{ vertical-align:
 text-bottom;
#roundedcorners td{
 vertical-align: text-bottom;
}
.paymentIcons{
 margin-right:
 55px;
</style>
</head>
<body>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration_with_js_validation.html" class="logo">
 <h2 style="float:left;">Automobile Showroom</h2>
  </a>
 </div>
 <div class="menuright" style="float:left;">
  <u1>
   <a href="homepage.html">Home</a>
   <a href="catalogue.html">Catalogue</a>
   <a href="registration_with_js_validation.html">Register</a>
   <a href="userpro.html">Profile</a>
   <a href="shoppingcart.html"> Cart</a>
   <a href="payment.html">Payment</a>
   <a href="contact.html">Contact</a>
```

```
</div>
</div>
< div >
<center>
<td
              colspan="2"><center><strong><h1
                                             style="text-
align:center;color:#af4c5c;">Payment</h1></strong></center>
 <h4 style="color:#af4c5c">Card Number:</h4>
    <input type="text" placeholder="1111 1111 1111 1111">
    <h4 style="color:#af4c5c">Card Holder's Name:
               </h4>
<input type="text" placeholder="(e.g.)abc">
    <h4 style="color:#af4c5c">Password: </h4>
    <input type="password" placeholder="******">
    <h4 style="color:#af4c5c">Expiration Date: </h4>
    <input type="date" style="color:gray;">
    <h4 style="color:#af4c5c">CVV: </h4>
    <input type="text" placeholder="999"
    style="width:50px;">
    <tr>
  src="https://000456558.codepen.website/icons/pay2.png"
   <img
```

```
width=60pxclass="paymentIcons">
    <img
              src="https://000456558.codepen.website/icons/pay3.png"width
=60pxclass="paymentIcons">
              src="https://000456558.codepen.website/icons/pay4.png"
    img
              width=60pxclass="paymentIcons">
    
 <form method="post" action="orderconfirm.html">
   <input type="submit" value="Make Payment" class="button"</pre>
   style="width:100%;"></form>
    </center>
</div>
</body>
</html>
```

registration.html

```
<html>
<head>
<title>Registration</title>
<!--<li>title>Registration</title>
<!--<li>tink rel="stylesheet" type="text/css" href="registration.css">-->
<style>
.menu{
background-color:
#131413;padding:
0px;
margin: 0px;
}
ul {
```

```
list-style-type: none;
 overflow: hidden;
 background-color:
 #131413;
li {
float:le
ft;
}
li a {
 display: inline-
 block; color:
 white;
 text-align:
 center; padding:
  14px 16px;
 text-decoration: none;
}
a:hover {
 background-color: #4CAFFF;
}
#roundedcorners {
 border-radius:
 25px; border: 2px
 solid none;
 padding: 20px;
 width: 200px;
 height: 150px;
 background-color:
 none; margin:
 20px;
  white-space:
```

```
nowrap;
 overflow:
 hidden;
.center {
display:
block;
margin-left:
auto; margin-
right: auto;
width: 50%;
.button {
 background-color:
 white; color:
 #4CAF50;
 border: none;
 padding: 15px
  32px; text-align:
 center; text-
 decoration:
 none; display:
 inline-block;
 font-size: 16px;
 margin-right:
 0px; border-
 radius: 55px;
}
h4{
font-size:
18px; color:
white;
}
h2{
color:whi
te;
```

```
}
.menuleft:hover{
 background-color: #4CAFFF;
}
.menuleft{
padding:0px
5px;
}
h4{
display: block;
padding: 3px
10px;
}
td{
vertical-align:
 middle;color:
 #4CAF50;
}
body{
font-family:sans-serif;
background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
car-wallpaper-3.jpg); background-position: center;
background-size: cover;
}
.footer{
width:
100%;
height: 5%;
#roundedcorners td
 h4{ vertical-align:
 text-bottom;
}
```

```
#roundedcorners td{
 vertical-align: text-bottom;
</style>
</head>
<body>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration.html" class="logo">
 <h2 style="float:left;">Automobile Showroom</h2>
 </a>
 </div>
 <div class="menuright" style="float:left;">
 \langle ul \rangle
   <a href="homepage.html">Home</a>
   <a href="catalogue.html">Catalogue</a>
   <a href="registration.html">Register</a>
   <a href="shoppingcart.html"> Cart</a>
   <a href="payment.html">Payment</a>
   <a href="contact.html">Contact</a>
 </div>
</div>
<div>
<center><strong><h1
                                  style="text-align:center;
                                  249,
                                              249);">New
                color:rgb(250,
                                                             User?
                RegisterHere.</h1></strong></center>
<center>
```

```
Your name:</h2>
   <input type="text" placeholder="(e.g.) ABC">
   <input type="text" placeholder="(e.g.) ABC">
   <h2>Password: </h2>
   <input type="password" placeholder="******">
   <h2>Password again: </h2>
   <input type="password">
   <h2>Gender: </h2>
   <input
                            type="radio"
      value="male">Male
                            type="radio"
                     <input
value="female">Female
   >Date of Birth: </h2>
   <input type="date" style="color:gray;">
   <h2>Address: </h2>
   <textarea placeholder="Optional..."></textarea>
   <h2>Zipcode: </h2>
```

```
<input type="text" placeholder="111111" maxlength="6">
    <input
                              type="button"
                                            value="Create
                              class="button"
                    account"
        your
style="width:100%;">
    </center>
</div>
</body>
</html>
```

Registration with js validation.html

```
<html>
<head>
<title>Registration</title>
<!--<li>k rel="stylesheet" type="text/css" href="registration.css">-->
<style>
.menu{
 background-color:
 #131413; padding:
 0px;
 margin: 0px;
}
.menuright ul {
 list-style-type: none;
 overflow: hidden;
 background-color:
 #131413;
```

```
.menuright
li {
float:left;
.menuright li a {
 display: inline-
 block; color:
 white;
 text-align:
 center; padding:
  14px 16px; text-
 decoration: none;
.menuright a:hover {
 background-color:
 #4CAFFF;
}
.menuright div{
 position:
 absolute;
 visibility:
 hidden;
 background:
 white;
 border: 1px solid #4CAF50;
}
.menuright div
 a{ position:
 relative;
 display: block;
 padding 5px
  10px; width:
```

```
auto;
 text-align:
 left; color:
 #4CAF50;
}
.menuright div
 a:hover{
 color:white;
}
#roundedcorners {
 border-radius:
 25px; border: 2px
 solid none;
 padding: 20px;
 width: 200px;
 height: 150px;
 background-color:
 none; margin:
 20px;
 white-space:
 nowrap;
 overflow:
 hidden;
}
.center {
display:
block;
margin-left:
auto; margin-
right: auto;
width: 50%;
```

```
.button {
 background-color:
 white; color:
 #4CAF50;
 border: none;
 padding: 15px
 32px; text-align:
 center; text-
 decoration:
 none; display:
 inline-block;
 font-size: 16px;
 margin-right:
 0px; border-
 radius: 55px;
}
h4{
font-size:
18px; color:
white;
}
h2{
color:whi
te;
.menuleft:hover{
 background-color: #4CAFFF;
}
.menuleft{
padding:0px
5px;
}
h4{
display: block;
padding: 3px
```

```
10px;
td{
vertical-align:
 middle; color:
 #4CAF50;
}
body{
font-family:sans-serif;
background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
car-wallpaper-3.jpg); background-position: center;
background-size: cover;
.footer{
width:
100%;
height: 5%;
#roundedcorners td
 h4{ vertical-align:
 text-bottom;
#roundedcorners td{
 vertical-align: text-bottom;
</style>
<script
 type="text/javascript"
 >var timeout = 500;
 var closeTimer
 = 0; var
 ddMenuItem =
 0;
```

```
function check(helpermsg)
  var name = document.getElementById('req1');
  var username =
  document.getElementById('req2');var
  pwd =
  document.getElementById('comp1');
  var pwd2 =
  document.getElementById('comp2');
  var email =
  document.getElementById('email');
  if(username.value.charAt(0)=='a'|| username.value.charAt(0)=='u')
   name.focus();
   alert('Username should begin with
    '+'a or u'); return false;
  if(name.value.length==0)
   name.focus();
   alert(helpermsg+'nam
   e');return false;
  if(username.value.length==0)
   username.focus();
   alert(helpermsg+'usern
   ame');return false;
 if(pwd.value!=pwd2.value||pwd.value==")
   alert('Passwords do not match');
```

```
return false;
function mOpen(id)
 var idd = ""+id;
 mCancelCloseTime();
 if(ddMenuItem)
   ddMenuItem.style.visibility='hidden';
  ddMenuItem=document.getElementByI
  d(idd);
  ddMenuItem.style.visibility='visible';
}
function mClose()
 if(ddMenuItem)
   ddMenuItem.style.visibility='
   hidden';
}
function mCloseTime()
  closeTimer = window.setTimeout(mClose,timeout);
}
function mCancelCloseTime()
  if(closeTimer)
   window.clearTimeout(close
   Timer);closeTimer=null;
```

```
</script>
</head>
<body>
<div class="menu" style="float:top; width: 100%; height:11%;">
 <div class="menuleft" style="float:left;">
 <a href="registration.html" class="logo">
 <h2 style="float:left;">Book Store</h2>
 </a>
 </div>
 <div class="menuright" style="float:left;">
  \langle ul \rangle
                       href="homepage.html"
   <a
                       onmouseover="mOpen('m1')"
onmouseout="mCloseTime()">Home</a>
     <div id="m1" onmouseover="mCancelCloseTime()" onmouseout="mCloseTime()">
       <a href="#">About Us</a>
       <a href="#">Mission</a>
       <a href="#">Vision</a>
       <a href="#">Contact Us</a>
     </div>
   href="catalogue.html"
   <a
                       onmouseover="mOpen('m2')"
onmouseout="mCloseTime()">Catalogue</a>
     <div id="m2" onmouseover="mCancelCloseTime()" onmouseout="mCloseTime()">
       <a href="#">About Us</a>
       <a href="#">Mission</a>
       <a href="#">Vision</a>
       <a href="#">Contact Us</a>
     </div>
```

```
href="registration.html"
   <a
                     onmouseover="mOpen('m3')"
onmouseout="mCloseTime()">Register</a>
     <div id="m3" onmouseover="mCancelCloseTime()" onmouseout="mCloseTime()">
      <a href="#">About Us</a>
      <a href="#">Mission</a>
      <a href="#">Vision</a>
      <a href="#">Contact Us</a>
     </div>
   <a
                    href="shoppingcart.html"
                    onmouseover="mOpen('m5')"
onmouseout="mCloseTime()">Shopping Cart</a>
     <div id="m5" onmouseover="mCancelCloseTime()"</pre>
     onmouseout="mCloseTime()">
      <a href="#">About Us</a>
      <a href="#">Mission</a>
      <a href="#">Vision</a>
      <a href="#">Contact Us</a>
     </div>
   <a href="payment.html">Payment</a>
 </div>
</div>
```

```
<div>
<center><strong><h1 style="text-align:center;color:white;">New User?
                RegisterHere.</h1></strong></center>
<center>
<form action="lo.php" >
Your name:<span class="star" style="color:red">*</span></h4>
    <input type="text" placeholder="(e.g.) ABC" id="req1">
    Username:<span class="star" style="color:red">*</span> </hd>
    <input type="text" placeholder="(e.g.) ABC" id="req2">
    <h4>Email:<span class="star" style="color:red">*</span> </h4>
    <input type="text" placeholder="abc@gmail.com" id="email">
    <h4>Password:<span class="star" style="color:red">*</span> </h4>
    <input type="password" placeholder="******" id="comp1">
    <h4>Confirm Password:<span class="star" style="color:red">*</span>
    </h4>
    <input type="password" placeholder="******" id="comp2">
    <h4>Gender:<span class="star" style="color:red">*</span> </h4>
    <input
                                   type="radio"
        value="male">Male
                                   type="radio"
                          <input
value="female">Female
    <h4>Date of Birth:<span class="star" style="color:red">*</span> </h4>
```

```
<input type="date" style="color:gray;">
    <h4>Address:</h4>
    <textarea placeholder="Optional..."></textarea>
    Zipcode:<span class="star" style="color:red">*</span> </hd>
    <input type="text" placeholder="111111" maxlength="6">
    <input type="button" onclick="return check('Please enter ')"
value="Create yourBookstore account" class="button" style="width:100%;">
    </form>
</center>
</body>
</html>
```

Shoppingcart.html

```
<html>
<head>
<title>Shopping Cart</title>
<!--<li>title>Shopping Cart</title>
<!--<li>type="text/css" href="registration.css">-->
<style>
.menu{
   background-color:
   #131413;padding:
   Opx;
   margin: 0px;
   border-radius: 15px;
}
```

```
.menu ul {
   list-style-type: none;
   overflow: hidden;
   background-color:
   #131413;
  }
 .menu
 li {
 float:lef
 t;
  }
 .menu li a {
   display: inline-
   block; color:
   white;
   text-align:
   center; padding:
   14px 16px; text-
   decoration: none;
 .menu ul a:hover {
   background-color: #4CAFFF;
  }
#roundedcorners {
border-radius:
25px;
   border: 2px solid
   white; padding:
   20px;
   width:
   200px;
   height:
```

```
150px;
 margin-bottom:
 20px; margin-
 top: 100px;
 margin-right:
 100px; float:
 right;
 background-color: white;
}.button {
 background-color:
 white; border: none;
 color: #4CAF50;
 padding: 15px
 32px; text-align:
 center; text-
 decoration:
 none; display:
 inline-block;
 font-size: 16px;
 margin-right:
 0px; border-
 radius: 55px;
.button:hover{
 background-color:
 #4CAFFF; color: white;
}
h2{
color:whi
te;
.menuleft:hover{
 background-color: #4CAFFF;
```

```
.menuleft{
padding:0px
5px;
body{
font-family:sans-serif;
background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
car-wallpaper-3.jpg); background-position: center;
background-size: cover;
}
.footer{
width:
100%;
height: 5%;
}
 img{
  border:0;
 ::selectio
  n{
  color:#f
  ff;
  background:#00a2ff;
  text-shadow:0 1px rgba(0,0,0,0.2);
 header,
 nav,
 section,
 details,
 summa
 ry,
 article,
 footer{
  display:block;
```

```
a:hover{
  text-decoration:none;
#content{
 margin:0
 auto;
 padding-
 bottom:50px;
 width:280px;
 . shopping Cart \\
  position:relat
  ive; margin-
  top:40px;
   overflow:hid
   den;
   color:#49586
   0;
  color:hsla(201,14%,33%,0.8);
      border-radius:4px 4px 0 0;
      box-shadow:0 2px 3px 1px
      rgba(0,0,0,0); transition: all 0.4s;
 }
  .shoppingCart:h
    over{
    color:#495860;
        box-shadow:0 2px 4px 1px rgba(0,0,0,0.1);
   }
  .shoppingCart summary{
    padding:12px 16px
    14px 16px;
    overflow:hidden;
    background:#222;
    background: linear-gradient(top,#4ca9e2
        1%,#1d7cb7 100%);border-radius:4px 4px
```

```
00;
     box-shadow:inset 0 1px 0 #72b3d3, inset 0 -
  1px 0 #155f8e; height: 60px;
}
 .shoppingCart
  h4{float:left;
   color:#d4f1f
  f;
  text-shadow:0 1px 0 rgba(0,0,0,0.4);
   .shoppingCart:hove
    r h4{ color:#fff;
   }
 .arrow{
  float:right;
  width:0;
  height:0;
  margin-
  top:7px;
  border-right:4px solid transparent;
  border-bottom:4px solid
  hsla(200,17%,93%,0.5);border-
  left:4px solid transparent;
      transition: all 0.5s;
   .shoppingCart:hover .arrow{
    border-bottom-
        color:hsla(200,17%,93%,1);
        transform:rotate(-180deg);
.shoppingCart
 ul{ list-
 style:none;
 position:relat
 ive;
 display:bloc
 k;
```

```
}
 .shoppingCart
  li{ padding:0
  15px;
  overflow:hid
  den;
  height:0px;
  background:
  #fff;
      transition: all 0.3s;
  .shoppingCart:hov
    er li{height:auto;
    padding:10px
    15px;
    border-bottom:1px solid
        rgba(0,0,0,0.1);box-
        shadow:inset 0 1px 0 #fff;
  .shoppingCart:hover
    li:hover{ text-
    shadow:0 -1px #fff;
       box-shadow:inset 0 15px 20px #eee;
  }
  . shopping Cart\\
    li a{
    color:#49586
    0;
    text-
    decoration:none;
    border-
    color:#666;
    border-bottom:1px dotted rgba(0,0,0,0.6);
    .shoppingCart li
     a:hover{border:0;
    }
```

```
.shoppingCart li
    span{
    display:block;
    float:left;
   .shoppingCart li
    strong\{
    display:block;
    float:right;
.shoppingCart p{
 padding:12px 16px
 14px 16px;
 overflow:hidden;
 background:#fff;
     transition:background 0.2s;
}
 .shoppingCart:hover
  p{ text-shadow:0 -
   1px #fff;
  background:#eee;
```

```
.shoppingCart p
      span{
      display:block;
      .shoppingCart p
       span:first-child{
       float:left;
       .shoppingCart:hover p
         span:first-child{
         display:none;
      . shopping Cart\ p
       span:last-child{
       float:right;
td{
vertical-align:
middle;color:
white;
padding-top:
10px; padding-
right: 30px;
.textm\{\\
text-align:
center; white-
space: nowrap;
overflow:
hidden;
li span{
```

}

}

```
<a href="catalogue.html">Catalogue</a>
   <a href="registration.html">Register</a>
   <a href="shoppingcart.html">Cart</a>
   <a href="payment.html">Payment</a>
   <a href="contact.html">Contact</a>
 </div>
</div>
<center>
<h1 style="color:white;margin-bottom:30px;">Products in Cart:</h1>
<div style="display:inline-block;width:100%;height:300px;">
<h3 style="color:whitesmoke"> No products available</h3>
</div>
</center>
>
</div>
</body>
</html>
Split db.py
import sqlite3
conn =
sqlite3.connect('student_database.d
```

conn.execute('CREATE TABLE customers (username TEXT, email TEXT,

app.py

successfully")

conn.close()

b')print("Opened database

from flask import Flask,render_template, flash,redirect,

password TEXT)')print("Table created successfully")

```
url_for,requestimport sqlite3 as sql
app = Flask( name )
app.secret_key="HIII"
@app.route(
"/")def
homepage():
      return render_template("homepage.html")
@app.route("/catalo
gue")def
catalogue():
      return render_template("catalogue.html")
@app.route("/orderconfi
rmed")def
orderconfirmed():
 return
render_template("orderconfirmed.htm
1") @app.route("/contact")
def contact():
 return
render_template("contact.html"
)@app.route("/payment")
def payment():
 return render_template("payment.html")
@app.route("/registration_with_js_v
alidation")
registration_with_js_validation():
 return
render_template("registration_with_js_validation.h
tml") @app.route("/registration")
def registration():
 return
render_template("registration.html
")@app.route("/shoppingcart")
def shoppingcart():
```

```
return
render_template("shoppingcart.html
    @app.route('/data',methods
['POST', 'GET']) def data():
 if request.method == 'POST':
   try:
    username =
    request.form['username']
    email = request.form['email']
    password =
    request.form['password']
    with sql.connect("student_database.db") as con:
     cur = con.cursor()
                                                (username,email,password)
     cur.execute("INSERTINTO
                                    students
                           VALUES(?,?,?)",(username,email,password))
     con.commit()
     msg = "Record successfully
  added!"except:
    con.rollback()
    msg = "error in insert
  operation" finally:
   return
   render_template("List.html",msg =
   msg)con.close()
@app.route('/
list')def list():
 con
 sql.connect("student_database.d
 b")con.row_factory = sql.Row
```

```
cur = con.cursor()
 cur.execute("select * from
 students")
 students = cur.fetchall()
 return render_template("List.html", students = students)
if__name_== '
 main_':
 app.run(debug =
 True)
Contact.css
* {
 margin: 0;
 padding: 0;
 border-size: border-box;
html, body
  { height:
  100vh;
 background: #666666;
 font-family: 'Balsamiq Sans', sans-serif;
body {
 display:
  flex;
 align-items:
 center; justify-
  content: center;
  background-image: url(https://newevolutiondesigns.com/images/freebies/4k-
 car-wallpaper-3.jpg); background-position: center;
  background-size: cover;
```

```
.card {
height:
50%;
width: 50%;
padding: 30px 90px 90px
90px; border: 6px solid
rgba(0, 0, 0, 0.3);
box-shadow: 20px 20px 0 rgba(0,
0, 0, 0.3); border-radius: 50px;
position: relative;
.card h2 {
color:
white; font-
size: 40px;
text-transform: uppercase;
.card .row {
position:
relative;
width: 100%;
display: grid;
grid: auto / auto auto;
grid-template-columns: repeat(auto-
fit,minmax(40%, 1fr));grid-gap: 20px;
}
.card .row .col
{ position:
relative;
width: 100%;
margin: 30px 20px
40px 0; transition:
```

```
0.5s;
.card .row .form-
group { position:
relative; width:
100%;
height:
10px;
color:
white;
.card .row .form-group input,
.card .row .form-group
textarea { position:
absolute;
width: 90%;
height: 100%;
background-color:
white; outline:
none;
font-size: 24px;
padding: 10px 0 10px
20px; border: 5px solid
rgba(0, 0, 0, 0.3);
box-shadow: 10px 10px 0 rgba(0,
0, 0, 0.3); color: white;
border-radius: 50px;
.card .row .form-group label {
```

```
line-height:
40px; color:
white;
font-size: 24px;
margin: 000
30px; display:
block; pointer-
events: none;
.row .col:nth-
child(6) {
margin-top:
64px;
}
.card .row .form-group input:focus,
.card .row .form-group
textarea:focus {border: 5px
solid #ffffff;
transition: all 0.5s;
.card .row
input[type="submit"] {
border: 5px solid rgba(0, 0,
0, 0.3);
box-shadow: 10px 10px 0 rgba(0,
0, 0, 0.3); padding: 10px;
height: 100%;
width:
50%;
cursor:
pointer;
outline:
none;
background:
```

```
transparent; text-
transform:
uppercase; color:
white;
line-height:
40px; font-
size: 24px;
font-weight:
700;
border-radius:
45px;transition:
all 0.4s;
}
.card .row
input[type="submit"]:hover {
border: 5px solid rgba(255,
255, 255, 1); color: black;
transition: all 0.4s;
}
@media screen and (max-width: 900px) {
.card .row {
```

```
grid-template-columns: repeat(auto-fit,minmax(70%, 1fr));
}
.card {
  padding: 20px;
}
.card h2 {
  font-size: 34px;
}
.card .row
  input[type="s
  ubmit"] {
  width: 100%;
}
```