

## SPRINT - 3

PROJECT NAME : PLASMA DONOR APPLICATION

TEAM ID : PNT2022TMID25930

DOMAIN : CLOUD APPLICATION DEVELOPMENT

## Donor.html

```
<!DOCTYPE html>

<html lang="en">

<head>

__<meta charset="UTF-8">

__<meta http-equiv="X-UA-Compatible" content="IE=edge">

__<meta name="viewport" content="width=device-width, initial-scale=1.0">

</head>

<body>

<h1>WELCOME PLASMA DONOR. KINDLY FILL OUT THE FOLLOWING DETAILS</h1><br>

<FORM>

Name:<input type="text" id="name"/><br>

Phone number: <input type="number" id="phno"/><br>

Blood Group :<input type="text" id="bgrp"/><br>

Address: <input type="text" id="address"/>

</FORM>

<p>

Patients all over the world rely on plasma protein therapies to treat rare, chronic diseases. These individuals rely on the generosity and commitment of plasma donors (and oftentimes the blood donor recruitment specialist). You may donate plasma in one of the many licensed and certified donor centers located in the U.S. Plasma often is referred to as the “gift of life”, because it is essential to helping thousands of people worldwide with rare, chronic diseases to live healthier, more productive, and more fulfilling lives

</p>

</body>

</html>
```

## Receiver.html

```
<!DOCTYPE html>

<html lang="en">

<head>

__<meta charset="UTF-8">

__<meta http-equiv="X-UA-Compatible" content="IE=edge">

__<meta name="viewport" content="width=device-width, initial-scale=1.0">

</head>

<body>

<h1>WELCOME PLASMA RECEIVER</h1><br>

{% extends "base.html" %}

{% block content %}

_<table id="data" class="table table-striped">

__<thead>

___<tr>

____<th>Name</th>

____<th>Age</th>

____<th>Address</th>

____<th>Phone Number</th>

____<th>Email</th>

___</tr>

__</thead>

__<tbody>

___{% for donor in donors %}

____<tr>

_____<td>{{ user.name }}</td>

_____<td>{{ user.bgrp }}</td>
```

```
_____<td>{{ user.address }}</td>
```

```
_____<td>{{ user.phone }}</td>
```

```
_____<td>{{ user.email }}</td>
```

```
_____</tr>
```

```
____{% endfor %}
```

```
__</tbody>
```

```
_</table>
```

```
{% endblock %}
```

```
{% block scripts %}
```

```
_<script>
```

```
__$(document).ready(function () {
```

```
____$('#data').DataTable({
```

```
_____columns: [
```

```
_____null,
```

```
_____ {searchable: false},
```

```
_____ {orderable: false, searchable: false},
```

```
_____ {orderable: false, searchable: false},
```

```
_____null],
```

```
____});
```

```
__});
```

```
_</script>
```

```
{% endblock %}
```

```
</body>
```

```
</html>
```

### Third party.html

chatbot script from ibm cloud using ibm watson assistant

```
<script>

window.watsonAssistantChatOptions = {
  integrationID: "2613933a-4c8a-481e-864e-0dd199d669d4", // The ID of this
  integration.
  region: "au-syd", // The region your integration is hosted in.
  serviceInstanceID: "59b2d84d-0e3b-413c-bd0a-f8ddc6a8ab0a", // The ID of
  your service instance.
  onLoad: function(instance) { instance.render(); }
};

setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
  (window.watsonAssistantChatOptions.clientVersion || 'latest') +
  "/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
});

</script>
```

