Project Design Phase-II
Technology Stack (Architecture & Stack)

Date	24 October 2022	
Team ID	IBM-project-13896-1659534693	
Project Name	Signs with smart connectivity for better Road	
	safety	
Maximum Marks	4 Marks	

Technical Architecture:

The Deliverable shall include the architectural diagram as below and the information as per the table 1 & table 2




Table-1: Components & Technologies:

S.No	Component	Description	Technology
1.	speed sensors	Speed sensors use magnets or optical sources to capture rotational or linear speed .typically ,they are used as gear-tooth speed sensors or are incorporated into stroboscopes or tachometers.	VCSEL,advanced VCSEL
2.	acoustic sensors	To generate a signal by moving a diaphragm quickly back and forth displacing the air around the diaphragm, creating an acoustic wave.	
3.	IP CCTV cameras	An IP camera, or Internet protocol camera, is a type of digital security camera that receives and sends video footage via an IP network	Java,etc. Analog security systems
4.	smart traffic lights	vehicle traffic control system that combines traditional traffic lights with an array of sensors and artificial intelligence to intelligently route vehicle and pedestrian traffic	Fiber optic video receivers
5.	condition and weather monitoring systems	This ecosystem consists of a microcontroller .which acts as the main processing unit for the entire system and where all the sensors and devices are connected.	C,C++,etc
7.	Cloud Database	Database Service on Cloud	IBM DB2, IBM Cloudant etc.
6.	digital signage	electronic signage, refers to display technologies like LED walls, projection and LCD monitors to vividly display webpages.	IBM Block Storage or Other Storage Service or Local Filesystem
S.No	Characteristics	Description	Technology
1.	Open-Source Frameworks	List the open-source frameworks used	Technology of Opensource framework
2.	Security Implementations	List A smartphone system, which utilizes smartphone accelerometers, microphones, and GPS to detect	Technology used

		events related to the quality of the road, e.g., potholes	
		and bumps.	
3.	Scalability Architecture	Justify the prevent and reduce the number of rode	Technology used
		related accidents and improve rode safety	
4.	Data Availability	The data used to support the findings of this study are	Technology used
		available from the corresponding author upon	
		request.	
5.	Performance	Road inspection enables clear and direct observation	Technology used
		of the state of the road and assesses the need for	
		repairs or modifications.	

References:

http://www.who.int/roadsafety/decade_of_action/en/

https://www.who.int/violence_injury_prevention/road_safety_status/2015/en/

http://atlas.eurorap.org/

http://www.eurorap.org/protocols/star-ratings/

https://www.irap.org/