## **Assignment 4**

Name	Gowtham Sriram
Team ID	PNT2022TMID12996
Project Name	Plasma Donor Application

## **QUESTIONS:**

- 1. Pull an Image from docker hub and run it in docker playground.
- 2.Create a docker file for the job portal application and deploy it in Docker desktop application. 3.Create a IBM container registry and deploy helloworld app or jobportalapp.
- 4.Create a Kubernetes cluster in IBM cloud and deploy helloworld image or jobportal image and also expose the same app to run in nodeport


## **Solutions:**

```
|Darshan@Darshans-MacBook-Pro ~ % ibmcloud plugin install container-registry -r 'IBM Cloud'
Looking up 'container-registry' from repository 'IBM Cloud'...

Plug-in 'container-registry[cr] 1.0.2' found in repository 'IBM Cloud'

Plug-in 'container-registry 1.0.1' was already installed. Do you want to update it with 'container-
registry[cr] 1.0.2' or not? [y/N] > y
Attempting to download the binary file...
 12.52 MiB / 12.52 MiB [------
====] 100.00% 3s
13126768 bytes downloaded
Installing binary...
Plug-in 'container-registry 1.0.2' was successfully installed into /Users/DarshanSasikumar/.bluemix [/plugins/container-registry. Use 'ibmcloud plugin show container-registry' to show its details.
Darshan@Darshans-MacBook-Pro ~ % ibmcloud login -a https://cloud.ibm.com
API endpoint: https://cloud.ibm.com
Email> 718019I221@smartinternz.com
Password>
Authenticating...
OK
Targeted account Gowtham Sriram's Account (9e79ce05bc644abaa88le768d2d0bcc0)
Select a region (or press enter to skip):
1. au-syd
2. in-che
3. jp-osa
4. jp-tok
5. kr-seo
6. eu-de
7. eu-gb
8. ca-tor
9. us-south
10. us-east
11. br-sao
Enter a number> 2
Targeted region in-che
API endpoint:
                   https://cloud.ibm.com
Region:
                     in-che
User:
                     718019I221@smartinternz.com
                     Gowtham Sriram's Account (9e79ce05bc644abaa881e768d2d0bcc0)
Account:
                     No resource group targeted, use 'ibmcloud target -g RESOURCE_GROUP'
Resource group:
CF API endpoint:
Org:
Space:
New version 2.12.1 is available.
Change logs: https://github.com/IBM-Cloud/ibm-cloud-cli-release/releases/tag/v2.12.1
TIP: use 'ibmcloud config --check-version=false' to disable update check.
Do you want to update? [y/N] > y
Installing version '2.12.1'...
Downloading...
```

```
[Darshan@Darshans-MacBook-Pro ~ % ibmcloud cr region-set global
The region is set to 'global', the registry is 'icr.io'.
[Darshan@Darshans-MacBook-Pro ~ % ibmcloud cr namespace-add assignment412996
No resource group is targeted. Therefore, the default resource group for the account ('Default') is
 targeted.
Adding namespace 'assignment412996' in resource group 'Default' for account Gowtham Sriram's Accoun
t in registry icr.io...
The requested namespace is already owned by your account.
[Darshan@Darshans-MacBook-Pro ~ % ibmcloud cr login
Logging 'docker' in to 'icr.io'...
Logged in to 'icr.io'.
[Darshan@Darshans-MacBook-Pro ~ % docker pull hello-world
Using default tag: latest
latest: Pulling from library/hello-world
2db29710123e: Pull complete
Digest: sha256:faa03e786c97f07ef34423fccceeec2398ec8a5759259f94d99078f264e9d7af
Status: Downloaded newer image for hello-world:latest
docker.io/library/hello-world:latest
[Darshan@Darshans-MacBook-Pro ~ % docker tag hello-world icr.io/assignment412996/repo:repo
Darshan@Darshans-MacBook-Pro ~ % docker push icr.io/assignment412996/repo:repo
The push refers to repository [icr.io/assignment412996/repo]
e07ee1baac5f: Pushed
repo: digest: sha256:f54a58bclaac5ea1a25d796ae155dc228b3f0e11d046ae276b39c4bf2f13d8c4 size: 525
|Darshan@Darshans-MacBook-Pro ~ % ibmcloud cr image-list
Listing images...
Repository
                               Tag
                                      Digest
                                                     Namespace
                                                                        Created
                                                                                     Size
                                                                                              Secur
ity status
icr.io/assignment412996/repo repo f54a58bclaac assignment412996 1 year ago
                                                                                     2.5 kB
```



Darshan@Darshans-MacBook-Pro ~ %

```
[Darshan@Darshans-MacBook-Pro Assignment4 % docker run -p 80:5000 app:latest

* Serving Flask app 'app'

* Debug mode: off

WARNING: This is a development server. Do not use it in a production deployment. Use a production

WSGI server instead.

* Running on all addresses (0.0.0.0)

* Running on http://127.0.0.1:5000

* Running on http://172.17.0.2:5000

Press CTRL+C to quit
```



```
[Darshan@Darshans-MacBook-Pro Assignment4 % docker pull 19i209docker/app
Using default tag: latest
latest: Pulling from 19i209docker/app
Digest: sha256:2ace541561b3d4c96d646912a08458732fdfec8990cb37e1cb062dd9657a7368
Status: Image is up to date for 19i209docker/app:latest
docker.io/19i209docker/app:latest
[Darshan@Darshans-MacBook-Pro Assignment4 % docker tag 19i209docker/app icr.io/as]
signment412996/repo:latest
[Darshan@Darshans-MacBook-Pro Assignment4 % docker push icr.io/assignment412996/r
epo:latest
The push refers to repository [icr.io/assignment412996/repo]
896f17685b3c: Pushed
7eea1410fc7c: Pushed
684fb8ea3d80: Pushed
345c9e42b8e4: Pushed
24bf8dd8c4a6: Pushed
18bbb218c890: Pushed
e6e9854ca999: Pushed
397a239a053b: Pushed
89c3244a87b2: Pushed
80231db1194c: Pushed
f1c1f2298584: Pushed
ccba29d69370: Pushed
latest: digest: sha256:2ace541561b3d4c96d646912a08458732fdfec8990cb37e1cb062dd96
57a7368 size: 2843
Darshan@Darshans-MacBook-Pro Assignment4 %
                         Assignment4 — -zsh — 80×41
Last login: Thu Nov 17 20:14:09 on ttys004
[3] 17666
Darshan@Darshans-MacBook-Pro Assignment4 % docker push 19i209docker/ibm12996:app
The push refers to repository [docker.io/19i209docker/ibm12996]
An image does not exist locally with the tag: 19i209docker/ibm12996
Darshan@Darshans-MacBook-Pro Assignment4 % docker tag app 19i209docker/app
Darshan@Darshans-MacBook-Pro Assignment4 % docker push 19i209docker/app
Using default tag: latest
The push refers to repository [docker.io/19i209docker/app]
896f17685b3c: Pushed
7eea1410fc7c: Pushed
684fb8ea3d80: Pushed
345c9e42b8e4: Pushed
24bf8dd8c4a6: Pushed
18bbb218c890: Pushed
e6e9854ca999: Pushed
397a239a053b: Pushed
89c3244a87b2: Pushed
80231db1194c: Pushed
f1c1f2298584: Pushed
ccba29d69370: Pushed
latest: digest: sha256:2ace541561b3d4c96d646912a08458732fdfec8990cb37e1cb062dd96
57a7368 size: 2843
Darshan@Darshans-MacBook-Pro Assignment4 %
          C
                ① 127.0.0.1:5000
```

Hello!

