EMERGING METHODS FOR EARLY DETECTION OF FOREST FIRES

VIDEO ANALYSIS

OPEN CV FOR VIDEO PROCESSING

Date	04 November 2022
Team ID	13932-1659535791
Project Name	Emerging Methods for Early Detection of Forest Fires

Importing The ImageDataGenerator Library

import keras

from keras.preprocessing.image import ImageDataGenerator

Define the parameters/arguments for ImageDataGenerator class

train_datagen=ImageDataGenerator(rescale=1./255,shear_range=0.2,rot ati on_range=180,zoom_range=0.2, horizontal_flip=True) test_datagen=ImageDataGenerator(rescale=1./255)

Applying ImageDataGenerator functionality to trainset

x_train=train_datagen.flow_from_directory(r'/content/drive/MyDriv e/ Dataset/train_set',target_size=(128,128),batch_size=32, class_mode='binary')

Found 436 images belonging to 2 classes.

Applying ImageDataGenerator functionality to testset

x_test=test_datagen.flow_from_directory(r'/content/drive/MyDrive / Dataset/test_set',target_size=(128,128),batch_size=32, class mode='binary')

Found 121 images belonging to 2 classes.

Import model building libraries

#To define Linear initialisation import Sequential
from keras.models import Sequential
#To add layers import Dense
from keras.layers import Dense
#To create Convolution kernel import Convolution2D
from keras.layers import Convolution2D
#import Maxpooling layer
from keras.layers import MaxPooling2D
#import flatten layer
from keras.layers import Flatten
import warnings
warnings.filterwarnings('ignore')

Initializing the model

model=Sequential()

Add CNN Layer

```
model.add(Convolution2D(32, (3,3),input_shape=(128,128,3),activation='relu')) #add maxpooling layer
```

```
model.add(MaxPooling2D(pool_size=(2,2)))
#add flatten layer
model.add(Flatten())
```

Add Hidden Layer

```
#add hidden layer
model.add(Dense(150,activation='relu'))
#add output layer
model.add(Dense(1,activation='sigmoid')
)
```

Configure the learning process

```
model.compile(loss='binary_crossentropy',optimizer="adam",metrics=[
"ac curacy"])
```

Train the model

```
model.fit_generator(x_train,steps_per_epoch=14,epochs=10,validation_
da ta=x test, validation steps=4)
Epoch 1/10
1.3060 -
accuracy: 0.7775 - val loss: 0.5513 - val accuracy: 0.8512
Epoch 2/10
14/14 [=======] - 26s 2s/step - loss:
0.3178 -
accuracy: 0.8807 - val loss: 0.1299 - val accuracy: 0.9421
Epoch 3/10
14/14 [=======] - 26s 2s/step - loss:
0.2226 -
accuracy: 0.9106 - val_loss: 0.1311 - val_accuracy: 0.9421
Epoch 4/10
14/14 [=======] - 31s 2s/step - loss:
0.1836 -
accuracy: 0.9174 - val_loss: 0.1129 - val_accuracy: 0.9339
Epoch 5/10
14/14 [=======] - 30s 2s/step - loss:
0.1675 -
```

```
accuracy: 0.9243 - val loss: 0.0925 - val accuracy: 0.9669
Epoch 6/10
14/14 [=======] - 26s 2s/step - loss:
0.1884 -
accuracy: 0.9289 - val_loss: 0.1287 - val_accuracy: 0.9339
Epoch 7/10
14/14 [=======] - 28s 2s/step - loss:
0.1724 -
accuracy: 0.9335 - val loss: 0.0926 - val accuracy: 0.9752
Epoch 8/10
14/14 [=======] - 26s 2s/step - loss:
0.1510 -
accuracy: 0.9404 - val_loss: 0.0757 - val_accuracy: 0.9752
Epoch 9/10
14/14 [=====
2s/step - loss:
          =======] - 26s
                                                    0.173 -
accuracy: 0.9174 - val_loss: 0.0537 - val_accuracy: 0.9835
Epoch 10/10
14/14 [========] - 26s
                                                    0.154 -
2s/step - loss:
accuracy: 0.9312 - val_loss: 0.0573 - val_accuracy: 0.9835
<keras.callbacks.History at 0x7f05d66a9c90>
```

Save The Model

model.save("forest1.h5")

Predictions

```
#import load_model
from keras.model from
keras.models import
load_model #import
image class from keras
from tensorflow.keras.preprocessing import image #import
numpy
import numpy as np
#import cv2
import cv2
```

```
#load the saved model
model = load_model("forest1.h5")
img=image.load_img(r'/content/drive/MyDrive/Dataset/te
st_set/forest/ 0.48007200_1530881924_final_forest.jpg')
x=image.img_to_array(img)
res = cv2.resize(x, dsize=(128, 128),
interpolation=cv2.INTER_CUBIC)
#expand the image shape
x=np.expand_di
ms(res,axis=0)
pred=
model.predict(x)
1/1 [=======] - 0s
126ms/step
pred
array([[0.]], dtype=float32)
```

OpenCV For Video Processing

pip install twilio

Looking in indexes: https://pypi.org/simple, https://us-

python.pkg.dev/colab-wheels/public/simple/

Requirement already satisfied: twilio in

/usr/local/lib/python3.7/dist-packages (7.15.1)

Requirement already satisfied: pytz in /usr/local/lib/python3.7/dist-

packages (from twilio) (2022.5)

Requirement already satisfied: requests>=2.0.0 in

/usr/local/lib/python3.7/dist-packages (from twilio) (2.23.0)

Requirement already satisfied: PyJWT<3.0.0,>=2.0.0 in

/usr/local/lib/python3.7/dist-packages (from twilio) (2.6.0) Requirement

already satisfied: urllib3!=1.25.0,!=1.25.1,<1.26,>=1.21.1 in

/usr/local/lib/python3.7/dist-packages (from requests>=2.0.0-

>twilio) (1.24.3)

Requirement already satisfied: certifi>=2017.4.17 in

/usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio)

(2022.9.24)

Requirement already satisfied: idna<3,>=2.5 in

/usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio)

(2.10)

Requirement already satisfied: chardet<4,>=3.0.2 in

/usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio) (3.0.4)

pip install playsound

Looking in indexes: https://pypi.org/simple, https://us-

python.pkg.dev/colab-wheels/public/simple/

Requirement already satisfied: playsound in

/usr/local/lib/python3.7/dist-packages (1.3.0)

#import opency library

import cv2

#import numpy

import numpy as np

#import image function from keras

from keras.preprocessing import

image #import load_model from keras
from keras.models import load_model
#import client from twilio API
from twilio.rest import Client
#import playsound package
from playsound import playsound

WARNING:playsound:playsound is relying on another python subprocess. Please use `pip install pygobject` if you want playsound to run more efficiently.

#load the saved model
model=load_model("forest1.h
5") #define video
video=cv2.VideoCapture(0)
#define the features
name=['forest','with fire']