



PREPARE THE DATASETS

Team ID	PNT2022TMID37672
Project Name	Global Sales Data Analytics

DATA PREPARATION

1. First understand and load the data.



2. Since there is only single file, there need not be relationships or custom tables for the data.


The screenshot shows the IBM Cognos Analytics interface. On the left, the 'Data module' sidebar lists various fields: Row ID, Order ID, Order Date, Ship Date, Ship Mode, Customer ID, Customer Name, Segment, City, State, Country, and Postal Code. The main area displays a grid of data with the following columns: Row ID, Order ID, Order Date, Ship Date, Ship Mode, and Customer ID. The data is organized into 10 rows.

Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID
1	CA-2012-124891	2012-07-31	2012-07-31	Same Day	RH-19495
2	IN-2013-77878	2013-02-05	2013-02-07	Second Class	JR-16210
3	IN-2013-71249	2013-10-17	2013-10-18	First Class	CR-12730
4	ES-2013-1579342	2013-01-28	2013-01-30	First Class	KM-16375
5	SG-2013-4320	2013-11-05	2013-11-06	Same Day	RH-9495
6	IN-2013-42360	2013-06-28	2013-07-01	Second Class	JM-15655
7	IN-2011-81826	2011-11-07	2011-11-09	First Class	TS-21340
8	IN-2012-86369	2012-04-14	2012-04-18	Standard Class	MB-18085
9	CA-2014-135909	2014-10-14	2014-10-21	Standard Class	JW-15220
10	CA-2012-116638	2012-01-28	2012-01-31	Second Class	JH-15085

3. To Prepare the data, we need to verify it is clean. There must be no null values. If there are null values, there will be empty data.

The screenshot shows the IBM Cognos Analytics interface with a context menu open over the 'Order ID' column. The menu options include: Filter..., Create data group..., Create navigation path..., Split..., Hide from users, Remove, Format data..., Clean..., Sort descending, Sort ascending, and Properties. The data table is the same as in the previous screenshot.

Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID
1	CA-2012-124891	2012-07-31	2012-07-31	Same Day	RH-19495
2	IN-2013-77878	2013-02-05	2013-02-07	Second Class	JR-16210
3	IN-2013-71249	2013-10-17	2013-10-18	First Class	CR-12730
4	ES-2013-1579342	2013-01-28	2013-01-30	First Class	KM-16375
5	SG-2013-4320	2013-11-05	2013-11-06	Same Day	RH-9495
6	IN-2013-42360	2013-06-28	2013-07-01	Second Class	JM-15655
7	IN-2011-81826	2011-11-07	2011-11-09	First Class	TS-21340
8	IN-2012-86369	2012-04-14	2012-04-18	Standard Class	MB-18085
9	CA-2014-135909	2014-10-14	2014-10-21	Standard Class	JW-15220
10	CA-2012-116638	2012-01-28	2012-01-31	Second Class	JH-15085




3. Once cleaned, the data is saved.


DATE CALCULATIONS AND NAVIGATION PATHS

Once you load the data, we need to Prepare the data.


- Prepare Calculations of Year, Month, Day fields and also the related Navigation path**
- Create a Few more Calculations – Target Sales, Min Sales, Max Sales, Middle Range Sales.**




1. Right click> calculation> type expression> validate> Set Name as 'Order Year'




2. Similarly, 'OrderMonth', 'OrderDay' and 'All'
- OrderYear -> Year (Order_Date)
OrderMonth -> Month (Order_Date)
OrderDay -> Day (Order_Date)
All -> All



3. Right click on create navigation path



4. Data format > Date/Time



5. Properties > Usage > Attribute

Aggregate > Count Distinct

Data Type > Integer

Represents > Time, (Year, Month, Day Respectively)

Display Options > Show Members

This way it becomes a Numerical data Type

The screenshot shows the IBM Cognos Analytics interface. On the left, the 'Data module' pane lists various fields including State, Country, Postal Code, Market, Region, Product ID, Category, Sub-Category, Product Name, Sales, Quantity, Discount, Profit, Shipping Cost, Order Priority, Order Year, Order Month, and Order Day. The 'Order Year' field is selected. The main grid displays data with columns: Profit, Shipping Cost, Order Priority, Order Year, and Ord. The 'Properties' pane on the right shows the 'General' tab for the 'Order Year' field. The 'Usage' dropdown is set to 'Year', and the 'Attribute' dropdown is also set to 'Year'. The 'Description' field is empty.

Profit	Shipping Cost	Order Priority	Order Year	Ord
762.1845	933.57	Critical	2012	7
-288.765	923.63	Critical	2013	2
919.971	915.49	Medium	2013	1
-96.54	910.16	Medium	2013	1
311.52	903.04	Critical	2013	1
763.275	897.35	Critical	2013	6
564.84	894.77	Critical	2011	1
996.48	878.38	High	2012	4
1906.485	867.69	Low	2014	1
-1862.3124	865.74	Critical	2012	1

6. Hence calculations for day, month and year are completed.

Once you load the data, we need to Prepare the data.

- Prepare Calculations of Year, Month, Day fields and also the related Navigation path
- Create a Few more Calculations – Target Sales, Min Sales, Max Sales, Middle Range Sales.**


7. Similarly, calculations for Target sales, Min sales, Max Sales and Middle range sales are done

Min sales-> minimum (Sales)


Max sales, Target sales-> maximum (Sales)

Middle range sales-> average (Sales)

Minimum(Sales)



Maximum(Sales)



Middle Range (Sales)

