## PROJECT DEVELOPMENT DELIVERY OF SPRINT-1

TEAM ID	PNT2022TMID37659
PROJECT NAME	SMART SOLUTION FOR
	RAILWAYS

```
SPRINT-1
#include <LiquidCrystal.h>
LiquidCrystal 1cd(5,6,8,9,10,11);
int red1ed = 2;
int green1ed = 3;
int buzzer = 4;
int sensor = A0;
int sensorThresh = 400;

void setup()
{
```

```
pinMode(red1ed, OUTPUT);
pinMode(green1ed,OUTPUT);
pinMode(buzzer,OUTPUT);
pinMode(sensor,INPUT);
serial.begin(9600);
1cd.begin(16,2);
}
Void loop()
  int analogValue = analogRead(sensor);
  Serial.print(analogvalue);
  if(analogValue>sensorThresh)
  {
   digitalWrite(red1ed,HIGH);
   digit1Weite(green1ed,LOW);
   tone(buzzer, 1000, 10000);
   1cd.clear();
   1cd.setCursor(0,1);
```

```
1cd.print("RAILWAYS");
  delay(1000);
  1cd.clear();
  1cd.setCursor(0,1);
  1cd.print("SMART SOLUTION");
  delay(1000);
}
else
{
   digitalWrite(greenlad,HIGH);
   digitalWrite(red1ed,LOW);
   noTone(buzzer);
   1cd.clear();
   1cd.setCursor(0,0);
   1cd.print("SAFE");
   delay(1000);
   1cd.clear();
   1cd.setCursor(0,1);
   1cd.print("ALL CLEAR");
```

```
delay(1000);
}
```