
## Project Design Phase-II Technology Stack (Architecture & Stack)

Date	06 October 2022
Team ID	PNT2022TMID11855
Project Name	Signs with Smart Connectivity for Better Road Safety
Maximum Marks	4 Marks



## **GUIDELINES:**

- To replace the static signboards, smart connected sign boards are used.
- These smart connected sign boards get the speed limitations from a web app using weather API and update automatically.
- Based on the weather changes the speed may increase or decrease.
- Based on the traffic and fatal situations the diversion signs are displayed.
- Guide(Schools), Warning and Service(Hospitals, Restaurant) signs are also displayed accordingly.
- Different modes of operations can be selected with the help of buttons.

S.No	Component	Description	Technology
1.	User Interface	How user interacts with application e.g. Web UI, Mobile App, Chatbot etc.	HTML, CSS, JavaScript / Angular Js / React Js etc.
2.	Application	Logic for a process in the	IBM Watson STT service
	Logic-2	application	
3.	Application	Logic for a process in the	IBM Watson Assistant
	Logic-3	application	
4.	Cloud	Database Service on Cloud	IBM DB2, IBM Cloudant etc.
	Database		

5.	External API-1	Purpose of External API used in the application	IBM Weather API, etc.

**Table-2: Application Characteristics** 

Table-2: Application Characteristics				
S.	Characteristics	Description	Technology	
No				
1.	Security	Strong security system that	Firewall,	
	Implementations	anyone without login credentials	Firebase, cyber	
		and hackers are not allowed to	resiliency	
		enter the network.	strategy	
2.	Scalable	Easy to expand the operating range	IoT, internet.	
	Architecture	by increasing the bandwidth of the		
		network.		
3.	Availability	Available anytime and everywhere	IBM Cloud	
	_	24/7 as long as the user is signed into		
		the network.		
4.	Performance	Supports a large number of users to	IBM cloud	
		access the technology		
		simultaneously.		