DEVELOP THE PYTHON SCRIPT

TEAM ID	PNT2022TMID15915
PROJECT	Smart Waste Management System For Metropolitan Cities

```
PYTHON SCRIPT:
 import time
 import sys
 import ibmiotf.application
 import ibmiotf.device
 import random
 #Provide your IBM Watson Device Credentials
 organization = "w5tblg"
deviceType = "PROJECT"
deviceId = "12345678"
authMethod = "use-token-
auth"
authToken =
"o7H&mieHAyvu?(RUyE"
 # Initialize GPIO
 def myCommandCallback(cmd):
   print("Command received: %s" % cmd.data['command'])
   status=cmd.data['command']
   if status=="lighton":
     print ("led is on")
   else:
     print ("led is off")
   #print(cmd)
```

```
try:
       deviceOptions = {"org": organization, "type": deviceType, "id": deviceId, "auth-method":
authMethod, "auth-token": authToken}
       deviceCli = ibmiotf.device.Client(deviceOptions)
       #.....
except Exception as e:
       print("Caught exception connecting device: %s" % str(e))
       sys.exit()
# Connect and send a datapoint "hello" with value "world" into the cloud as an event of type
"greeting" 10 times
deviceCli.connect()
while True:
    #Get Sensor Data from DHT11
    temp=random.randint(0,100)
    Humid=random.randint(0,100)
    data = { 'temp' : temp, 'Humid': Humid }
    #print data
    def myOnPublishCallback():
      print ("Published Temperature = %s C" % temp, "Humidity = %s %%" % Humid, "to IBM
Watson")
    success = deviceCli.publishEvent("IoTSensor", "json", data, qos=0,
on_publish=myOnPublishCallback)
    if not success:
      print("Not connected to IoTF")
    time.sleep(1)
```

deviceCli.commandCallback = myCommandCallback

Disconnect the device and application from the cloud deviceCli.disconnect()

