


Assignment-3

Student Name	U GOPINATH
Student Roll No	717819P214
Maximum Marks	2 marks

1.Create a Bucket in IBM object storage.

The screenshot displays the IBM Cloud console interface. On the left, a dark sidebar contains navigation links: IBM Cloud, Cloud Object Storage, Storage instances, Cloud Object Storage-Assignm (with a dropdown arrow), Buckets (highlighted in blue), Integrations, Endpoints, Usage details, Service credentials, Connections, and Plan. The main content area has a top header with a search bar, 'Catalog', 'Manage' (with a dropdown arrow), and 'Kalaipriyan C's Account'. Below this, the breadcrumb 'Storage / Cloud Object Storage-Assignment 3 /' is followed by the bucket name 'ibmcloudass3' and a 'Transfers' link. Three tabs are visible: 'Objects' (selected), 'Configuration', and 'Permissions'. A green notification box in the top right corner states: 'A bucket created successfully! The bucket ibmcloudass3 has been created and is now available to add'. Below the tabs, a message reads: 'If you're seeing more usage than expected, versions count towards your usage or you may have incomplete uploads [Learn more](#)'. The 'Objects' tab shows a search bar with 'Prefix filter', a table header with 'Object name', 'Archived' (with an info icon), 'Size', and 'Last modified', and a large dashed box for uploading files with the text 'Drag and drop files (objects) here or click to upload'. An 'Upload' button is in the top right of the object area, and a chat icon is in the bottom right.

2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.



Source code:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>
```

Images From Cloud Object Storage

```
</title>
```

```
<link rel="stylesheet" href="style.css">
```

```
</head>
```

```
<body>
```

```
<h2>Phone Images In Cloud Object Storage</h2>
```

```
</img>
```

```
</img>

</img>

</img>

</img>

</body>

</html>
```

3.Upload a CSS page to the object storage and use the same page in your HTML code.


Source code:

```
body {
  font-family: 'Nunito', sans-serif;
  color: #021233;
}

h2{
  text-align: center;
}

img {
  border-radius: 100px;
  height: 250px;
  width: 250px;
  margin: 10px 100px 30px 20px;
  background-color: rgb(187,190,189)
```

}



4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

ChatBot Link : https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fup_x-84a95c8a-f77f-4a9f-9fe2-83c6c633eb73%3A%3Ad2c33b7c8cb8-46b7-92cb-6882346edc04&integrationID=39b44b9b-ef19-4126-bf53-86fc28c4f6c4®ion=au-syd&serviceInstanceID=84a95c8a-f77f-4a9f-9fe2-83c6c633eb73

5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Source code:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>
```

```
    IBM Watson ChatBot
```

```
  </title>
```

```
  <link rel="stylesheet" href="style.css">
```

```
  <script>
```

```
window.watsonAssistantChatOptions = {
```

```
  integrationID: "39b44b9b-ef19-4126-bf53-86fc28c4f6c4", // The ID of
  this integration.
```

```
  region: "au-syd", // The region your integration is hosted in.
```

```
  serviceInstanceID: "84a95c8a-f77f-4a9f-9fe2-83c6c633eb73", // The
  ID of your service instance.
```

```
  onLoad: function(instance) { instance.render(); }
```

```
};
```

```
  setTimeout(function(){      const
```

```
t=document.createElement('script');
```


```
t.src="https://web-
```

```
chat.global.assistant.watson.appdomain.cloud/versions/" +
```


```
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
```

```
"/WatsonAssistantChatEntry.js";
```

```
  document.head.appendChild(t);
```



CHATBOT FOR HOSPITAL



Activate Windows
Go to Settings to activate Windows.
Built with IBM Watson®