

Assignment -4
Docker and Kubernetes

Assignment Date	21 October 2022
Student Name	akshaya
Student Roll Number	510519205002
Maximum Marks	2 Marks

1.Pull an image from docker hub and run it in docker Playground

IBM x CAD-88-2A4E (Afternoon) x uifd/ui-for-docker - Docker | x Docker Playground x Docker Desktop - Docker x + -

https://hub.docker.com/u/uifd/ui-for-docker

dockerhub uifd/ui-for-docker Explore Repositories Organizations Help Upgrade parameshwam

Explore uifd/ui-for-docker

uifd/ui-for-docker ☆

By uifd • Updated 6 years ago

A web interface for Docker, formerly known as DockerUI. Deprecated, use Portainer for new features.

Other Image

Pulls 10M+

Overview

UI For Docker

This repo is deprecated. Development continues at: [portainer/portainer](#)

[chat on gitter](#)

UI For Docker is a web interface for the Docker Remote API. The goal is to provide a pure client side implementation so it is effortless to connect and manage docker.

Goals

Docker Pull Command

```
docker pull uifd/ui-for-docker
```

03:42:30

CLOSE SESSION

Instances

+ ADD NEW INSTANCE

192.168.0.13
node1

cd9an2u3_cd9av060qau0008hbjs0


IP: 192.168.0.13 OPEN PORT

Memory CPU

SSH: ssh ip172-18-0-4-cd9an2u3tccg00fgf6k0@direct.labs.play-w

DELETE EDITOR

```
# This is a sandbox environment. Using personal credentials
# is HIGHLY discouraged. Any consequences of doing so are
# completely the user's responsibilities.
#
# The FWD team.
#####
[node1] (local) root@192.168.0.13 ~
$ docker pull uifd/ui-for-docker
Using default tag: latest
latest: Pulling from uifd/ui-for-docker
841194d080c8: Pull complete
Digest: sha256:fe371ff5a69549269b24073a5ab1244dd4c0b834cbadf244870572150b1cb749
Status: Downloaded newer image for uifd/ui-for-docker:latest
docker.io/uifd/ui-for-docker:latest
[node1] (local) root@192.168.0.13 ~
$ docker run -d -p 9000:9000 --privileged -v /var/run/docker.sock:/var/run/docker.sock uifd/ui-for-docker
e590dd163101ae795bdeea0eb1dd98f6fe549cb5f24dab9ff7c1931923fc0d
[node1] (local) root@192.168.0.13 ~
$
```



2.Create a docker file for the job portal application and deploy it in Docker desktop application

```

C:\Windows\System32\cmd.exe
-> [Internal] load build definition from Dockerfile
-> => transferring dockerfile: 32B
-> [Internal] load .dockerignore
-> => transferring context: 2B
-> [Internal] load metadata for docker.io/library/python:3.6
-> [auth] library/python:pull token for registry-1.docker.io
-> [Internal] load build context
-> => transferring context: 887B
-> [1/6] FROM docker.io/library/python:3.6@sha256:f8652afaf88c25f0d22354d547d892591067aa4026a7fa9a6819df9f300af6fc
639.11s
-> => resolve docker.io/library/python:3.6@sha256:f8652afaf88c25f0d22354d547d892591067aa4026a7fa9a6819df9f300af6fc
1.11s
-> => sha256:f8652afaf88c25f0d22354d547d892591067aa4026a7fa9a6819df9f300af6fc 1.86kB / 1.86kB
0.0s
-> => sha256:d0974907a8ec079df5ac31872359c2de510f82214c0448e926393b376d3b0d0 2.22kB / 2.22kB
0.0s
-> => sha256:5420063807c5e3ad24c6e21fc889abbc8486a27634c0892006ff71f3f44b104 0.27kB / 0.27kB
0.0s
-> => sha256:0e29546d541cddb309261021a73a9d1db7665c1b95b7af32b009e0b7796e1e3 54.92MB / 54.92MB
120.85s
-> => sha256:0a829c73852b0b9705c07a54f0f3e021095a296c714b33a32ae67019231fcd 5.15MB / 5.15MB
28.55s
-> => sha256:cb5b7ae361722f070ecac53f35823ad21baa85d61d5d95cd5a95ab53d740ecd56 10.87MB / 10.87MB
86.0s
-> => sha256:6404e4811622b31c027ccac322ca463937fd805f560a930ef15c01aade718793 54.57MB / 54.57MB
253.22s
-> => sha256:6f9f74896dfa93fe0172f594fab85e0b4e8a0481a0fef09112efc7e4d3c78f7 196.51MB / 196.51MB
446.11s
-> => sha256:5e3b1213efc56598e78bd002983945c164de2a37205e06ae2dada823124dc743 6.29MB / 6.29MB
138.11s
-> => extracting sha256:0e29546d541cddb309261021a73a9d1db7665c1b95b7af32b009e0b7796e1e3
27.3s
-> => sha256:9fd0ddfc56334f2e6efad7e241bf5e7459c40ed105c5478676f41c1244bd96752 14.21MB / 14.21MB
187.65s
-> => extracting sha256:0a829c73852b0b97d5c07a54f0f3e021095a296c714b33a32ae67019231fcd
2.3s
-> => extracting sha256:cb5b7ae361722f070ecac53f35823ad21baa85d61d5d95cd5a95ab53d740ecd56
4.0s
-> => sha256:404f02044bac0432ca522cb9f254b1c91fcae6800bfeef0be0b243b2f31bab7 235B / 235B
104.22s
-> => sha256:c4f42be2be53b000ebffcc040c1df13de538434ccc5f5d954a5684ba6169a3a3f 2.21MB / 2.21MB
203.85s
-> => extracting sha256:6404e4811622b31c027ccac322ca463937fd805f560a930ef15c01aade718793
27.3s
-> => extracting sha256:6f9f74896dfa93fe0172f594fab85e0b4e8a0481a0fef09112efc7e4d3c78f7
131.4s
-> => extracting sha256:5e3b1213efc56598e78bd002983945c164de2a37205e06ae2dada823124dc743
8.2s
-> => extracting sha256:9fd0ddfc56334f2e6efad7e241bf5e7459c40ed105c5478676f41c1244bd96752
11.3s
-> => extracting sha256:404f02044bac0432ca522cb9f254b1c91fcae6800bfeef0be0b243b2f31bab7
0.0s
-> => extracting sha256:c4f42be2be53b000ebffcc040c1df13de538434ccc5f5d954a5684ba6169a3a3f
2.2s
-> [2/6] WORKDIR /app
2.85s
-> [3/6] ADD ./app
2.7s
-> [4/6] COPY requirements.txt /app
2.6s
-> [5/6] RUN python3 -m pip install -r requirements.txt
372.22s
-> [6/6] RUN python3 -m pip install ibm_db
9.7s
-> exporting to image
7.8s
-> exporting layers
6.8s
-> writing image sha256:1756719486df002fad5dae385c5221513f2ff2d1b49a8d242b22a28af0379f19
0.25s
-> naming to docker.io/library/job-portal-main
0.15s

```

Use 'docker scan' to run Snyk tests against images to find vulnerabilities and learn how to fix them

C:\Users\VK-PC\Desktop\job-portal-main>

The screenshot displays the Docker Desktop application window. The main panel is titled 'Images on disk' and shows a list of local Docker images. The 'LOCAL' tab is selected, displaying a table with the following data:

NAME	TAG	IMAGE ID	CREATED	SIZE
job-portal-main	latest	1756719486df	less than a minute ago	1.08 GB

The sidebar on the left contains navigation links for Containers, Images, Volumes, Dev Environments (marked as BETA), and Extensions (also marked as BETA). The top of the window shows a status bar with system metrics: RAM 2.53GB, CPU 1.56%, and a connection status 'Connected to Hub'. The bottom of the window shows the Windows taskbar with various application icons and the system clock indicating 23:09 on 22-10-2022.