## CREATE UI TO INTERACT WITH APPLICATION

Design an application with following specification

- 1. registration page
- 2. login page
- 3. add the expenditure
- 4. wallet page

# index.html

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
< head >
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Login Form | CodingLab</title>
<link rel="stylesheet" href="style.css">
<script src="https://kit.fontawesome.com/a076d05399.js"></script>
</head>
<br/> <br/> body >
<div class="container">
<div class="wrapper">
<div class="title"><span>Login Form</span></div>
<form action="#">
<div class="row">
<i class="fas fa-user"></i>
<input type="text" placeholder="Email or Phone" required>
```

```
< /div >
<div class="row">
<i class="fas fa-lock"></i>
<input type="password" placeholder="Password" required> < /div
<div class="pass"><a href="#">Forgot password?</a></div>
<div class="row button">
<input type="submit" value="Login">
< /div >
<div class="signup-link">Not a member? <a href="#">Signup now</a></div>
</form>
< /div >
< /div >
</body>
</html>
Style.css
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@400;500;600;700&display
=
s wap'); *{ margin: 0; padding: 0; box-sizing: border-box; font-family: 'Poppins',sans serif;
}
body{ background:
#1abc9c; overflow:
hidden;
```

}

```
::selection{ background:
rgba(26,188,156,0.3);
}
.container{ max
width: 440px;
padding: 0 20px;
margin: 170px auto;
.wrapper{ width: 100%; background: #fff; border-
radius: 5px; box-shadow: 0px 4px 10px
1px rgba(0,0,0,0.1);
}
.wrapper .title{ height:
90px; background:
#16a085; border-radius:
5px 5px 0 0;
color: #fff; font
size: 30px; font
weight: 600;
display: flex; align
items: center; justify
content: center;
}
.wrapper form{ padding: 30px
```

```
25px 25px 25px;
}
.wrapper form .row{
height: 45px; margin-
bottom: 15px;
 position: relative;
}
.wrapper form .row input{
height: 100%; width: 100 %;
outline: none; padding-left:
60px;
border-radius: 5px;
border: 1px solid
lightgrey; font-size: 16px;
transition:
all 0.3s ease;
}
form .row input:focus{ border-color: #16a085; box
shadow: inset 0px 0px 2px 2px rgba(26,188,156,0.25);
}
form .row input::placeholder{
color: #999;
}
```

```
.wrapper form .row i{
position: absolute;
width: 47px; height:
100 %;
color: #fff; font
size: 18px;
background: #16a085;
border: 1px solid #16a085;
border-radius: 5px 0 0 5px;
display: flex; align-items:
center; justify-content:
center;
}
.wrapper form .pass{
margin: -8px 0 20px 0; }
.wrapper form .pass a{
color: #16a085; fontsize:
17px; text decoration:
none;
}
.wrapper form .pass a:hover{ text
decoration: underline;
}
```

```
.wrapper form .button input{
color: #fff; font-size:
20px; font-weight: 500; padding-
left: 0px;
background: #16a085;
border: 1px solid #16a085;
cursor: pointer;
}
form .button input:hover{
background: #12876f;
}
.wrapper form .signup-link{
text-align: center; margin-
top: 20px; font size: 17px;
}
.wrapper form .signup-link a{
color: #16a085; text decoration:
none;
}
form .signup-link a:hover{ text
decoration: underline;
```

}