

Create UI To Interact with Application

TEAM NAME	DAREDEVILS
TEAM ID	PNT2022TMID25938

- **Registration page:**

```
<html>
```

```
<head>
```

```
  <title>Registration</title>
```

```
  <link rel="stylesheet"
href="{ { url_for('static',filename='css/bootstrap.min.css') } } ">
```

```
  <link rel="stylesheet"
href="{ { url_for('static',filename='myfont/css/all.min.css') } } ">
```

```
  <script src="{ { url_for('static',filename='js/jquery.min.js') } } "></script>
```

```
<style>
```

```
  .shadow{
```

```
    box-shadow:3px 3px 10px black;
```

```
    padding:30px;
```

```
  }
```

```
  .button{
```

```
    background-color:#0161FF ;
```

```
    color:white;
```

```
    padding:20px 10px;
```

```
    text-align:center;
```

```
    font-size:15px;
```

```
    cursor:pointer;
```

```
    border-radius:50%;
```

```
  }
```

```
</style>
</head>
<body style="margin:0;
    background-image:url('/static/job.png');
    background-repeat:no-repeat;
    background-position:center;
    background-attachment:fixed;">
<div class="container" style="margin-top:50px">
    <div class="col-md-offset-3 col-md-5">
        <div class="shadow">
            <form method="POST" action="/register" class="page-align">
                <h2 class="page-header text-primary text-
center">Registration</h2>
                <div class="form-group">
                    <label>Name</label>
                    <input type="text" class="form-control" name="name"
required>
                </div>
                <div class="form-group">
                    <label>Mail</label>
                    <input type="text" class="form-control" name="mail" required>
                </div>
                <div class="form-group">
                    <label>Contact</label>
                    <input type="text" class="form-control" name="contact"
required>
                </div>
                <div class="form-group">
```

```
        <label>Password</label>
        <input type="password" class="form-control" name="password"
required>
    </div>
    <div class="form-group">
        <input type="submit" class="btn btn-success btn-block"
value="Register">
        <a href="{ { url_for('index') } }" class="btn btn-primary btn-
block">Back to Home</a>
    </div>
</form>
</div>
</div>
</div>

</body>
</html>
<script>
    $(document).ready(function(){
        $("form").attr("autocomplete","off");
    });
</script>
```

- **Login page:**

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <title>Index</title>
```

```
  <link rel="stylesheet"
href="{{ url_for('static',filename='css/bootstrap.min.css')}} ">
```

```
  <link rel="stylesheet"
href="{{ url_for('static',filename='myfont/css/all.min.css')}} ">
```

```
  <script src="{{ url_for('static',filename='js/jquery.min.js')}} "></script>
```

```
  <style>
```

```
    .shadow{
```

```
      box-shadow:3px 3px 10px black;
```

```
      padding:30px;
```

```
    }
```

```
    .button{
```

```
      background-color:#0161FF ;
```

```
      color:white;
```

```
      padding:20px 10px;
```

```
      text-align:center;
```

```
      font-size:15px;
```

```
      cursor:pointer;
```

```
      border-radius:50%;
```

```
    }
```

```
</style>
```

```
</head>
```

```
<body style="margin:0;
```

```

background-image:url('/static/job.png');
background-repeat:no-repeat;
background-position:center;
background-attachment:fixed;">
<div class="container" style="margin-top:100px">
  <div class="col-md-offset-1 col-md-10">
    <div class="col-md-offset-3 col-md-5">
      <div class="shadow">
        <form action="/login" method="POST" autocomplete="off" >
          <h3 class="page-header text-primary">Login</h3>

          {% with messages = get_flashed_messages(with_categories=true)
% }

          {% if messages % }
            {% for category,message in messages % }
              <div class="alert alert-{{ category }}">{{ message }}</div>
            {% endfor % }
          {% endif % }
          {% endwith % }

          <div class="form-group">
            <label>Username</label>
            <input type="text" name="name" class="form-control"
required>

          </div>
          <div class="form-group">
            <label>Password</label>

```

```
        <input type="password" name="password" class="form-control"
required>
    </div>
    <div class="form-group">
        <input type="submit" value="Login" class="btn btn-success btn-
block">
        <a href="{{ url_for('register') }}" class="btn btn-primary btn-
block">Register</a>
    </div>
</form>
</div>
</div>
</div>
</body>
</html>
<script>
    $(document).ready(function(){
        $(".alert").hide(3000)
    });
</script>
```

- **View jobs posted page:**

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <meta charset="UTF-8">
```

```
    <title>Users Page</title>
```

```
    <link rel="stylesheet"
href="{{ url_for('static',filename='css/bootstrap.min.css')}} ">
```

```
    <link rel="stylesheet"
href="{{ url_for('static',filename='myfont/css/all.min.css')}} ">
```

```
    <script src="{{ url_for('static',filename='js/jquery.min.js')}} "></script>
```

```
<style>
```

```
.button{
    background-color:#0161FF;
    color:white;
    padding:20px 10px;
    text-align:center;
    font-size:15px;
    cursor:pointer;
    border-radius:50%;
}
```

```
.button1 {
background-color:#0161FF;
color:white;
padding:20px 10px;
text-align:center;
font-size:15px;
cursor:pointer;
```

```

border-radius:50%;
}
.apply{
color:blue;
</style>
</head>
<body style="margin:0;
        background-image:url('/static/velocix.png');
        background-repeat:no-repeat;
        background-position:center;
        background-attachment:fixed;">
<a href="{ { url_for('apply') }}" class='apply' style="position:fixed; left:220px;
top:180px; font-size:15px;      ">Apply Here</a>
<a href="{ { url_for('apply') }}" class='apply' style="position:fixed; left:220px;
top:380px; font-size:15px;      ">Apply Here</a>
<a href="{ { url_for('apply') }}" class='apply' style="position:fixed; left:220px;
top:560px; font-size:15px;      ">Apply Here</a>
<a href="{ { url_for('apply') }}" class='apply' style="position:fixed; left:1100px;
top:160px; font-size:15px;      ">Apply Here</a>
<a href="{ { url_for('apply') }}" class='apply' style="position:fixed; left:1100px;
top:410px; font-size:15px;      ">Apply Here</a>
<a href="{ { url_for('apply') }}" class='apply' style="position:fixed; left:1100px;
top:580px; font-size:15px;      ">Apply Here</a>
<a href="{ { url_for('apply') }}" class='apply' style="position:fixed; left:600px;
top:570px; font-size:15px;      ">Apply Here</a>
<div class="container">
    <div class="col-md-offset-3 col-md-5">
        <div class="job-portal">
            <h2 class="page-header text-primary text-center">Job Seekers</h2>
            <h3 class="text-success">Welcome : { { session["name"] }}</h3>

```


<hr>

<a href="{ { url_for('logout') } }" style="position:relative;
left:30px;" ><button class="button">Logout</button>

</div>

</div>

</div>

</body>

</html>

- **Apply job page:**

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <meta charset="UTF-8">
```

```
    <title>Job Apply Page</title>
```

```
    <link rel="stylesheet"
href="{{ url_for('static',filename='css/bootstrap.min.css')}} ">
```

```
    <link rel="stylesheet"
href="{{ url_for('static',filename='myfont/css/all.min.css')}} ">
```

```
    <script src="{{ url_for('static',filename='js/jquery.min.js')}} "></script>
```

```
<style>
```

```
.button{
    background-color:#0161FF ;
    color:white;
    padding:20px 10px;
    text-align:center;
    font-size:15px;
    cursor:pointer;
    border-radius:50%;
}
```

```
</style>
```

```
</head>
```

```
<body style="margin:0;
    background-image:url('/static/job.png');
    background-repeat:no-repeat;
    background-position:center;
    background-attachment:fixed;">
```

```
<div class="container">
  <div class="col-md-offset-3 col-md-5">
    <div class="job-portal">
      <h2 class="page-header text-primary text-center">Candidate
Details</h2>
      <h3 class="text-success">Please Enter Your Details Below</h3>

      <hr>

      <a href="{ {url_for('logout')}}" class="btn btn-primary btn-
block">Logout</a>

    <div class="shadow">
      <form method="POST" action="/register" class="page-align">
        <h2 class="page-header text-primary text-center">Details</h2>
        <div class="form-group">
          <label>Degree</label>
          <input type="text" class="form-control" name="degree"
required>
        </div>
        <div class="form-group">
          <label>Year of Passed Out</label>
          <input type="text" class="form-control" name="year of passed
out" required>
        </div>
        <div class="form-group">
          <label>Stream</label>
          <input type="text" class="form-control" name="stream"
required>
```

```

    </div>
    <div class="form-group">
        <label>Percentage or CGPA</label>
        <input type="text" class="form-control" name="percentage"
required>
    </div>

        <div class="form-group">
            <label>SkillSet</label>
            <input type="text" class="form-control" name="skillset"
required>
        </div>

            <div class="form-group">
                <label>Year of Experience</label>
                <input type="text" class="form-control" name="year of
experience" required>
            </div>

                <div class="form-group">
                    <input type="submit" class="btn btn-success btn-block"
value="Submit" onclick="myFunction()">

                </div>
            </form>
        </div>
    </div>
</body>
</html>

<script>
```

```

window.watsonAssistantChatOptions = {
  integrationID: "e49f41f2-9024-490a-adfb-4e1cac49bed6", // The ID of this
integration.
  region: "au-syd", // The region your integration is hosted in.
  serviceInstanceID: "f03e1b77-da51-4d3c-99b2-bfd44e9cdf67", // The ID of
your service instance.
  onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
});
</script>
<script>function myFunction(){
  alert("Thanks For Applying, We Will Send You A Suitable Job Opening
Details To Your MailID");}
</script>

```