## PROJECT DEVELOPMENT PHASE

# **SPRINT - 3**

DATE	12 NOVEMBER 2022
TEAM ID	PNT2022TMID53527
PROJECT NAME	SMART FASHION RECOMMENDER APPLICATION


#### **CART PAGE:**

```
<div class="row">
     <div class="col-12 col-md-6">
         <div class="shadow p-2 mt-3" *ngFor="let t of [1,1,1,1,1]">
            <div class="d-flex align-items-center">
                <img src="/assets/products/2.jpg" alt="Product</pre>
image" class="product-img" />
                Title of the image
            Price : {{344 | currency:'INR'}}
      <div class="col-12 col-md-6">
         <h3>Total Cart Details</h3>
            Total items : {{5}}
            Item : {{i
+ 1} = {{63 | currency:'INR'}}
            TOTAL PRICE : {{5464 | currency:"INR"}}
            <div class="col-12 col-md-6">
                <button class="primary-btn mt-2 w-100">PROCEDURE TO
BUY</button>
```

## **CART CSS:**

```
.product-img {
  width: 4rem;
  height: 4.5rem;
}
```

### **OUTPUT SCREEN**



# **VIEW PRODUCT PAGE HTML**


```
star
            <div class="title-text ms-1" style="font-size: 14px;">
               {{ '333'}} Reviews
           {{ '234' | currency:
            <span class="text-success">inclusive of all taxes
        <div class="mt-2">
            <h5>ADDRESS : </h5>
            No:1/2 , NEW TEAM, near chennai
            panimalar
            poonamallee
            chennai 602026
[routerLink]="">Change Address > </a>
        <div class="row mt-3">
            <div class="col-12 col-md-6">
style="background-color: var(--primary-color);">ADD
                  TO CART</button>
            <div class="col-12 col-md-6">
               <button class="secondary-btn mt-2 w-100">BUY
NOW</button>
```

# **VIEW PRODUCT LOGIC**

```
// get details

async getProductDetails(): Promise<void>{
  try {
    this.productDetails = await
  this.productServe.getProductById(this.productID);
  } catch (error) {
    console.log(error);
  }
}
```

# **OUTPUT SCREEN**



# **ADMIN PANEL HOME PAGE HTML**


```
<nav class="nav-bar">
routerLinkActive="active" routerLink="/admin"
[routerLinkActiveOptions]="{exact:true}">Products
                          List</a>
                  <a class="py-3 ps-3 nav-link"</pre>
routerLinkActive="active" routerLink="orders"
[routerLinkActiveOptions]="{exact:true}">Orders
                          List</a>
routerLinkActive="active" routerLink="category"
[routerLinkActiveOptions]="{exact:true}">Category
                          List</a>
                  <a class="py-3 ps-3 nav-link"</pre>
routerLinkActive="active" routerLink="add-product"
                          [routerLinkActiveOptions] = "{exact:true}">Add
                          Products</a>
class="py-3 px-3 px-md-5 nav-link border border-dark"
(click) = "logout()" > < span</pre>
                              class="material-symbols-outlined"
style="vertical-align: bottom;">
                              logout
                          </span> <span class="ms-3">Log
Out</span></a>
justify-content-between">
              <div class="material-symbols-outlined cursor-pointer"</pre>
(click) = "toggleNav()">
                  menu
```

## **CSS**

```
.nav-con, .top-nav {
  background-color: var(--primary-color);
  color: black;
  list-style: none;
  font-weight: bold;
.nav-bar a {
  border-radius: 10px;
.top-nav {
  position: fixed;
main {
  margin-top: 60px;
logo-img {
```

```
width: 4rem;
height: 4rem;
}
```

#### **OUTPUT SCREEN:**




# **ORDER PAGE HTML PAGE:**

# **CATEGORY PAGE HTML**

```
Category</button>
              <span class="position-absolute add-category-card shadow</pre>
border text-success"
                  *ngIf="successMessage !==
''">{{successMessage}}</span>
border" *ngIf="showAddCategory"
                  [formGroup] = "addCategory"
(ngSubmit) = "createCategory()">
                  <input type="text" placeholder="New Category Name"</pre>
class="form-input" formControlName="category">
                  <div class="text-center">
                      <button class="secondary-btn" type="submit"</pre>
style="background-color: var(--primary-color);"
[disabled]="this.addCategory.invalid">Create</button>
      <div*ngIf="categoryList.length === 0">
          <div class="spinner-border text-dark ms-3"</pre>
style="vertical-align: bottom;" role="status">
              <span class="visually-hidden">Loading...
      <div class="col-12" *ngIf="categoryList.length > 0">
          <div class="table-responsive">
              <table class="table table-striped table-hover
                         #
                          Category
                          Delete
```

# **OUTPUT SCREEN:**



## ADD PRODUCT SCREEN HTML:

# **OUTPUT SCREEN:**

# Add new product

product name	
Description	
Price	\$
Stock	\$
Select Category	v
Add Product	

# **DB CONNECTION**

```
import ibm_db

conn = None
```

```
def get_db():
    global conn
    print(conn)
    if conn == None:
        conn =
ibm_db.connect("DATABASE=bludb; HOSTNAME=9938aec0-8105-433e-8bf9-0fbb7e4
83086.clogj3sd0tgtu0lqde00.databases.appdomain.cloud; PORT=32459; SECURIT
Y=SSL; SSLServerCertificate=DigiCertGlobalRootCA.crt; UID=yvp21124; PWD=jN
DAkHSrZNopa2oe",'','')
    return conn
```

# **TOKEN VERIFY**

```
import jwt
from . import validation_error

def check_auth(request):
  token = request.headers['Authorization']
  if (not token):
    return validation_error.throw_validation("Please login", 401)
  decoded = jwt.decode(token, "secret", algorithms=["HS256"])
  return decoded['id']
```