

Prepare The Dataset

Team ID: PNT2022TMID22535

Properties

Data module

Search

New data module

Navigation paths

Global_Su...tore2.csv

Row Id

Row ID

abc Order ID

🕒 Order Date

🕒 Ship Date

abc Ship Mode

abc Customer ID

abc Customer Name

abc Segment

📍 City

📍 State

📍 Country

Grid

Relationships

Custom tables

↑↓	Row Id	Row ID	Order ID	Order Date	Ship Date	Ship Mode
1	32298	CA-2012-124891	2012-07-31	2012-07-31	Same Day	
2	26341	IN-2013-77878	2013-02-05	2013-02-07	Second Class	
3	25330	IN-2013-71249	2013-10-17	2013-10-18	First Class	
4	13524	ES-2013-1579342	2013-01-28	2013-01-30	First Class	
5	47221	SG-2013-4320	2013-11-05	2013-11-06	Same Day	
6	22732	IN-2013-42360	2013-06-28	2013-07-01	Second Class	
7	30570	IN-2011-81826	2011-11-07	2011-11-09	First Class	
8	31192	IN-2012-86369	2012-04-14	2012-04-18	Standard Class	
9	40155	CA-2014-135909	2014-10-14	2014-10-21	Standard Class	

IBM Cognos Analytics with Watson

* New data module

30°

Search content

?

Filter - Ship Date

×

☒ Define a range

☐ Select individual values

Between

▼

From

2011-01-03

📅

To

2015-01-07

📅

☒ Include null values

Clear all

Cancel

OK

Close

Data module

+

Search

Global_Su...tore2.csv

▶ # Row Id

▶ # Row ID

▶ abc Order ID

▶ ⌚ Order Date

▶ ⌚ Ship Date

▶ abc Ship Mode

▶ abc Customer ID

▶ abc Customer Name

▶ abc Segment

▶ 📍 City

▶ 📍 State

▶ 📍 Country

▶ 📍 Postal Code

▶ abc Market

Properties

Ship Date	Ship Mode
2012-07-31	Same Day
2013-02-07	Second Class
2013-10-18	First Class
2013-01-30	First Class
2013-11-06	Same Day
2013-07-01	Second Class
2011-11-09	First Class
2012-04-18	Standard Class
2014-10-21	Standard Class

Create calculation

Name Calculation name

Components

Expression



14



Search



Global_Sup...tore2.csv



▶ # Row Id

▶ # Row ID

▶ abc Order ID

▶ ⌚ Order Date

▶ ⌚ Ship Date

▶ abc Ship Mode

▶ abc Customer ID

▶ abc Custo... Name

▶ abc Segment

▶ 📍 City

```
1 year(Ship_Date)
2
```

Information

`year (date_expression)`

Returns the year from "date_expression".

year (11 November 2005):

Result: Returns 2005.

☐ Calculate after aggregation

Cancel

OK

IBM Cognos Analytics with Watson

* New data module

30°

Search content

Properties

Data module

Search

Global_Su...tore2.csv

Calculation name

Row Id

Row ID

abc Order ID

🕒 Order Date

🕒 Ship Date

abc Ship Mode

abc Customer ID

abc Customer Name

abc Segment

📍 City

📍 State

📍 Country

📍 Postal Code

abc Market

Grid

Relationships

Custom tables

↕	Calculation name	Row Id	Row ID	Order ID	Order Date	Ship Date
	2012	1	32298	CA-2012-124891	2012-07-31	2012-07-31
	2013	2	26341	IN-2013-77878	2013-02-05	2013-02-07
	2013	3	25330	IN-2013-71249	2013-10-17	2013-10-18
	2013	4	13524	ES-2013-1579342	2013-01-28	2013-01-30
	2013	5	47221	SG-2013-4320	2013-11-05	2013-11-06
	2013	6	22732	IN-2013-42360	2013-06-28	2013-07-01
	2011	7	30570	IN-2011-81826	2011-11-07	2011-11-09
	2012	8	31192	IN-2012-86369	2012-04-14	2012-04-18
	2014	9	40155	CA-2014-135909	2014-10-14	2014-10-21