## Assignment -3


**IBM CLOUD** 

Assignment Date	03 October 2022
Student Name	Vaishali R
Student Roll Number	7376192IT251
Maximum Marks	2 Marks

### Question-1:

Create a Bucket in IBM object storage.

### **Solution:**



### Question-2:

Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

# **Solution:**



#### Question-3:


Upload a css page to the object storage and use the same page in your HTML code.write html code to displaying all the 5 images.

#### **Solution:**

```
<html>
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1,</pre>
shrink-to-fit=no">
        <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/fontawesome/4.7.0/css/font-
awesome.min.css">
        <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bootstrap.min.css
">
        <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/particlesjs/2.2.3/particles.min.j
s">
        <link rel="stylesheet" href="https://s3.au-syd.cloud-</pre>
objectstorage.appdomain.cloud/mybucket24/style.cssxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
</head>
```

```
<div class="signup">
            <form action="\result" method="post">
            <h2>LOGIN</h2>
            <div class="form-group">
                 <div class="input-group">
                     <span class="input-group-addon"><i class="fa</pre>
faenvelope"></i></span>
                     <input type="email" name="email" class="</pre>
formcontrol"placeholder="Email" required>
                </div>
            </div>
            <div class="form-group">
                <div class="input-group">
                     <span class="input-group-addon"><i class="fa</pre>
falock"></i></span>
                     <input type="password" name="password" class="</pre>
formcontrol"placeholder="password" required>
                </div>
            </div>
            <div class="form-group">
                 <button type="submit" class="btn btn-primary btn-lg</pre>
btnblock">Login</putton>
            </div>
        </form>
```





# Question-4:

Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

# **Solution:**

https://webchat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https://webchat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https://webchat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https://webchat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https://webchat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https://webchat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https://webchat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https://webchat.global.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-f8e994d6-a0d7-422f-a9f3852a308d5f26%3A%3A9313e8ba-e53d-470d-8fb1-

7db9327ba407&integrationID=4eb80521-2d5d-

 $\frac{4e2b\text{-}ac4b\text{-}5124347d8655\&region\text{-}au\text{-}syd\&serviceInstanceID\text{-}f8e994d6\text{-}a0d7\text{-}422f\text{-}a9f3852a308d5f26}$ 

#### Question-5:

Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

## **Solution:**

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body> <script>
                     window.watsonAssistantChatOptions = {
integrationID: "d5aae4c6-7146-488c-8235-4a7abe46526d", // The ID of this
integration.
                  region: "au-syd", // The region your integration is hosted
      serviceInstanceID: "f8e994d6-a0d7-422f-a9f3-852a308d5f26", // The ID of
your service instance.
      onLoad: function(instance) { instance.render(); }
           setTimeout(function(){
                                       const
t=document.createElement('script');
t.src="https://webchat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion | 'latest') +
"/WatsonAssistantChatEntry.js";
document.head.appendChild(t);
    });
</body>
</html>
```

