

Date	20.11.22
Team ID	PNT2022TMID11922
Project Name	Personal Expense Tracker Application

CREATE UI TO INTERACT WITH APPLICATION

Design an application with following specification

- 1. registration page**
- 2. login page**
- 3. add the expenditure**

login.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Login Page</title>

    <link rel="stylesheet" href="../static/CSS/style.css" />
    <!-- font styles cdn -->
  </head>
  <body>
    <div class="container">
      <div class="login text-center mt-5">
        <h1>Login Form</h1>
        <hr>
        <form action="/login" method="post">
          <div class="msg">{{ msg }}</div>
          <label for="username"><b>Username:</b></label>
          <input
            type="text"
            name="username" placeholder="Enter
              Your Username" id="username"
            required
          />
```

```

        <label for="password"><b>Password:</b></label>
        <input type="password"
name="password" placeholder="Enter
Your Password" id="password"
required
        />
        <button type="submit" id="button" class="registerbtn">Login</button>
</form>
</div>

<div class="note mt-3 text-center">
    <p>
        Don't have an account yet? Click here to <a href="/">register! </a>
    </p>
</div>
</div>
</body>
</html>

```

Login Form

Username:

Password:

Don't have an account yet? Click here to [register!](#)

register.html

```

<!DOCTYPE html>
<html lang="en">
    <head>
        <meta name="viewport" content="width=device-width, initial-scale=1.0" />
        <link rel="stylesheet" href="../static/CSS/style.css" />
        <title>Registration page</title>
    </head>
    <body>
        <form action="http://localhost:5000/" method="post">

```

```
<div class="container">
```

```
<h1>Registration page</h1>
```

```
<hr />
```

```
<div class="msg">{{ msg }}</div>
```

```
<label for="username"><b>Username:</b></label>
```

```
<input
```

```
  type="text" placeholder="Enter  
  your Username"
```

```
  name="username"      id="username"
```

```
  required />
```

```
<label for="email"><b>Email:</b></label>
```

```
<input          type="text"
```

```
placeholder="Enter  your  Email"
```

```
name="email" id="email"
```

```
required />
```

```
<label for="rollno"><b>Roll number:</b></label>
```

```
<input type="text" id="rollno"
name="rollno" placeholder="Enter
your Rollno" />
```

```
    <label for="password"><b>Password:</b></label>
    <input type="password"
id="password" name="password"
placeholder="Enter your password" />
```

```
    <button type="submit" class="registerbtn" >Register</button>
```

```
    <div class="note mt-3 text-center"> <!--Register form -->
    <p> already have an account ? please login <a href="/login">login! </a> </p>
```

```
    </div>
</div>
</form>
</body>
</html>
```

Registration page

Username:

Email:

Roll number:

Password:

already have an account ? please login [login!](#)

expense.html

```
!doctype html>
<html lang="en">
<head>
<!-- Required meta tags -->
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Bootstrap CSS -->
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWFspD3yD65VohhpUuCOmLASjC"
crossorigin="anonymous">
<title>AddExpense</title>
</head>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
```

```
crossorigin="anonymous"></script>
<div class="container-fluid" >
<div class="row flex-nowrap">
<div class="col-auto col-md-3 col-xl-2 px-sm-2 px-0" style="background-color:
#B2D3C2">
  <div class="d-flex flex-column align-items-center align-items-sm-start px-3 pt-2
min-vh-100" style="color:black">
    <p class="d-flex align-items-center pb-3 mb-md-0 me-md-auto text-white
text-decoration-none">
      <span class="fs-5 d-none d-sm-inline" style="color:black; font-weight:
bold;">Personal Expense Tracker</span>
      
    </p>
    <ul class="nav nav-pills flex-column mb-sm-auto mb-0 align-items-center
align-items-sm-start" id="menu">
      <li class="nav-item mt-2">
        <a href="dashboard.html" class="nav-link align-middle px-0" style="color:black;">
          <span class="ms-1 d-none d-sm-inline">Home</span>
        </a>
      </li>
      <li class="nav-item mt-2" style="background-color:#00AD83; height: 50px;
width: 150px; border-radius: 5px;" >
        <a href="addexpense.html" class="nav-link px-0 align-middle"
style="color:black;">
          <span class="ms-1 d-none d-sm-inline">Add Expense</span>
        </a>
      </li>
      <li class="nav-item mt-2">
        <a href="modifyexpense.html" class="nav-link px-0 align-middle"
style="color:black;">
          <span class="ms-1 d-none d-sm-inline">Modify Expense</span>
        </a>
      </li>
      <li class="nav-item mt-2">
        <a href="analysis.html" class="nav-link px-0 align-middle" style="color:black;">
          <span class="ms-1 d-none d-sm-inline">View Analysis</span>
        </a>
      </li>
      <li class="nav-item mt-2">
        <a href="rewards.html" class="nav-link px-0 align-middle" style="color:black;">
          <span class="ms-1 d-none d-sm-inline">Rewards & Goals</span>
        </a> </li>
    </ul>
```

[illegible]

Style.css

```
body { font-family: Arial, Helvetica, sans-serif;  
background-color: white
```

```
}
```

```
* { box-sizing: border-  
box;
```

```
}
```

```
.container { padding:  
100px; background- color:  
white; margin:  
10px;
```

```
}
```

```
h1{ text-align:  
center;  
} a{  
text-decoration: none;  
color: blue;  
}
```

```
input { width: 100%;  
padding: 15px;  
margin: 5px 0 22px 0;  
display: inline-block;  
border: none;  
background: #f1f1f1;
```



```
}
```

```
.registerbtn {  
  background-color: blue;  
  color: white; padding:  
  16px 20px; margin: 8px  
0; border: none;  
  cursor: pointer;
```

```
  opacity: 0.9;
```

```
}
```

```
.registerbtn:hover {
```

```
  opacity: 1;
```

```
}
```