# SPRINT 01


## SIGNS WITH SMART CONNECTIVITY FOR BETTER ROAD SAFETY

### TEAM ID:PNT2022TMID32727

## **SPRINT GOALS:**

- 1. Create and initialize accounts in various public APIs like OpenWeather API.
- 2. Write a Python program that outputs results given the inputs like weather and location.

## **CODE FLOW:**



# PROGRAM CODE:

# Weather.py

This file is a utility function that fetches the weather from OpenWeatherAPI. It returns only certain required parameters of the API response.

```
# Python code import
requests as regs def
get(myLocation,APIKEY):
  apiURL =
f"https://api.openweathermap.org/data/2.5/weather?g={myLocation}&appid={AP
I KEY}"
  responseJSON = (reqs.get(apiURL)).json()
returnObject = {
    "temperature": responseJSON['main']['temp'] - 273.15,
    "weather": [responseJSON['weather'][ ]['main'].lower() for in
range(len(responseJSON['weather']))],
    "visibility": responseJSON['visibility']/100, # visibility in percentage where
10km is 100% and 0km is 0%
  }
 if("rain" in responseJSON):
    returnObject["rain"] = [responseJSON["rain"][key] for key
in responseJSON["rain"]] return(returnObject)
```

# brain.py

This file is a utility function that returns only essential information to be displayed at the hardware side and abstracts all the unnecessary details. This is where the code flow logic is implemented.

```
# Python code
# IMPORT SECTION STARTS
import weather
from datetime import datetime as dt
# IMPORT SECTION ENDS
# UTILITY LOGIC SECTION STARTS def
processConditions(myLocation,APIKEY,localityInfo):
  weatherData = weather.get(myLocation,APIKEY)
  finalSpeed = localityInfo["usualSpeedLimit"] if "rain" not in weatherData else
localityInfo["usualSpeedLimit"]/2
  finalSpeed = finalSpeed if weatherData["visibility"]>35 else finalSpeed/2
  if(localityInfo["hospitalsNearby"]):
    # hospital zone
doNotHonk = True else:
    if(localityInfo["schools"]["schoolZone"]==False):
      # neither school nor hospital zone
      doNotHonk = False
else:
      # school zone
```

```
now = [dt.now().hour,dt.now().minute]
activeTime = [list(map(int,_.split(":"))) for _ in
localityInfo["schools"]["activeTime"]]
      doNotHonk = activeTime[0][0]<=now[0]<=activeTime[1][0] and
activeTime[0][1]<=now[1]<=activeTime[1][1]</pre>
  return({
    "speed": finalSpeed,
    "doNotHonk": doNotHonk
 })
# UTILITY LOGIC SECTION ENDS
Main.py
The code that runs in a forever loop in the microcontroller. This calls all the util
functions from other python files and based on the return value transduces
changes in the output hardware display.
# Python code
# IMPORT SECTION STARTS
import brain
# IMPORT SECTION ENDS
# -----
```

#### **# USER INPUT SECTION STARTS**

```
myLocation = "Chennai,IN"
APIKEY = "bf4a8d480ee05c00952bf65b78ae826b"
localityInfo = {
  "schools": {
    "schoolZone": True,
    "activeTime" : ["7:00","17:30"] # schools active from 7 AM till 5:30 PM
    },
  "hospitalsNearby": False,
  "usualSpeedLimit": 40 # in km/hr
}
# USER INPUT SECTION ENDS
# MICRO-CONTROLLER CODE STARTS
print(brain.processConditions(myLocation,APIKEY,localityInfo))
111
MICRO CONTROLLER CODE WILL BE ADDED IN SPRINT 2 AS PER OUR PLANNED
SPRINT SCHEDULE
111
```

### # MICRO-CONTROLLER CODE ENDS

# **OUTPUT:**

# Code Output

{'speed': 40, 'doNotHonk': False}

## **IMAGES**:

```
pycode.py - C:/Users/god/AppData/Local/Programs/Python/Python311/pycode.py (3.11.0)
 File Edit Format Run Options Window Help
# Python code
                                                                                                                              IDLE Shell 3.11.0
                                                                                                                                                                                                                                     File Edit Shell Debug Options Window Help

Python 3.11.0 (main, Oct 24 2022, 18:26:48) [MSC v.1933 64 bit (AMD64)] on win32 a

Type "help", "copyright", "credits" or "license()" for more information.
# IMPORT SECTION STARTS
                                                                                                                                  ==== RESTART: C:/Users/god/AppData/Local/Programs/Python/Python311/pycode.py === {'speed': 20.0, 'doNotHonk': False}
# IMPORT SECTION ENDS
# USER INPUT SECTION STARTS
myLocation = "Chennai, IN"
APIKEY = "bf4a8d480ee05c00952bf65b78ae826b"
localityInfo = {
   "schools" : {
    "schoolone" : True,
    "activeTime" : ["7:00","17:30"] # schools active from 7 AM till 5:30 PM
     },
"hospitalsNearby": False,
"usualSpeedLimit": 40 # in km/hr
# USER INPUT SECTION ENDS
# MICRO-CONTROLLER CODE STARTS
print(brain.processConditions(myLocation,APIKEY,localityInfo))
MICRO CONTROLLER CODE WILL BE ADDED IN SPRINT 2 AS PER OUR PLANNED SPRINT SCHEDULE
# MICRO-CONTROLLER CODE ENDS
```