TEAM I'd – PNT2022TMID03637 FINAL CODE PYTHON CODE:

```
import wiotp.sdk.device
import time import json
myConfig = {
"identity": {
"orgId": "hj5fmy",
"typeId": "childdevice",
"deviceId": "CHILD"
},
"auth": {
"token": "12345678"
} client = wiotp.sdk.device.DeviceClient(config=myConfig,
logHandlers=None)
client.connect() while True:
name="smartbridge" #in
area location
latitude=11.651145
longitude=78.156674 #out
area location
#latitude=11.651165
#longitude=78.158672
myData={'name':name, 'lat':latitude, 'lon':longitude}
client.publishEvent(eventId="status", msgFormat="json", data=myData,
qos=0, onPublish=None)
print("Published data Successfully: %s", myData) time.sleep(5)
client.disconnect()
```

ADDING GEOFENCE:

package com.example.geofence; import

```
android.app.PendingIntent; import android.content.Context; import
android.content.ContextWrapper; import android.content.Intent;
import android.widget.Toast; import
com.google.android.gms.common.api.ApiException; import
com.google.android.gms.location.Geofence; import
com.google.android.gms.location.GeofenceStatusCodes; import
com.google.android.gms.location.GeofencingRequest; import
com.google.android.gms.maps.model.LatLng; public class
GeofenceHelper extends ContextWrapper
{ private static final String TAG =
"GeofenceHelper";
PendingIntent pendingIntent; public GeofenceHelper(Context
base)
{ super(base);
public GeofencingRequest getGeofencingRequest(Geofence geofence)
return new GeofencingRequest.Builder()
.addGeofence(geofence)
.setInitialTrigger(GeofencingRequest.INITIAL_TRIGGER_ENTER)
.build(); } public Geofence getGeofence(String ID, LatLng latLng,
float radius, int
transitionTypes)
return new Geofence.Builder()
.setCircularRegion(latLng.latitude, latLng.longitude, radius)
.setRequestId(ID)
.setTransitionTypes(transitionTypes)
.setLoiteringDelay(5000)
.setExpirationDuration(Geofence.NEVER_EXPIRE)
.build(); }
public PendingIntent getPendingIntent()
if (pendingIntent != null)
return pendingIntent;
Intent intent = new Intent(this, GeofenceBroadcastReceiver.class);
```

```
pendingIntent = PendingIntent.getBroadcast(this, 2607, intent,
PendingIntent.FLAG_IMMUTABLE);
return pendingIntent;
public String getErrorString(Exception e)
if (e instanceof ApiException)
ApiException apiException = (ApiException) e; switch
(apiException.getStatusCode())
{ case
GeofenceStatusCodes
.GEOFENCE_NOT_AVAILABLE:
return "GEOFENCE_NOT_AVAILABLE"; case GeofenceStatusCodes
.GEOFENCE_TOO_MANY_GEOFENCES:
return "GEOFENCE_TOO_MANY_GEOFENCES";
case GeofenceStatusCodes
.GEOFENCE_TOO_MANY_PENDING_INTENTS:
return "GEOFENCE_TOO_MANY_PENDING_INTENTS";
} } return
e.getLocalizedMessage();
```

ALERT NOTIFICATION:

package com.example.geofence; import
android.content.BroadcastReceiver; import
android.content.Context; import
android.content.Intent; import
android.location.Location; import
android.os.CountDownTimer;
import android.util.Log; import android.widget.Toast;
import com.google.android.gms.location.Geofence; import
com.google.android.gms.location.GeofencingEvent import

```
java.util.List; import android.os.Handler;
public class GeofenceBroadcastReceiver extends BroadcastReceiver
{ private static final String TAG = "GeofenceBroadcastReceiv";
@Override
public void onReceive(Context context, Intent intent)
// TODO: This method is called when the BroadcastReceiver is receiving // an
Intent broadcast
//. /*
Toast.makeText(context, "GEOFENCE_ENTERED", Toast.LENGTH_SHORT).show();
final Toast mToastToShow; int toastDurationInMilliSeconds = 1200000; mToastToShow
= Toast.makeText(context, "GEOFENCE_EXITED",
Toast.LENGTH LONG);
// Set the countdown to display the toast CountDownTimer toastCountDown;
toastCountDown = new CountDownTimer(toastDurationInMilliSeconds, 100000)
public void onTick(long millisUntilFinished)
mToastToShow.show();
public void onFinish()
mToastToShow.cancel();
}
};
    //
        Show
                                                              mToastToShow.show();
                the
                      toast and
                                    starts
                                            the
                                                 countdown
toastCountDown.start();*/
NotificationHelper notificationHelper = new NotificationHelper(context);
notificationHelper.sendHighPriorityNotification("GEOFENCE_TRANSITION_ENT ER",
MapsActivity.class);
GeofencingEvent
                    geofencingEvent
                                             GeofencingEvent.fromIntent(intent);
                                                                                   if
                                       =
(geofencingEvent.hasError())
Log.d(TAG, "onReceive: Error receiving geofence event..."); return;
List geofenceList = geofencingEvent.getTriggeringGeofences (); for
(Geofence geofence: geofenceList)
Log.d(TAG, "onReceive: " + geofence.getRequestId()); }
// Location location = geofencingEvent.getTriggeringLocation(); int
transitionType = geofencingEvent.getGeofenceTransition(); switch
(transitionType)
case Geofence.GEOFENCE_TRANSITION_ENTER:
notificationHelper.sendHighPriorityNotification("Entered the Location", "",
MapsActivity.class); break; case
```

```
Geofence.GEOFENCE_TRANSITION_EXIT:
notificationHelper.sendHighPriorityNotification("Exited the Location ", "",
MapsActivity.class); break;
} }
}
```