

## Assignment -4 Wowki & IBM Cloud

Assignment Date	04 October 2022
Student Name	Naveen kumar.k
Student Roll Number	310819106056
Maximum Marks	2 Marks

### Question-1:

Write code and connections in wowki for the ultrasonic sensor.

Whenever the distance is less than 100cms sent "alert" to IBM cloud and display in device recent events.

### Code:

```
#include <WiFi.h>

#include <PubSubClient.h>

#include <ArduinoJson.h>

WiFiClient wifiClient; String

data3;

#define ORG "sf54ab"

#define DEVICE_TYPE "MyDeviceType"

#define DEVICE_ID "12345"

#define TOKEN "ZIA1zf@zL9s)Pumv11"

#define speed 0.034 #define led 14 char server[] = ORG

".messaging.internetofthings.ibmcloud.com"; char publishTopic[]

= "iot-2/evt/shreedharen/fmt/json";

char topic[] = "iot-2/cmd/led/fmt/String"; char authMethod[] =
```

```

"use-token-auth"; char token[] = TOKEN; char clientId[] = "d:"

ORG ":" DEVICE_TYPE ":" DEVICE_ID;

PubSubClient client(server, 1883, wifiClient);

const int trigpin=5; const int echopin=18;

String command; String data=""; long duration;

float dist; void setup()

{

Serial.begin(115200);

pinMode(led, OUTPUT);

pinMode(trigpin, OUTPUT);

pinMode(echopin, INPUT);

wifiConnect();

mqttConnect(); } void loop()

{ bool isNearby = dist < 100;

digitalWrite(led, isNearby);

publishData(); delay(500); if

(!client.loop())

{ mqttConnect();

} } void

wifiConnect() {

Serial.print("Connecting to "); Serial.print("Wifi");

WiFi.begin("Wokwi-GUEST", "", 6); while

(WiFi.status() != WL_CONNECTED) { delay(500);

Serial.print(".");

}

Serial.print("WiFi connected, IP address: ");

```

```

Serial.println(WiFi.localIP());

} void mqttConnect() { if
(!client.connected()) {

Serial.print("Reconnecting MQTT client to ");

Serial.println(server); while (!client.connect(clientId, authMethod,
token)) { Serial.print("."); delay(500); } initManagedDevice();

Serial.println(); } } void
initManagedDevice() { if
(client.subscribe(topic)) {

// Serial.println(client.subscribe(topic)); Serial.println("IBM subscribe to cmd OK");

} else {

Serial.println("subscribe to cmd FAILED");

} } void publishData() {

digitalWrite(trigpin,LOW);

digitalWrite(trigpin,HIGH);

delayMicroseconds(10);

digitalWrite(trigpin,LOW);

duration=pulseIn(echopin,HIGH);

dist=duration*speed/2; if(dist<100){

String payload = "{\"Alert Distance\":"; payload
+= dist; payload += "}"; Serial.print("\n");

Serial.print("Sending payload: ");

Serial.println(payload); if (client.publish(publishTopic,
(char*) payload.c_str())) {


Serial.println("Publish OK");

} } if(dist>100){

```

```
String payload = "{\"Distance\"";  
payload += dist; payload += "}";  
Serial.print("\n");  
Serial.print("Sending payload: ");  
Serial.println(payload); if(client.publish(publishTopic,  
(char*) payload.c_str())) {  
Serial.println("Publish OK");  
}else  
{  
Serial.println("Publish FAILED");  
}  
}  
}
```

## Connections:



## Output:

```

1  #include <WiFi.h>
2  #include <PubSubClient.h>
3  #include <ArduinoJson.h>
4
5  WiFiClient wifiClient;
6
7  #define ORG "sf54ab"
8  #define DEVICE_TYPE "MyDeviceType"
9  #define DEVICE_ID "12345"
10 #define TOKEN "Z1A1zf@L9s)Pumv11"
11 #define speed 0.034
12
13 char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
14 char publishTopic[] = "iot-2/evt/abcd_1/fmt/json";
15 char topic[] = "iot-2/cmd/home/fmt/String";
16 char authMethod[] = "use-token-auth";
17 char token[] = TOKEN;
18 char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
19 PubSubClient client(server, 1883, wifiClient);
20 void publishData();
21
22 const int trigpin=5;
23 const int echopin=18;
24 String command;
25 String data="";
26 String lat="14.167589";
27 String lon="80.248510";
28 String name="point2";
29 String icon="";
30
31 long duration;
32 int dist;
33

```

Simulation
00:34.720 100%

Editing Ultrasonic Distance Sensor

✕

Distance:

76cm

subscribe to cmd OK

Sending payload:

```
{
  "Name": "point2",
  "Latitude": "14.167589",
  "Longitude": "80.248510",
  "Icon": "fa-trash",
  "FillPercent": 25
}
```

Publish OK

## Output:(IBM Cloud)

The screenshot displays the IBM Watson IoT Platform interface. The top navigation bar includes tabs for 'Browse', 'Action', 'Device Types', and 'Interfaces'. A sidebar on the left contains icons for various IoT-related functions. The main content area shows a device with ID '12345' in a 'Disconnected' state. Below this, a tabbed interface highlights 'Recent Events'. A message states: 'The recent events listed show the live stream of data that is coming and going from this device.' A table lists five events, all of type 'event\_test' and format 'json', each reporting an 'Alert distance' value. A status box at the bottom right indicates '1 Simulation running'.

Event	Value	Format	Last Received
event_test	{"Alert distance":26}	json	a few seconds ago
event_test	{"Alert distance":80}	json	a few seconds ago
event_test	{"Alert distance":20}	json	a few seconds ago
event_test	{"Alert distance":52}	json	a few seconds ago
event_test	{"Alert distance":13}	json	a few seconds ago

**Link :** <https://wokwi.com/projects/346587874175484499>