CREATE DATABASE:

Date	08/11/2022
Team ID	PNT2022TMID06124
Project Name	IOT BASED SAFETY GADGET FOR CHILD SAFETY MONITORING AND NOTIFICATION




IBM
IBM-EPBL/IBM
Service Details
Cloudant Dash
Overview | IBM
Cloudant | IBM
IBM/cloudant
Cloudant Dash
a0763d7f-1f5c-4268-8356-d1aee1b1e8f7-bluemix.cloudant.com/dashboard.html#/database/childsafety/_all_docs
childsafety
Document ID
Options
{ } JSON
All Documents
Query
Permissions
Changes
Design Documents
Table
Metadata
{ } JSON
Create Document
id
key
value
a3b3b37bdbb127215c750001f78c9...
a3b3b37bdbb127215c750001f78c9...
{ "rev": "1-4dbd80ab6e655d7ba1af92...
Showing document 1 - 1.
Documents per page:
20
Log Out
12:25 AM
11/17/2022


IBM
IBM-EPBL/IBM
Service Details
Cloudant Dash
Overview | IBM
Cloudant | IBM
IBM/cloudant
Cloudant Dash
cloud.ibm.com/apidocs/cloudant?code=python
IBM Cloud Products Solutions Pricing Docs Support Explore more Console
Cloudant
Overview
Introduction
Endpoint URLs
Authentication
Auditing
Event tracking
Error handling
Additional headers
Rate limits
Related APIs
Logging
Methods
Server
IBM Cloud API Docs / Cloudant
Introduction
Last updated: 2022-10-24
IBM® Cloudant® for IBM Cloud® is a document-oriented database as a service (DBaaS). It stores data as documents in JSON format. It is built with scalability, high availability, and durability in mind. It comes with a wide variety of indexing options that include MapReduce, IBM Cloudant Query, full-text indexing, and geospatial indexing. The replication capabilities make it easy to keep data in sync between database clusters, desktop PCs, and mobile devices.
Detailed documentation is also available such as a Getting started tutorial, API overview documentation, tutorials, and guides.
This documentation describes the Python SDK and examples. To see usage information and examples in your preferred SDK, select the language tab in the right pane.
Endpoint URLs
The IBM Cloudant API uses an instance-specific endpoint URL for all regions. You can find your external endpoint by following these steps:
1. Go to the IBM Cloud dashboard and open an instance.
2. Click the Service credentials tab.
Curl Java Node Python Go
The code examples on this tab use the IBM Cloudant SDK for Python.
Installation
pip3 install ibmcloudant
GitHub
https://github.com/ibm/cloudant-python-sdk
Feedback
12:26 AM
11/17/2022


IBM
IBM-EPBL/IBM
Service Details
Cloudant Dash
Overview | IBM
Cloudant | IBM
IBM/cloudant
Cloudant Dash
a0763d7f-1f5c-4268-8356-d1aee1b1e8f7-bluemix.cloudant.com/dashboard.html#/_all_dbs
Databases
Database name
Create Database
{ } JSON
Your Databases
Name
Size
# of Docs
Partitioned
Actions
childsafety
14 bytes
1
No
noderedcebud20221116
15.9 KB
3
No
Log Out
Showing 1–2 of 2 databases.
Databases per page
20
1
12:27 AM
11/17/2022