SPRINT 1

TEAM ID: PNT2022TMID32045

LOGIN.CSS

```
mat-
card
{
            max-width: 600px;
            margin: 2em auto;
            text-align: center;
            max-height: 600px;
          }
          .header{
            text-align: center;
          .full-width {
           width: 80%;
          }
          .button-row {
            padding-top: 5px;
          }
          .button-row a {
            margin-right: 8px;
           text-align: center;
          }
          .forget-password{
            padding-left: 0px;
          }
          .emailInput{
            padding-top: 10px;
          }
          .contentBody {
            padding: 60px 1rem;
            background :#1b6ca8;
```

```
display: block;
}
.aLink{
  float: right;
  padding-right: 60px;
  text-decoration: none;
}
```

<mat-icon>

LOGIN.HTML

```
<mat-
card>
            <mat-card-content>
              <div class="header">
                <P>Sign Into Your Account </P>
              <form (ngSubmit)="onLogin()" name="loginForm" [formGroup]="loginForm">
                <div class="emailInput">
                  <mat-form-field class="full-width" appearance="outline">
                     <mat-label>Email</mat-label>
                    <input</pre>
                      formControlName="email"
                      matInput
                      placeholder="Enter email address" required
                     <mat-error *ngIf="!loginForm.controls['email'].valid">
                         Email is required
                       </mat-error>
                   </mat-form-field>
                </div>
                <div>
                     <a class="text-link" class="aLink" routerLink="/auth/forgot-</pre>
        password">Forgot Password?</a>
                  </span>
                   <mat-form-field class="full-width" appearance="outline">
                     <mat-label>Password</mat-label>
                     <input formControlName="password" matInput [type]=" hide ? 'password' :</pre>
        'text'" required />
                     <button mat-icon-button matSuffix (click)="hide = !hide" [attr.aria-</pre>
        label]="'Hide Password'"
                     [attr.aria-pressed]="hide">
```

LOGIN.TYPESCRIPT

```
import {
Component,
OnInit } from
'@angular/core';
                   import { FormGroup, FormBuilder, Validators } from '@angular/forms'
                   @Component({
                     selector: 'app-login',
                     templateUrl: './login.component.html',
                     styleUrls: ['./login.component.scss']
                   })
                   export class LoginComponent implements OnInit {
                     hide: boolean = false;
                     constructor(private fb: FormBuilder) {
                     ngOnInit() {
                     }
                     loginForm: FormGroup = this.fb.group({
                       email: ['', [Validators.required, Validators.email]],
                       password: ['', [Validators.required, Validators.minLength(6)]]
                     })
                     onLogin() {
                       if (!this.loginForm.valid) {
                         return;
                       console.log(this.loginForm.value);
                     }
```

LOGIN.IMG

